

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|---|---|--|---|
| 416 | 2021 | Oct-21 | Supportive Care in Cancer. 2021. doi: 10.1007/s00520-021-06585-z. Online ahead of print. | Treatment Strategy of Oxaliplatin-induced Peripheral Neuropathy: A Retrospective, Nationwide Study | 1) Satoshi Yokoyama 2) Chihiro Nakagawa 2) Kouichi Hosomi | 1) Division of Drug Informatics, School of Pharmacy, Kindai University, Japan. 2) Division of Drug Informatics, School of Pharmacy, Kindai University, Japan. | https://pubmed.ncbi.nlm.nih.gov/34595605/ |
| 415 | 2021 | Oct-21 | Biological and Pharmaceutical Bulletin. 2021;44(10):1499-1505. doi: 10.1248/bpb.21-00393. | Implementation Status of Liver Function Tests for Monitoring Benzbromarone-Induced Hepatotoxicity: An Epidemiological Survey Using the Japanese Claims Database | 1) Shungo Imai 2) Yasuyuki Nasuhara 3) Kenji Momo 2)4) Hiromitsu Oki 1) Hitoshi Kashiwagi 1) Yuki Sato 5) Takayuki Miyai 1)4)6) Mitsuru Sugawara 4) Yoh Takekuma | 1) Faculty of Pharmaceutical Sciences, Hokkaido University. 2) Division of Hospital Safety Management, Hokkaido University Hospital. 3) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 4) Department of Pharmacy, Hokkaido University Hospital. 5) Graduate School of Life Science, Hokkaido University. 6) Global Station for Biosurfaces and Drug Discovery, Hokkaido University. | https://pubmed.ncbi.nlm.nih.gov/34602558/ |
| 414 | 2021 | Oct-21 | Clinical and Experimental Nephrology. 2021. doi: 10.1007/s10157-021-02137-1. Online ahead of print. | Estimating the causal effect of transient anemia status on renal and cardiovascular outcomes in community-dwelling patients in Japan at the beginning of impaired renal function using marginal structural modeling | 1) Satoshi Onozawa 2) Tomomi Kimura 1) Yuichiro Ito 3) Tadao Akizawa | 1) Astellas Pharma, Inc, Tokyo, Japan. 2) Astellas Pharma, Inc, 1 Astellas Way, USA. 3) Showa University School of Medicine, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34596791/ |
| 413 | 2021 | Sep-21 | 生活経済学研究 Vol.53; p. 107-130 ※生活経済学会第 36 回研究大会会長賞受賞論文 | 健康アプリへのログインに因る「マイナスのモラルハザード」 大量データを用いた被保険者の健康増進をめぐるインセンティブに関する研究 | 1) 永井 克彦 2) 山本 信一 3) 米山 高生 | 1) 株式会社JMDC 2) 立命館大学 3) 東京経済大学 | https://www.ista.ge.ist.go.jp/article/seikatsukeizaigaku/53/0/53_107/article-char/ia |
| 412 | 2021 | Sep-21 | BMC Infectious Diseases. 2021;21(1):983. doi: 10.1186/s12879-021-06688-2. | Trends in healthcare visits and antimicrobial prescriptions for acute infectious diarrhea in individuals aged 65 years or younger in Japan from 2013 to 2018 based on administrative claims database: a retrospective observational study | 1) Akane Ono 1) Kensuke Aoyagi 2) Yuichi Muraki 1) Yusuke Asai 1) Shinya Tsuzuki 1) Ryuji Koizumi 1) Toshiaki Azuma 3) Yoshiaki Kusama 1)4) Norio Ohmagari | 1) AMR Clinical Reference Center, Disease Control and Prevention Center, National Center for Global Health and Medicine, Japan. 2) Department of Clinical Pharmacoepidemiology, Kyoto Pharmaceutical University, Kyoto, Japan. 3) AMR Clinical Reference Center, Disease Control and Prevention Center, National Center for Global Health and Medicine, Japan. 4) Disease Control and Prevention Center, National Center for Global Health and Medicine, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34548008/ |
| 411 | 2021 | Sep-21 | PLoS One. 2021;16(9):e0254394. doi: 10.1371/journal.pone.0254394. eCollection 2021. | Claims-based algorithms for common chronic conditions were efficiently constructed using machine learning methods | 1) Konan Hara 1) Yasuki Kobayashi 1) Jun Tomio 2) Yuki Ito 3)4)5) Thomas Svensson 1)3) Ryo Ikesu 3)5)6) Ung-II Chung 3)4)7) Akiko Kishi Svensson | 1) Department of Public Health, Graduate School of Medicine, The University of Tokyo, Japan. 2) Department of Economics, University of California, Berkeley, Berkeley, California, United States of America. 3) Precision Health, Department of Bioengineering, Graduate School of Engineering, The University of Tokyo, Japan. 4) Department of Clinical Sciences, Lund University, Skåne University Hospital, Malmö, Sweden. 5) School of Health Innovation, Kanagawa University of Human Services, Japan. 6) Clinical Biotechnology, Center for Disease Biology and Integrative Medicine, Graduate School of Medicine, The University of Tokyo, Japan. 7) Department of Diabetes and Metabolic Diseases, Graduate School of Medicine, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34570785/ |
| 410 | 2021 | Sep-21 | Therapeutic Advances in Musculoskeletal Disease. 2021;13:1759720X211047057. | Repurposing haloperidol for the treatment of rheumatoid arthritis: an integrative approach using data mining techniques | 1) Chihiro Nakagawa 2) Satoshi Yokoyama 1) Kouichi Hosomi 1) Mitsutaka Takada | 1) Division of Drug Informatics, School of Pharmacy, Kindai University, Higashiosaka City, Japan. 2) Division of Drug Informatics, School of Pharmacy, Kindai University, Osaka, Japan. | https://pubmed.ncbi.nlm.nih.gov/34589142/ |
| 409 | 2021 | Sep-21 | Clinical Drug Investigation. 2021. doi: 10.1007/s40261-021-01082-x. Online ahead of print. | Prescribing Trends of Biologic Disease-Modifying Anti-rheumatic Drugs Using a Claims Database from 6 Million People in Japan | 1) Atsushi Hirata 2) Ryosuke Ota 3) Takeo Hata 3) Takeshi Hamada 3) Masami Nishihara 3) Kazuhisa Uchiyama 3) Takahiro Katsumata | 1) Department of Pharmacy, Kindai University Nara Hospital, Nara, Japan. 2) Department of Pharmacy, Kindai University Nara Hospital, Nara, Japan. 3) Department of Pharmacy, Osaka Medical and Pharmaceutical University Hospital, Osaka, Japan. | https://pubmed.ncbi.nlm.nih.gov/34553318/ |
| 408 | 2021 | Sep-21 | Journal of Pain & Palliative Care Pharmacotherapy. 2021;1:1-8. doi: 10.1080/15360288.2021.1974644. Online ahead of print. | Transdermal Fentanyl Usage in Working-age Patients Undergoing Cancer Treatment: Prescription Pattern Analysis Using Large Claims Data in Japan | 1) Yuji Oto 1) Kenji Momo 1) Takeshi Uchikura 1) Katsumi Tanaka 2) Tadanori Sasaki | 1) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University, Japan. 2) Department of Pharmacy, Showa University Hospital, Japan. | https://pubmed.ncbi.nlm.nih.gov/34546834/ |
| 407 | 2021 | Sep-21 | International Heart Journal. 2021. doi: 10.1536/ihj.21-087. Online ahead of print. | Current Status of Catheter Ablation for Atrial Fibrillation in Japan | 1) Takuto Arita 1) Shinya Suzuki 2) Katsuhiko Nagai 2) Takashi Tanaka 2) Takayoshi Nagahama 1) Naoharu Yagi 1) Takayuki Otsuka 1) Takeshi Yamashita | 1) Department of Cardiovascular Medicine, The Cardiovascular Institute. 2) Data Innovation Lab, JMDC Inc. | https://pubmed.ncbi.nlm.nih.gov/34544976/ |
| 406 | 2021 | Sep-21 | Preventive Medicine Reports. 24 (2021) 101549 | Outpatient treatment following alcohol screening at health checkups and change in drinking patterns among excessive drinkers with lifestyle-related diseases | 1) Ayumi Takano 2) Hayato Yamana 3) Sachiko Ono 4) Hiroki Matsui 4) Hideo Yasunaga | 1) Department of Mental Health and Psychiatric Nursing, Tokyo Medical and Dental University, Japan. 2) Department of Health Services Research, The University of Tokyo, Japan. 3) Department of Eat-loss Medicine, The University of Tokyo, Japan. 4) Department of Clinical Epidemiology and Health Economics, The University of Tokyo, Japan | https://www.sciencedirect.com/science/article/pii/S2211335521002394 |
| 405 | 2021 | Sep-21 | The Tohoku Journal of Experimental Medicine. 2021;255(1):33-39. doi: 10.1620/tjem.255.33. | Clinical Course of Ulcerative Colitis Associated with an Age at Diagnosis: A Recent Japanese Database Survey | 1) Yosuke Shimodaira 1) Kenta Watanabe 1) Katsunori Iijima | 1) Department of Gastroenterology and Neurology, Akita University Graduate School of Medicine. | https://pubmed.ncbi.nlm.nih.gov/34511579/ |
| 404 | 2021 | Sep-21 | American Journal of Cardiology. 2021;S0002-9149(21)00739-6. doi: 10.1016/j.amjcard.2021.07.049. Online ahead of print. | Relation of the Metabolic Syndrome to Incident Colorectal Cancer in Young Adults Aged 20 to 49 Years | 1) Takahiro Jimba 2) Hidehiro Kaneko 3) Yuichiro Yano 1) Hidetaka Itoh 1) Haruki Yotsumoto 1) Hikari Seki 4) Kojiro Morita 1) Hiroyuki Kiriyama 1) Tatsuya Kamon 5) Katsuhito Fujiu 6) Nobuaki Michihata 6) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 7) Akira Nishiyama 8) Koichi Node 9) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 3) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan; The Department of Family Medicine and Community Health, Duke University, Durham, North Carolina. 4) The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan; The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 5) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 6) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 7) Department of Pharmacology, Faculty of Medicine, Kagawa University, Kagawa, Japan. 8) Department of Cardiovascular Medicine, Saga University, Saga, Japan. 9) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34481589/ |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|---|--|---|---|---|
| 403 | 2021 | Sep-21 | Cardiovascular Diabetology. 2021;20(1):174. doi: 10.1186/s12933-021-01367-7. | Impact of Prior Cerebrovascular Disease and Glucose Status on Incident Cerebrovascular Disease in Japanese | 1)2) Momoko Oe 3) Kazuya Fujihara 1) Mayuko Harada-Yamada 1) Taeko Osawa 1) Masaru Kitazawa 1) Yasuhiro Matsubayashi 1) Takaaki Sato 1) Yuta Yaguchi 1) Midori Iwanaga 4) Hiroyasu Seida 1) Takaho Yamada 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University Faculty of Medicine, Japan. 2) Kowa Company, Ltd, Japan. 3) Department of Internal Medicine, Niigata University Faculty of Medicine, Japan. 4) JMDC Inc, Japan. | https://pubmed.ncbi.nlm.nih.gov/34479567/ |
| 402 | 2021 | Sep-21 | Biological and Pharmaceutical Bulletin. 2021;44(9):1294-1302. doi: 10.1248/bpb.b21-00230. | Comparison of the Safety and Effectiveness of Four Direct Oral Anticoagulants in Japanese Patients with Nonvalvular Atrial Fibrillation Using Real-World Data | 1) Aya Enomoto 2) Yasunari Mano 3) Yohei Kawano 2) Tomoki Nishikawa 3) Takao Aoyama 4) Yoshiyuki Sasaki 1) Masashi Nagata 1) Hiromitsu Takahashi | 1) Department of Pharmacy, Medical Hospital, Tokyo Medical and Dental University (TMDU). 2) Department of Clinical Drug Informatics, Faculty of Pharmaceutical Sciences, Tokyo University of Science (TUS). 3) Department of Pharmacotherapy, Faculty of Pharmaceutical Sciences, Tokyo University of Science (TUS). 4) Department of Maxillofacial Surgery, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University (TMDU). | https://pubmed.ncbi.nlm.nih.gov/34471057/ |
| 401 | 2021 | Aug-21 | 医療情報学. 2021;41(3):107-128 107 | 特定健康診査における心臓細動・粗動検出のための心電図検査実施推奨モデルの構築 | 1) 松崎 達哉 2) 木村 雄弘 | 1) 株式会社JMDC 2) 慶應義塾大学 医学部 循環器内科 | https://www.jami.jp/document/magIndex.php |
| 400 | 2021 | Aug-21 | Global Health & Medicine. 2021;3(4):203-213. DOI: 10.35772/ghm.2020.01077 | Promoting analysis of real-world data: Prospects for preventive cardiology in Japan | 1) Haruki Yotsumoto 1)2) Hidehiro Kaneko 1) Hidetaka Itoh 1) Tatsuya Kamon 1) Hiroyuki Kiriya 1)2) Katsuhito Fujiu 1) Norifumi Takeda 1) Hiroyuki Morita 1) Issei Komuro | 1) Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; 2) Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. | http://www.globalhealthmedicine.com/site/article.html?id=144 |
| 399 | 2021 | Aug-21 | RIETI Discussion Paper Series; 2021; 21-E-073 | Medical Expenditures over the Life Cycle: Persistent Risks and Insurance | 1) FUKAI, Taiyo 1)2) ICHIMURA, Hidehiko 3) KITAO, Sagiri 1) MIKOSHIBA, Minamo | 1) University of Tokyo 2) University of Arizona 3) Research Institute of Economy, Trade and Industry | https://www.rieti.go.jp/en/publications/summary/21080017.html |
| 398 | 2021 | Aug-21 | Ophthalmic Epidemiology. 2021;1-10. doi: 10.1080/09286586.2021.1971263. Online ahead of print. | Eye drops for dry eye disease during pregnancy and adverse neonatal outcomes: high-dimensional propensity score analyses | 1)2) Yohei Hashimoto 3) Hayato Yamana 3) Nobuaki Michihata 2) Daisuke Shigemi 4) Miho Ishimaru 2) Hiroki Matsui 2) Hideo Yasunaga 1) Makoto Aihara 1 | 1) Department of Ophthalmology, Graduate School of Medicine, the University of Tokyo, Tokyo, Japan. 2) Department of Clinical Epidemiology and Health Economics, School of Public Health, the University of Tokyo, Tokyo, Japan. 3) Department of Health Services Research, Graduate School of Medicine, the University of Tokyo, Tokyo, Japan. 4) Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan. | https://pubmed.ncbi.nlm.nih.gov/34459318/ |
| 397 | 2021 | Aug-21 | Pediatrics International. 2021. doi: 10.1111/ped.14957. Online ahead of print. | Epidemiology of RSV in Japan: A nationwide claims database analysis | 1) Yasuhiro Kobayashi 2) Kanae Togo 3) Yasmeen Agosti 4) John M McLaughlin | 1) Vaccine Medical Affairs, Pfizer Japan Inc, Tokyo, Japan. 2) Health & Value, Pfizer Japan Inc, Tokyo, Japan. 3) Viral Vaccines, Pfizer Inc, Collegeville, PA, USA. 4) Pipeline Vaccines, Pfizer Inc, Collegeville, PA, USA. | https://pubmed.ncbi.nlm.nih.gov/34388302/ |
| 396 | 2021 | Aug-21 | PLoS One. 2021;16(8):e0256379. doi: 10.1371/journal.pone.0256379. eCollection 2021. | The background occurrence of selected clinical conditions prior to the start of an extensive national vaccination program in Japan | 1) Tomotaka Sobue 2) Haruhisa Fukuda 3) Tetsuya Matsumoto 4) Bennett Lee 4) Shuhei Ito 5)6) Satoshi Iwata | 1) Division of Environmental Medicine and Population Science, Graduate School of Medicine, Osaka University, Osaka, Japan. 2) Department of Health Care Administration and Management, Kyushu University, Fukuoka, Japan. 3) Department of Infectious Diseases, International University of Health and Welfare, Narita, Japan. 4) Vaccine Medical Affairs, Pfizer Japan Inc., Tokyo, Japan. 5) Department of Infectious Diseases, National Cancer Center Hospital, Tokyo, Japan. 6) Department of Infectious Diseases, Keio University School of Medicine, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34437567/ |
| 395 | 2021 | Aug-21 | The Journal of Dermatology. 2021. doi: 10.1111/1346-8138.16084. Online ahead of print. | Clinical characteristics and health-care resource utilization in patients with generalized pustular psoriasis using real-world evidence from the Japanese Medical Data Center database | 1) Yukari Okubo 2) Nirali Kotowsky 2) Ran Gao 3) Kumiko Saito 4) Akimichi Morita | 1) Department of Dermatology, Tokyo Medical University Hospital, Tokyo, Japan. 2) Boehringer Ingelheim Pharmaceuticals Inc, Ridgefield, Connecticut, USA. 3) Nippon Boehringer Ingelheim Co., Ltd, Tokyo, Japan. 4) Department of Geriatric and Environmental Dermatology, Nagoya City University Graduate School of Medical Sciences, Nagoya, Japan. | https://pubmed.ncbi.nlm.nih.gov/34390028/ |
| 394 | 2021 | Aug-21 | Pharmacoepidemiology and Drug Safety. 2021. doi: 10.1002/pds.5343. Online ahead of print. | Association between adherence to warfarin and thrombotic events in patients with antiphospholipid syndrome in Japan: A claims-based retrospective cohort study | 1)2) Tserenkhram Byambajav 1) Takashi Waki 1)3) Katsuyuki Miura 1)4) Sachiko Tanaka-Mizuno | 1) Department of Public Health, Shiga University of Medical Science, Otsu, Shiga, Japan. 2) Department of Clinical Pharmacy and Pharmaceutical Management, School of Pharmacy, Mongolian National University of Medical Sciences, Ulaanbaatar, Mongolia. 3) NCD Epidemiology Research Center (NERC), Shiga University of Medical Science, Otsu, Shiga, Japan. 4) Department of Digital Health and Epidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/34382707/ |
| 393 | 2021 | Aug-21 | Graefe's Archive for Clinical and Experimental Ophthalmology. 2021. doi: 10.1007/s00417-021-05357-z. Online ahead of print. | Association between topical β -blocker use and asthma attacks in glaucoma patients with asthma: a cohort study using a claims database | 1)2) Ai Kido 1) Masahiro Miyake 1) Tadamichi Akagi 1) Hanako Ohashi Ikeda 1) Takanori Kameda 1) Kenji Suda 1) Tomoko Hasegawa 3) Shusuke Hiragi 2) Satomi Yoshida 1) Akitaka Tsujikawa 1) Hiroshi Tamura 4) Koji Kawakami | 1) Department of Ophthalmology and Visual Sciences, Graduate School of Medicine, Kyoto University, Kyoto, Japan. 2) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Japan. 3) Division of Medical Information Technology and Administration Planning, Kyoto University Hospital, Kyoto, Japan. 4) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Japan. | https://pubmed.ncbi.nlm.nih.gov/34370066/ |
| 392 | 2021 | Aug-21 | Biological and Pharmaceutical Bulletin. 2021;44(8):1151-1155. doi: 10.1248/bpb.b21-00170. | Investigation of the Real-World Situation and Risk Factors Associated with Olanzapine Prescribed to Diabetes Patients by Using a Japanese Claims Database | 1)2) Shinsuke Yamashita 3) Shungo Imai 4) Kenji Momo 3) Hitoshi Kashiwagi 3) Yuki Sato 2)3)5) Mitsuru Sugawara 2) Yoh Takekuma | 1) Graduate School of Life Science, Hokkaido University. 2) Department of Pharmacy, Hokkaido University Hospital. 3) Faculty of Pharmaceutical Sciences, Hokkaido University. 4) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 5) Global Station for Biosurfaces and Drug Discovery, Hokkaido University. | https://pubmed.ncbi.nlm.nih.gov/34334500/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|---|---|
| 391 | 2021 | Jul-21 | Journal of Infection and Chemotherapy. 2021;S1341-321X(21)00182-3. doi: 10.1016/j.jiac.2021.07.001. | Trends and patterns in antibiotic prescribing for adult outpatients with acute upper respiratory tract infection in Japan, 2008-2018 | 1) Lyu Ji 1) Satomi Yoshida 2) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/34246543/ |
| 390 | 2021 | Jul-21 | Circulation: Cardiovascular Quality and Outcomes. 2021 ;CIRCOUTCOMES120007649. doi: 10.1161/CIRCOUTCOMES.120007649. Online ahead of print. | Spouse's Cardiovascular Disease As a Risk Factor for Cardiovascular Disease in Middle-Aged Adults: A Matched-Pair Cohort Study | 1) Hiroyuki Ohbe 1) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34238013/ |
| 389 | 2021 | Jul-21 | Journal of Diabetes Investigation. 2021. doi: 10.1111/jdi.13641. Online ahead of print. | Appropriate definition of diabetes using an administrative database: a cross-sectional cohort validation study | 1)2) Yuichi Nishioka 1) Saki Takeshita 1) Shinichiro Kubo 1) Tomoya Myojin 1) Tatsuya Noda 2) Sadanori Okada 3) Hitoshi Ishii 1) Tomoaki Imamura 2) Yutaka Takahashi | 1) Department of Public Health, Health Management and Policy, Nara Medical University, Nara, Japan. 2) Department of Diabetes and Endocrinology, Nara Medical University, Nara, Japan. 3) Department of Doctor-Patient Relationships, Nara Medical University, Nara, Japan. | https://pubmed.ncbi.nlm.nih.gov/34327864/ |
| 388 | 2021 | Jul-21 | American Journal of Reproductive Immunology. 2021:e13486. doi: 10.1111/aji.13486. Online ahead of print. | Association between allergic or autoimmune diseases and incidence of endometriosis: a nested case-control study using a health insurance claims database | 1)2) Erika Yoshii 3) Hayato Yamana 4) Sachiko Ono 5) Hiroki Matsui 5) Hideo Yasunaga | 1) Faculty of Medicine, The University of Tokyo, Japan. 2) Japan Community Health-care Organization Tokyo Shinjuku Medical Center. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Japan. 4) Department of Eat-loss Medicine, Graduate School of Medicine, The University of Tokyo, Japan. 5) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34322942/ |
| 387 | 2021 | Jul-21 | Human Fertility (British Fertility Society journal). 2021;1-8. doi: 10.1080/14647273.2021.1953710. Online ahead of print. | Impact of maternal depression and anxiety-related disorders on live birth rate in women with recurrent pregnancy loss | 1) Daisuke Shigemi 1) Yohei Hashimoto 1) Nobuaki Michihata 1) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34282962/ |
| 386 | 2021 | Jul-21 | American Journal of Cardiology. 2021;S0002-9149(21)00568-3. doi: 10.1016/j.amjcard.2021.06.010. Online ahead of print. | Risk Factors and Lifestyles in the Development of Atrial Fibrillation Among Individuals Aged 20-39 Years | 1) Hidetaka Itoh 2) Hidehiro Kaneko 3) Katsuhito Fujiu 1) Hiroyuki Kiriya 4) Kojiro Morita 1) Tatsuya Kamon 5) Nobuaki Michihata 5) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 6) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 3) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 4) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan; The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan. 5) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 6) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34294408/ |
| 385 | 2021 | Jul-21 | PLoS One. 2021;16(7):e0254807. doi: 10.1371/journal.pone.0254807. eCollection 2021. | Evaluation of economic burden with biologic treatments in Crohn's disease patients: A mirror image study using an insurance database in Japan | 1) Celine Miyazaki 2) Nagano Katsumasa 3) Kuan Chih Huang 4) Yan Fang Liu | 1) Health Economics Department, Janssen Pharmaceutical K.K., Tokyo, Japan. 2) Medical Affairs Department, Janssen Pharmaceutical K.K., Tokyo, Japan. 3) Janssen Research & Development Epidemiology, Taipei, Taiwan. 4) Global Epidemiology, Janssen Research & Development, Singapore, Singapore. | https://pubmed.ncbi.nlm.nih.gov/34280242/ |
| 384 | 2021 | Jul-21 | Journal of Diabetes Investigation. 2021. doi: 10.1111/jdi.13631. Online ahead of print. | Bariatric surgery versus medical treatment in mildly obese patients with type 2 diabetes mellitus in Japan: propensity score-matched analysis on real-world data | 1) Yosuke Seki 1) Kazunori Kasama 1) Renzo Yokoyama 2) Akihiro Maki 2) Hideharu Shimizu 3) Hyejin Park 4) Yoshimochi Kurokawa | 1) Weight Loss and Metabolic Surgery Center, Yotsuya Medical Cube, Japan. 2) Johnson & Johnson K.K. Medical Company, Japan. 3) Johnson and Johnson Medical, Korea. 4) Yotsuya Medical Cube, Japan. | https://pubmed.ncbi.nlm.nih.gov/34265175/ |
| 383 | 2021 | Jul-21 | The Journal of Dermatology. 2021. doi: 10.1111/1346-8138.16050. Online ahead of print. | Cost-of-illness study for axillary hyperhidrosis in Japan | 1) Hiroyuki Murota 2) Tomoko Fujimoto 3) Yuichiro Oshima 3) Yasuhiko Tamada 3) Takeshi Yanagishita 1) Naoya Murayama 4) Sachie Inoue 5) Hiromichi Okatsu 5) Hiroshi Miyama 6) Hiroo Yokozeki | 1) Department of Dermatology, Nagasaki University, Nagasaki, Japan. 2) Ikebukuro Nishiguchi Fukuro Dermatological Clinic, Tokyo, Japan. 3) Department of Dermatology, Aichi Medical University School of Medicine, Aichi, Japan. 4) CRECON Medical Assessment Inc., Tokyo, Japan. 5) Medical Affairs Department, Kaken Pharmaceutical Co., Ltd., Tokyo, Japan. 6) Department of Dermatology, Tokyo Medical and Dental University, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34245048/ |
| 382 | 2021 | Jul-21 | Nutrients 2021, 13(7), 2343; https://doi.org/10.3390/nu13072343. | Association of Body Mass Index with Ischemic and Hemorrhagic Stroke | 1) Masahiro Shiozawa 1)2) Hidehiro Kaneko 1) Hidetaka Itoh 3) Kojiro Morita 4) Akira Okada 1)5) Satoshi Matsuoaka 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 6) Nobuaki Michihata 6) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 5) Sunao Nakamura 7) Koichi Node 8) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Japan 2) The Department of Advanced Cardiology, The University of Tokyo, Japan 3) Global Nursing Research Center, Graduate School of Medicine, The University of Tokyo, Japan 4) Department of Prevention of Diabetes and Lifestyle-Related Diseases, Graduate School of Medicine, The University of Tokyo, Japan 5) The Department of Cardiology, New Tokyo Hospital, Japan 6) The Department of Health Services Research, The University of Tokyo, Japan 7) Department of Cardiovascular Medicine, Saga University, Japan 8) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan | https://www.mdpi.com/2072-6643/13/7/2343 |
| 381 | 2021 | Jul-21 | Social Psychiatry and Psychiatric Epidemiology. 2021. doi: 10.1007/s00127-021-02147-0. Online ahead of print. | Effects of medical service fee revision on reducing irrational psychotropic polypharmacy in Japan: an interrupted time-series analysis | 1) Yusuke Okada 2) Manabu Akazawa | 1) Department of Public Health and Epidemiology, Meiji Pharmaceutical University, Japan. 2) Department of Public Health and Epidemiology, Meiji Pharmaceutical University. | https://pubmed.ncbi.nlm.nih.gov/34333670/ |
| 380 | 2021 | Jul-21 | Expert Opin Drug Saf . 2021 . doi: 10.1080/14740338.2021.1951219. Online ahead of print. | A cross-sectional survey of hospitalization and blood tests implementation status in patients who received tolvaptan under 75 years of age using a Japanese claims database | 1) Shungo Imai 2) Kenji Momo 1) Hitoshi Kashiwagi 1) Yuki Sato 3) Takayuki Miyai 1)4)5) Mitsuru Sugawara 4) Yoh Takekuma | 1) Faculty of Pharmaceutical Sciences, Hokkaido University 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University 3) Graduate School of Life Science, Hokkaido University 4) Department of Pharmacy, Hokkaido University Hospital 5) Global Station for Biosurfaces and Drug Discovery, Hokkaido University; | https://pubmed.ncbi.nlm.nih.gov/34225550/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|---|---|--|---|
| 379 | 2021 | Jul-21 | Diabetes Therapy .2021. doi: 10.1007/s13300-021-01101-2. Online ahead of print. | Comparative Effects of Metformin and Dipeptidyl Peptidase-4 Inhibitors in Japanese Obese Patients with Type 2 Diabetes: A Claims Database Study | 1) Masato Odawara 2) Sumiko Aoi 3) Tomomi Takeshima 3) Kosuke Iwasaki | 1) Department of Diabetes, Metabolism and Endocrinology, Tokyo Medical University, 2) Medical Affairs, Sumitomo Dainippon Pharma Co., Ltd 3) Milliman Inc., | https://pubmed.ncbi.nlm.nih.gov/34218420/ |
| 378 | 2020 | Dec-20 | Journal of Psychiatric Research .2020;131:77-84. doi: 10.1016/j.jpsyres.2020.08.025. Epub 2020 Aug 27. | Incidence, prevalence and prescription patterns of antipsychotic medications use in Asia and US: A cross-nation comparison with common data model | 1) Chien-Chou Su 1) Edward Chia-Cheng Lai 2) Yea-Huei Kao Yang 3) Kenneth K C Man 4) Kiyoshi Kubota 5) Paul Stang 5) Martijn Schuemie 5) Patrick Ryan 6) Chantelle Hardy 6) Yinghong Zhang 7) Shinya Kimura 7) Yukari Kamijima 3) Ian C K Wong 8) Soko Setoguchi | 1) Department of Pharmacy, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan, Taiwan; Institute of Clinical Pharmacy and Pharmaceutical Sciences, College of Medicine, National Cheng Kung University, Tainan, Taiwan; School of Pharmacy And, College of Medicine National Cheng Kung University, Tainan, Taiwan; Health Outcome Research Center, National Cheng Kung University, Tainan, Taiwan. 2) Department of Pharmacy, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan, Taiwan; Institute of Clinical Pharmacy and Pharmaceutical Sciences, College of Medicine, National Cheng Kung University, Tainan, Taiwan; School of Pharmacy And, College of Medicine National Cheng Kung University, Tainan, Taiwan; Health Outcome Research Center, National Cheng Kung University, Tainan, Taiwan. 3) Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong, Hong Kong; Research Department of Practice and Policy, UCL School of Pharmacy, London, United Kingdom. 4) NPO Drug Safety Research Unit Japan, Tokyo, Japan. 5) Janssen Research & Development, LLC, Titusville, United States. 6) Duke Clinical Research Institute, Durham, United States. 7) Japan Medical Data Center, Tokyo, Japan. 8) Department of Medicine, Rutgers Robertwood Johnson Medical School and Institute for Health, Health Care Policy and Aging Research, Rutgers Biomedical and Health Sciences, New Jersey, United States. | https://pubmed.ncbi.nlm.nih.gov/32947205/ |
| 377 | 2021 | Jun-21 | J-STAGEトップ/Global Health & Medicine/3 巻 (2021) 3 号 | The use of Japanese long-term care insurance claims in health services research: current status and perspectives | 1)2) Xueying Jin 1)2) Nanako Tamiya | 1) Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan; 2) Health Services Research & Development Center, University of Tsukuba, Tsukuba, Ibaraki, Japan. | https://www.ista.ge.ist.go.jp/article/ghm/3/3/3_2021.01000/article/-char/ia |
| 376 | 2021 | Jun-21 | Statistical Methods in Medical Research .2021 Jun 10.9622802211011197. doi: 10.1177/09622802211011197. Online ahead of print. | Non-parametric approach for frequentist multiple imputation in survival analysis with missing covariates | 1) Yoshinori Takeuchi 2) Mitsunori Ogawa 1) Yasuhiro Hagiwara 1) Yutaka Matsuyama | 1) Department of Biostatistics, School of Public Health, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 2) Interfaculty Initiative in Information Studies, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34110942/ |
| 375 | 2021 | Jun-21 | Annals of the Rheumatic Diseases .2021 .annrheumdis-2021-220439. doi: 10.1136/annrheumdis-2021-220439. Online ahead of print. | Serum uric acid control for prevention of gout flare in patients with asymptomatic hyperuricaemia: a retrospective cohort study of health insurance claims and medical check-up data in Japan | 1) Ruriko Koto 2) Akihiro Nakajima 3) Hideki Horiuchi 4)5)6) Hisashi Yamanaka | 1) Medical Science Department, Teijin Pharma Limited, Chiyoda-ku, Tokyo, Japan 2) Pharmaceutical Development Administration Department, Teijin Pharma Limited, Chiyoda-ku, Tokyo, Japan. 3) Medical Science Department, Teijin Pharma Limited, Chiyoda-ku, Tokyo, Japan. 4) Rheumatology, Sanno Medical Center, Tokyo, Japan. 5) Department of Rheumatology, International University of Health and Welfare, Chiba, Japan. 6) Institute of Rheumatology, Tokyo Women's Medical University, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34158371/ |
| 374 | 2021 | Jun-21 | JMIR 2021 in Vol 7, No 6 (2021) | Incorporating Unstructured Patient Narratives and Health Insurance Claims Data in Pharmacovigilance: Natural Language Processing Analysis of Patient-Generated Texts About Systemic Lupus Erythematosus | 1) Shinichi Matsuda 1) Takumi Ohtomo 2) Shihō Tomizawa 1) Yuki Miyano 3) Miwako Mogi 4) Hiroshi Kuriki 1) Terumi Nakayama 1) Shinichi Watanabe | 1) Real-World Data Science Department, Chugai Pharmaceutical Co Ltd, Tokyo, Japan 2) Risk Communication Department, Chugai Pharmaceutical Co Ltd, Tokyo, Japan 3) Foundation Medicine Business Department, Chugai Pharmaceutical Co Ltd, Tokyo, Japan 4) Biometrics Department, Chugai Pharmaceutical Co Ltd, Tokyo, Japan | https://publichealth.jmir.org/2021/6/e29238/ |
| 373 | 2021 | Jun-21 | Atherosclerosis Available online 26 June 2021 | Detailed association between serum uric acid levels and the incidence of chronic kidney disease stratified by sex in middle-aged adults | 1)2)3) ShingoNakayama 2)3) MichihiroSato 4) YukakoTatsumi 2)3)5) TakahisaMurakami 2)3)7) TomokoMuroya 1)8) TakuHirose 4) 9) TakayoshiOhkubo 1) TakefumiMori 3) AtsushiHozawa 2)6)9) HirohitoMetoki | 1) Division of Nephrology and Endocrinology, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, Sendai, Japan 2) Division of Public Health, Hygiene and Epidemiology, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, Sendai, Japan 3) Department of Preventive Medicine and Epidemiology, Tohoku Medical Megabank Organization, Tohoku University, Sendai, Japan 4) Department of Hygiene and Public Health, Teikyo University School of Medicine, Tokyo, Japan 5) Division of Aging and Geriatric Dentistry, Department of Rehabilitation Dentistry, Tohoku University Graduate School of Dentistry, Sendai, Japan 6) Department of Community Medical Support, Tohoku Medical Megabank Organization, Tohoku University, Sendai, Japan 7) Department of Internal Medicine, Izumi Hospital, Sendai, Japan 8) Department of Endocrinology and Applied Medical Science, Tohoku University Graduate School of Medicine, Sendai, Japan 9) Tohoku Institute for Management of Blood Pressure, Sendai, Japan | https://www.sciencedirect.com/science/article/abs/pii/S002191502101193X |
| 372 | 2021 | Jun-21 | The Lancet Regional Health - Western Pacific. 2021;12:100170. doi: 10.1016/j.lanwpc.2021.100170. eCollection 2021 Jul. | Regional Inequality in Dental Care Utilization in Japan: An Ecological Study Using the National Database of Health Insurance Claims | 1) KentoTaira 2)3)4) TakahiroMori 1) Miholshimaru 1) MasaoIwagami 1) NobuoSakata 1) TaekoWatanabe 1)5) HidetoTakahashi 1)2) NanakoTamiya | 1) Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan 2) Health Services Research and Development Center, University of Tsukuba, Tsukuba, Ibaraki, Japan 3) Department of General Medical Science, Graduate School of Medicine, Chiba University, Chiba, Chiba, Japan 4) Department of General Internal Medicine, Eastern Chiba Medical Center, Togane, Chiba, Japan 5) National Institute of Public Health, Wako, Saitama, Japan | https://www.sciencedirect.com/science/article/pii/S2666606521000791 |
| 371 | 2021 | Jun-21 | Japanese Journal of Ophthalmology .2021. doi: 10.1007/s10384-021-00850-8. Online ahead of print. | Prevalence and incidence rates and treatment patterns of non-infectious uveitis in Japan: real-world data using a claims database | 1) Akihiko Umazume 2) Nobuyuki Ohguro 3) Annabelle A Okada 4) Kenichi Namba 5) Koh-Hei Sonoda 6) Hidekazu Tsuruga 7) Kazuo Morita 1) Hiroshi Goto | 1) Department of Ophthalmology, Tokyo Medical University, Tokyo, Japan. 2) Japan Community Healthcare Organization Osaka Hospital, Osaka, Japan. 3) Department of Ophthalmology, Kyorin University School of Medicine, Tokyo, Japan. 4) Department of Ophthalmology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Sapporo, Japan. 5) Department of Clinical Medicine, Kyushu University Faculty of Medical Sciences, Fukuoka, Japan. 6) AbbVie GK 7) AbbVie GK | https://pubmed.ncbi.nlm.nih.gov/34181111/ |
| 370 | 2021 | Jun-21 | Drugs Real World Outcomes .2021. doi: 10.1007/s40801-021-00266-3. Online ahead of print. | Current Status, Challenges, and Future Perspectives of Real-World Data and Real-World Evidence in Japan | 1) Katsutoshi Hiramatsu 2) Annabel Barrett 3) Yasuhiko Miyata PhRMA Japan Medical Affairs Committee Working Group 1 | 1) Amgen K.K. 2) Eli Lilly and Company Limited, Berkshire, UK. 3) Bristol Myers Squibb K.K., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34148219/ |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|---|---|---|--|---|
| 369 | 2021 | Jun-21 | The American Journal of Cardiology .2021 ;S0002-9149(21)00426-4. doi: 10.1016/j.amjcard.2021.05.007. Online ahead of print. | Relation of Serum Uric Acid and Cardiovascular Events in Adults Aged 20-49 Years | 1) Hikari Seki 2) Hidehiro Kaneko 1) Hiroyuki Morita 1) Hidetaka Itoh 3) Kojiro Morita 4) Satoshi Matsuoka 1) Hiroyuki Kiriya 1) Tatsuya Kamon 5) Katsuhito Fujiu 6) Nobuaki Michihata 6) Taisuke Jo 1) Norifumi Takeda 7) Yuichiro Yano 8) Sunao Nakamura 9) Koichi Node 10) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 3) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan; Global Nursing Research Center, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 4) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; Division of Cardiovascular Medicine, New Tokyo Hospital, Chiba, Japan. 5) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 6) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 7) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan; The Department of Family Medicine and Community Health, Duke University, Durham, NC. 8) Division of Cardiovascular Medicine, New Tokyo Hospital, Chiba, Japan. 9) Department of Cardiovascular Medicine, Saga University, Saga, Japan. 10) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34140140/ |
| 368 | 2021 | Jun-21 | Diabetes Therapy .2021 . doi: 10.1007/s13300-021-01090-2. Online ahead of print. | A Claims-Based Cohort Study on the Treatment Patterns of Japanese Patients with Type 2 Diabetes Mellitus and the Association of Early First Physician Visit with Time to Prescription of Oral Hypoglycemic Agents | 1) Hirotaka Watada 2) Yasushi Kawakita 3) Keiko Tanaka 3) Akinori Oh 3) Nobuhiro Nishigaki 3) Tadashi Nakajima 3) Keita Fujikawa 4) Manabu Akazawa | 1) Department of Metabolism and Endocrinology, Graduate School of Medicine, Juntendo University, Tokyo, Japan. 2) Takeda Pharmaceutical Company Limited 3) Takeda Pharmaceutical Company Limited 4) Department of Public Health and Epidemiology, Meiji Pharmaceutical University, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34151415/ |
| 367 | 2021 | Jun-21 | The Journal of Clinical Endocrinology and Metabolism .2021 ;dgab466. doi: 10.1210/clinem/dgab466. Online ahead of print. | Fasting Plasma Glucose and Incident Colorectal Cancer: Analysis of a Nationwide Epidemiological Database Fasting Plasma Glucose and Colorectal Cancer | 1) Hidetaka Itoh 1)2) Hidehiro Kaneko 3) Akira Okada 4)5) Yuichiro Yano 6) Kojiro Morita 1) Hikari Seki 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 1)7) Satoshi Matsuoka 7) Sunao Nakamura 8) Nobuaki Michihata 8) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 9) Akira Nishiyama 10) Koichi Node 11) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 3) Department of Prevention of Diabetes and Lifestyle-Related Diseases, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 4) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan. 5) The Department of Family Medicine and Community Health, Duke University, Durham, NC. 6) Global Nursing Research Center, Graduate School of Medicine, The University of Tokyo. 7) Department of Cardiology, New Tokyo Hospital, Matsudo, Japan. 8) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 9) Department of Pharmacology, Faculty of Medicine, Kagawa University, Kagawa, Japan. 10) Department of Cardiovascular Medicine, Saga University, Saga, Japan. 11) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/34171093/ |
| 366 | 2021 | Jun-21 | Neuropsychopharmacology Reports .2021 . doi: 10.1002/npr2.12191. Online ahead of print. | Medications for attention-deficit/hyperactivity disorder in Japan: A retrospective cohort study of label compliance | 1) Daniel Fife 1) Erica A Voss 1) Jill Hardin 2) Hany Rofael 2) Ira D Solomon 1) Patrick B Ryan 1) Paul Stang | 1) Department of Epidemiology, Janssen Research & Development, LLC, Titusville, NJ, USA. 2) Established Products, Janssen Research & Development, LLC, Titusville, NJ, USA. | https://pubmed.ncbi.nlm.nih.gov/34180161/ |
| 365 | 2021 | Mar-21 | Journal of Public Economics Volume 195, 2021, 104368 | False alarm? Estimating the marginal value of health signals | 1) Toshiakilizuka 2) KatsuhikoNishiyama 3) BrianChen 4) KarenEggleston | 1) Graduate School of Economics, The University of Tokyo, Japan 2) University of North Carolina at Chapel Hill, United States 3) University of South Carolina, United States 4) Stanford University and NBER, United States | https://www.sciencedirect.com/science/article/pii/S0047272721000049 |
| 364 | 2021 | Mar-21 | medRxiv .2021.21254315. doi: 10.1101/2021.03.25.21254315. Preprint | Characterizing the incidence of adverse events of special interest for COVID-19 vaccines across eight countries: a multinational network cohort study | 1) Xintong Li 2) Anna Ostroplets 3) Rupa Makadia 3) Azza Shaoibi 3) Gowtham Rao 3)6) Anthony G. Sena 4) Eugenia Martinez-Hernandez 1) Antonella Delmestri 6) Katia Verhamme 6) Peter R Rijnbeek 5) Talita Duarte-Salles 7)8) Marc Suchard 2)3) Patrick Ryan 2) George Hripcsak 1)6) Daniel Prieto-Alhambra | 1) Centre for Statistics in Medicine, NDORMS, University of Oxford, Oxford, United Kingdom 2) Department of Biomedical Informatics, Columbia University Irving Medical Center, New York, NY, USA 3) Janssen Research and Development, Titusville, NJ, USA 4) Neurology Department, Hospital Clinic de Barcelona and University of Barcelona, Barcelona, Spain 5) Fundacio Institut Universitari per a la recerca a l' Atencio Primaria de Salut Jordi Gol i Gurina (IDIAPJGol), Barcelona, Spain 6) Department of Medical Informatics, Erasmus University Medical Center, Rotterdam, The Netherlands 7) Department of Biostatistics, Fielding School of Public Health, University of California, Los Angeles, Los Angeles, CA USA 8) Department of Human Genetics, David Geffen School of Medicine at UCLA, University of California, Los Angeles, UCLA, Los Angeles, CA, USA | https://pubmed.ncbi.nlm.nih.gov/33791732/ |
| 363 | 2021 | Feb-21 | Journal of General and Family Medicine .2021;22(3):118-127. doi: 10.1002/jgf2.422. eCollection 2021 May. | Data resource profile: JMDC claims database sourced from health insurance societies | 1) Katsuhiko Nagai 1) Takashi Tanaka 1) Norihisa Kodaira 1) Shinya Kimura 2) Yoshimitsu Takahashi 2) Takeo Nakayama | 1) JMDC Inc. Tokyo Japan. 2) Department of Health Informatics Kyoto University School of Public Health Kyoto Japan. | https://pubmed.ncbi.nlm.nih.gov/33977008/ |
| 362 | 2021 | Feb-21 | 国際医療福祉大学学会誌 第26巻1号(2021) | A systematic review of direct oral anticoagulant-induced adverse events using adverse event databases | 1)2) 西塚 典仁 3) 池田 俊也 | 1) 国際医療福祉大学大学院 薬学研究所 医療・生命薬学専攻 2) ファイザー株式会社 3) 国際医療福祉大学大学院 薬学研究所 | https://iuhw.repo.nii.ac.jp/?action=pages_view_main&active_action=repository_view_main_item_detail&item_id=1112&item_no=1&page_id=13&block_id=17 |
| 361 | 2021 | Feb-21 | 薬剤疫学 J-STAGE 早期公開(2021年2月3日) | Methotrexate 投与関節リウマチ患者における生物学的製剤併用時の感染リスクに関する Propensity Score を用いた複数の疫学的方法の妥当性の検討 | 1)2) 鯉沼 卓真 1) 赤沢 学 | 1) 明治薬科大学公衆衛生・疫学教室 2) 株式会社ウエルシア薬局 | https://www.ista.ge.ist.go.jp/article/iipe/advpub/0/advpub_26.e3/pdf |
| 360 | 2021 | Jan-21 | Databases for Pharmacoepidemiological Research pp 15-53] Cite as | Worldwide Availability of Pharmacoepidemiological Databases | 1) Iris Pigeot 1) Maïke Tahden 2) Dimitrios Zampatis 3) Douglas J. Watson 4) Ulla Forssen 1) Bianca Kollhorst | 1) Biometry and Data ManagementLeibniz Institute for Prevention Research and Epidemiology-BIPS BremenGermany 2) Global Patient SafetyMerck Healthcare KGaADarmstadtGermany 3) PharmaEpi Consulting, LLCHiton Head IslandUSA 4) Clinical EpidemiologyCSL BehringKing of PrussiaUSA | https://link.springer.com/chapter/10.1007/978-3-030-51455-6_2 |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|--|---|---|---|---|
| 359 | 2021 | Jan-21 | Clinical Kidney Journal, sfab016, https://doi.org/10.1093/ckj/sfab016 Published: 2021 | Prevalence, recognition and management of chronic kidney disease in Japan: population-based estimate using a healthcare database with routine health checkup data. | 1) Masato Takeuchi 1)2) Kanna Shinkawa 2)3) Motoko Yanagita 1) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine, Kyoto University, Kyoto, Japan, 2) Department of Nephrology, Graduate School of Medicine, Kyoto University, Kyoto, Japan 3) Institute for the Advanced Study of Human Biology (WPI-ASHBi), Kyoto University, Kyoto, Japan | https://academic.oup.com/ckj/advance-article/doi/10.1093/ckj/sfab016/6118200 |
| 358 | 2021 | Jan-21 | Journal of the American Medical Directors Association, 2021 ;S1525-8610(20)31063-X, doi: 10.1016/j.jamda.2020.12.015. Online ahead of print. | Medical costs and readmissions after intensive post-stroke rehabilitation: A natural experiment study using a Japanese claims database | 1) Hirofumi Nagayama 2) Kounosuke Tomori 3) Kohei Ikeda 4) Keita Yamauchi | 1) Department of Occupational Therapy, Kanagawa University of Human Services, Kanagawa, Japan. Electronic address: hirofuminagayama@gmail.com. 2) Department of Occupational Therapy, School of Health Science, Tokyo University of Technology, Tokyo, Japan. 3) Department of Occupational Therapy, Kanagawa University of Human Services, Kanagawa, Japan. 4) Graduate School of Health Management, Keio University, Kanagawa, Japan. | https://pubmed.ncbi.nlm.nih.gov/33476570/ |
| 357 | 2021 | Jan-21 | J-STAGEトップ/レギュラリーサイエンス学会誌/11巻(2021)1号/書誌 | High Healthcare Cost Burden for Liver Cirrhosis (LC) and Hepatocellular Carcinoma (HCC) Progression within Nonalcoholic Fatty Liver Disease (NAFLD) or Nonalcoholic Steatohepatitis (NASH) Patients in Japan: a Real-world Data Study Using a Claims Database | 1) Ken HASEGAWA 2) Atsushi ARUGA | 1) Cooperative Major in Advanced Biomedical Sciences, Joint Graduate School of Tokyo Women's Medical University and Waseda University 2) Cooperative Major in Advanced Biomedical Sciences, Joint Graduate School of Tokyo Women's Medical University and Waseda University | https://www.ista.ge.ist.go.jp/article/rsm/11/1/113/article-char/ia/ |
| 356 | 2021 | Jan-21 | J-STAGE home/Japanese Journal of Transfusion Science, Volume 67 (2021) Issue 1/Article overview | Increased use of immunoglobulin preparations and its factors in Japan | 1) Makiko Sugawa 2) Kimitaka Sagawa 1)3) Katsunori Ohyama 4) Tomoko Henzan 5) Kazuhiro Nagai 6) Kazunori Nakajima 1) Kazuo Kawahara | 1) Department of Health Care Management and Planning, Tokyo Medical and Dental University Graduate School of Medical and Dental Science 2) Japanese Red Cross Fukuoka Blood Center 3) The sales department, GlaxoSmithKline Co., Ltd 4) Center for Cellular and Molecular Medicine, Kyushu University Hospital 5) Transfusion and Cell Therapy Unit, Nagasaki University Hospital 6) Japanese Red Cross Blood Service Headquarters | http://yuketsu.jstmc.or.jp/wp-content/uploads/2021/03/067010009.pdf |
| 355 | 2020 | Nov-20 | Public Health in Practice Volume 1, November 2020, 100005 | Age in months and birth order in infant nonfatal injuries: A retrospective cohort study | 1) C.Honda 2) H.Yamana 3) H.Matsui 4) S.Nagata 3) H.Yasunaga 1) T.Naruse | 1) Department of Community Health Nursing, Division of Health Sciences and Nursing, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan 2) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan 4) Faculty of Nursing and Medical Care, Graduate School of Health Management, Keio University, Kanagawa, Japan | https://www.sciencedirect.com/science/article/pii/S2666535220300045 |
| 354 | 2020 | Oct-20 | Annals of Clinical Epidemiology, 2020年2巻4号 p. 85-94 | Introduction to High-dimensional Propensity Score Analysis | 1) Miho Ishimaru | 1) Department of Health Service Research, Faculty of Medicine, University of Tsukuba | https://www.ista.ge.ist.go.jp/browse/ace/list-char/ia |
| 353 | 2020 | Jul-20 | ライフサイエンス出版 薬理と治療 Volume 48, Issue 6, 911 - 926 (2020) | 進行性核上性麻痺の社会的・経済的負担に関する推計 | 1) 五十嵐 中他 | 1) 横浜市立大学医学群 健康社会医学ユニット・東京大学大学院 薬学系研究科医薬政策学 | http://www.pieronline.jp/content/article/0386-3603/48060/911 |
| 352 | 2020 | Jan-20 | Original Article Open Access Published: 27 June 2020 | The Association Between Hemoglobin Upswing in the Reference Range and Sleep Apnea Syndrome | 1)2) Hirotaka Miyashita 1)3)4) Thomas Svensson 1) Masahiro Nakamura 1)4)5) Akiko Kishi Svensson | 1) Precision Health, Department of Bioengineering, Graduate School of Engineering, The University of Tokyo 2) Graduate Medical Education, Mount Sinai Beth Israel, 281 First Avenue, New York, 3) School of Health Innovation, Kanagawa University of Human Services, Research Gate Building Tonomachi 2-A 2 3F, 3-25-10 Tonomachi, Kawasaki-ku, Kawasaki-shi, Kanagawa, 210-0821, Japan 4) Department of Clinical Sciences, Lund University, Skåne University Hospital, Jan Waldenströms gata 35, Malmö, 20502, Sweden 5) Department of Diabetes and Metabolic Diseases, The University of Tokyo | https://link.springer.com/article/10.1007/s41782-020-00093-6 |
| 351 | 2019 | Nov-19 | Original Research Article Published: 11 November 2019 | Treatment of Mycobacterium avium-intracellulare complex lung disease in the real world: a retrospective big data analysis | 1)2) Tomohide Iwao 2) Genta Kato 3) Isao Ito 3) Toyohiro Hirai 1) Tomohiro Kuroda | 1) Division of Medical Information Technology and Administration Planning, Kyoto University Hospital, Kyoto, Japan 2) Solutions Center for Health Insurance Claims, Kyoto University Hospital 3) Department of Respiratory Medicine, Graduate School of Medicine, Kyoto University, Kyoto, Japan | https://link.springer.com/article/10.1007/s40267-019-00687-9 |
| 350 | 2021 | Jun-21 | Advances in Therapy, 2021, doi: 10.1007/s12325-021-01784-w. Online ahead of print. | Impact of Vonoprazan Triple-Drug Blister Packs on H. pylori Eradication Rates in Japan: Interrupted Time Series Analysis | 1)2) Hisato Deguchi 3) Hajime Yamazaki 1) Tsukasa Kamitani 1) Yosuke Yamamoto 4) Shunichi Fukuhara | 1) Department of Healthcare Epidemiology, School of Public Health in the Graduate School of Medicine, Kyoto University, Kyoto, Japan. 2) Japan Medical Office, Takeda Pharmaceutical Company Limited, Tokyo, Japan. 3) Section of Clinical Epidemiology, Department of Community Medicine, Graduate School of Medicine, Kyoto University 4) Section of Clinical Epidemiology, Department of Community Medicine, Graduate School of Medicine, Kyoto University | https://pubmed.ncbi.nlm.nih.gov/34091865/ |
| 349 | 2021 | May-21 | JGH Open, 2021 24;5(5):568-572. doi: 10.1002/jgh.3.12534. eCollection 2021 May. | Association of diagnostic delay with medical cost for patients with Crohn's disease: A Japanese claims-based cohort study | 1) Eisuke Takeyama 1) Hiroo Wada 2) Setsuko Sato 2) Kiyohide Tomooka 2) Ai Ikeda 1) Takeshi Tanigawa | 1) Department of Public Health Juntendo University Graduate School of Medicine Tokyo Japan. 2) Department of Public Health Juntendo University Faculty of Medicine Tokyo Japan. | https://pubmed.ncbi.nlm.nih.gov/34013056/ |
| 348 | 2021 | May-21 | American Journal of Hypertension, 2021;hpab074. doi: 10.1093/ajh/hpab074. Online ahead of print. | Association Between Blood Pressure Classification Using the 2017 ACC/AHA Blood Pressure Guideline and Retinal Atherosclerosis | 1)2) Satoshi Matsuoka 1)3) Hidehiro Kaneko 4)5) Yuichiro Yano 1) Hidetaka Itoh 6) Akira Fukui 7)8) Kojiro Morita 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 1) Hikari Seki 9) Nobuaki Michihata 9) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 2) Sunao Nakamura 6) Takashi Yokoo 10) Akira Nishiyama 11) Koichi Node 8) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiology, New Tokyo Hospital, Matsudo, Japan. 3) The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 4) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan. 5) The Department of Family Medicine and Community Health, Duke University, Durham, NC. 6) Division of Nephrology and Hypertension, Department of Internal Medicine, Jikei University School of Medicine, Tokyo, Japan. 7) The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan. 8) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 9) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 10) Department of Pharmacology, Faculty of Medicine, Kagawa University, Kagawa, Japan. 11) Department of Cardiovascular Medicine, Saga University, Saga, Japan. | https://pubmed.ncbi.nlm.nih.gov/34008020/ |
| 347 | 2021 | May-21 | Eye (Lond), 2021 May. doi: 10.1038/s41433-021-01586-y. Online ahead of print. | Safety of topical ophthalmic antibiotics in pregnant women with hordeola, chalazia, blepharitis, or bacterial conjunctivitis: propensity score analyses | 1)2) Yohei Hashimoto 3) Nobuaki Michihata 3) Hayato Yamana 4) Daisuke Shigemi 4)5) Kojiro Morita 4) Hiroki Matsui 4) Hideo Yasunaga 6) Makoto Aihara | 1) Department of Ophthalmology, Graduate School of Medicine, The University of Tokyo, Bunkyo-ku, Japan 2) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Bunkyo-ku, Japan. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Bunkyo-ku, Japan. 4) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Bunkyo-ku, Japan. 5) Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Tsukuba, Japan. 6) Department of Ophthalmology, Graduate School of Medicine, The University of Tokyo, Bunkyo-ku, Japan. | https://pubmed.ncbi.nlm.nih.gov/34035495/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|---|---|
| 346 | 2021 | May-21 | BMC Medical Informatics and Decision Making .2021 ;21(1):167. doi: 10.1186/s12911-021-01526-6. | Characterization and selection of Japanese electronic health record databases used as data sources for non-interventional observational studies | 1) Yumi Wakabayashi 2) Masamitsu Eitoku 2) Narufumi Suganuma | 1) Integrated Center for Advanced Medical Technologies, Kochi Medical School, Kochi University, Kohasu 2) Department of Environmental Medicine, Kochi Medical School, Kochi University, Kochi, Japan. | https://pubmed.ncbi.nlm.nih.gov/34022876/ |
| 345 | 2021 | May-21 | Journal of occupational health .2021 ;63(1):e12231. doi: 10.1002/1348-9585.12231. | Effect of reminder letters after health checkups on the consultation behavior of participants with possible hypertension, hyperglycemia, and dyslipidemia: A retrospective cohort study using administrative claims data in Japan | 1)2) Nobuaki Hoshino 1) Mo Xiuting 1) Yoshimitsu Takahashi 1) Takeo Nakayama | 1) Department of Health Informatics, School of Public Health, Graduate School of Medicine, Kyoto University, Kyoto, Japan. 2) Department of Surgery, Kyoto University Graduate School of Medicine, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/33974321/ |
| 344 | 2021 | May-21 | American journal of hypertension .2021 May 19;hpab074. doi: 10.1093/ajh/hpab074. Online ahead of print. | Association Between Blood Pressure Classification Using the 2017 ACC/AHA Blood Pressure Guideline and Retinal Atherosclerosis | 1)2) Satoshi Matsuoka 1)3) Hidehiro Kaneko 4)5) Yuichiro Yano 1) Hidetaka Itoh 6) Akira Fukui 7)8) Kojiro Morita 1) Hiroyuki Kiriya 1) Tatsuya Kamo 1)2) Katsuhito Fujiu 1) Hikari Seki 9) Nobuaki Michihata 9) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 2) Sunao Nakamura 6) Takashi Yokoo 10) Akira Nishiyama 11) Koichi Node 8) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiology, New Tokyo Hospital, Matsudo, Japan. 3) The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 4) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan. 5) The Department of Family Medicine and Community Health, Duke University, Durham, NC. 6) Division of Nephrology and Hypertension, Department of Internal Medicine, Jikei University School of Medicine, Tokyo, Japan. 7) The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan. 8) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 9) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 10) Department of Pharmacology, Faculty of Medicine, Kagawa University, Kagawa, Japan. 11) Department of Cardiovascular Medicine, Saga University, Saga, Japan. | https://pubmed.ncbi.nlm.nih.gov/34008020/ |
| 343 | 2021 | May-21 | Vaccine .2021 6;39(19):2692-2697. doi: 10.1016/j.vaccine.2021.03.045. Epub 2021 Apr 14. | Pneumococcal vaccine coverage in Japan among patients with a history of splenectomy: Results of a retrospective administrative database study | 1) Miki Yamada 2) Mengran Li 2) Tomoharu Iino | 1) MSD K.K., Tokyo, Japan. 2) MSD K.K., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33865627/ |
| 342 | 2021 | Apr-21 | Human Vaccines & Immunotherapeutics .2021 Apr 20;1-3. doi: 10.1080/21645515.2021.1913967. Online ahead of print. | Seroprevalence of anti-mumps virus IgG antibody titer and voluntary mumps vaccination coverage in young adults in Japan | 1) Hiraku Sasaki 2) Tomoko Fukunaga 2) Ai Asano 1) Kansuke Yamanaka 1) Kota Oikawa 3) Nobuto Shibata | 1) Department of Health Science, Faculty of Health and Sports Science, Juntendo University, Inzai, Japan. 2) Section of Health Management, Faculty of Health and Sports Science, Juntendo University, Inzai, Japan. 3) Department of Psychiatry, Juntendo Tokyo Koto Geriatric Medical Center, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33877956/ |
| 341 | 2021 | Apr-21 | Biological and Pharmaceutical Bulletin .2021 44(5):611-619. doi: 10.1248/bpb.b20-00791. | Comprehensive Exploration of Medications That Affect the Bleeding Risk of Oral Anticoagulant Users | 1) Yohei Kawano 2) Masashi Nagata 1) Saeko Nakamura 1)3) Yuuki Akagi 1) Tatsunori Suzuki 4) Emi Tsukada 1) Mai Hoshiko 1) Azusa Kujirai 1) Satoshi Nakamatsu 1) Tomoki Nishikawa 1) Aya Enomoto 2) Kenichi Negishi 1) Shuji Shimada 1) Takao Aoyama 1) Yasunari Mano | 1) Faculty of Pharmaceutical Sciences, Tokyo University of Science (TUS). 2) Department of Pharmacy, Medical Hospital, Tokyo Medical and Dental University (TMDU). 3) Department of Pharmacy, National Hospital Organization Yokohama Medical Center. 4) Center Hospital of the National Center for Global Health and Medicine (NCGM). | https://pubmed.ncbi.nlm.nih.gov/33952817/ |
| 340 | 2021 | Apr-21 | Clinicoecon Outcomes Res .2021 Apr 16;13:241-250. doi: 10.2147/CEOR.S297680. eCollection 2021. | Cost Analysis in Helicobacter pylori Eradication Therapy Based on a Database of Health Insurance Claims in Japan | 1) Kengo Tokunaga 2) Chihiro Suzuki 2) Miyuki Hasegawa 2) Ikuo Fujimori | 1) Department of General Medicine, Kyorin University School of Medicine, Tokyo, Japan. 2) Japan Medical Office, Takeda Pharmaceutical Company Limited, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33889000/ |
| 339 | 2021 | Apr-21 | Journal of Foot and Ankle Research .2021 9;14(1):29. doi: 10.1186/s13047-021-00474-8. | Rates and risk factors for amputation in people with diabetes in Japan: a historical cohort study using a nationwide claims database | 1) Masanori Kaneko 2) Kazuya Fujihara 1) Mayuko Yamada Harada 1) Taeko Osawa 1) Masahiko Yamamoto 1) Masaru Kitazawa 1) Yasuhiro Matsubayashi 1) Takaho Yamada 3) Hiroyasu Seida 1) Satoru Kodama 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University Faculty of Medicine 2) Department of Internal Medicine, Niigata University Faculty of Medicine 3) JMDC Inc., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33836779/ |
| 338 | 2021 | Apr-21 | Current Eye Research .2021 26;1-8. doi: 10.1080/02713683.2021.1912780. Online ahead of print. | Medical Costs of and Changes in Glaucoma Treatment among Patients Newly Starting Glaucoma Care | 1) Yoshiko Fukuda 1) Atsuki Kume 1) Kenji Kashiwagi | 1) Department of Ophthalmology, Faculty of Medicine, University of Yamanashi, Chuo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33843390/ |
| 337 | 2021 | Apr-21 | JCI Insight .2021 15;145632. doi: 10.1172/jci.insight.145632. Online ahead of print. | Striatal TRPV1 activation by acetaminophen ameliorates dopamine D2 receptor antagonists-induced orofacial dyskinesia | 1) Koki Nagaoka 1) Takuya Nagashima 2) Nozomi Asaoka 1) Hiroki Yamamoto 1) Chihiro Toda 1) Gen Kayanuma 1) Soni Siswanto 3) Yasuhiro Funahashi 3) Keisuke Kuroda 3) Kozo Kaibuchi 4) Yasuo Mori 1) Kazuki Nagayasu 1) Hisashi Shirakawa 1) Shuji Kaneko | 1) Department of Molecular Pharmacology, Graduate School of Pharmaceutical Sciences, Kyoto University, Kyoto, Japan. 2) Department of Pharmacology, Kyoto Prefectural University of Medicine, Kyoto, Japan. 3) Department of Cell Pharmacology, Graduate School of Medicine, Nagoya University, Nagoya, Japan. 4) Department of Synthetic Chemistry and Biological Chemistry, Graduate School of Engineering, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/33857021/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|--|---|
| 336 | 2021 | Apr-21 | Circulation. 2021. doi: 10.1161/CIRCULATIONAHA.120.052624. Online ahead of print. | Association of Blood Pressure Classification Using the 2017 American College of Cardiology/American Heart Association Blood Pressure Guideline with Risk of Heart Failure and Atrial Fibrillation | 1) Hidehiro Kaneko 2) Yuichiro Yano 3) Hidetaka Itoh 4) Kojiro Morita 3) Hiroyuki Kiriya 3) Tatsuya Kamon 1) Katsuhito Fujii 5) Nobuaki Michihata 5) Taisuke Jo 3) Norifumi Takeda 3) Hiroyuki Morita 6) Koichi Node 7) Robert M Carey 8) Joao A C Lima 9) Suzanne Oparil 10) Hideo Yasunaga 3) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 2) YCU Center for Novel and Exploratory Clinical Trials, Yokohama City University Hospital, Yokohama, Japan; The Department of Family Medicine and Community Health, Duke University, Durham, NC. 3) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 4) The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan; The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 5) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 6) Department of Cardiovascular Medicine, Saga University, Saga, Japan. 7) Department of Medicine, University of Virginia Health System, Charlottesville, VA. 8) Johns Hopkins University, Baltimore, MD. 9) Division of Cardiovascular Disease, Department of Medicine, University of Alabama at Birmingham, Birmingham, AL. 10) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33886370/ |
| 335 | 2021 | Mar-21 | npj Primary Care Respiratory Medicine. 2021; 31(1):12. doi: 10.1038/s41533-021-00222-2. | Uncontrolled asthma: a retrospective cohort study in Japanese patients newly prescribed with medium-/high-dose ICS/LABA | 1) Hiromasa Inoue 2) Ki Lee Milligan 3) Aine McConnon 4) Hajime Yoshisue 5) Emil Loeffroth 6) Martin McSharry 7) Akihito Yokoyama 8) Masakazu Ichinose | 1) Department of Pulmonary Medicine, Kagoshima University, Kagoshima, Japan. 2) Novartis Pharma AG, Basel, Switzerland. 3) Novartis Ireland Limited, Dublin, Ireland. 4) Novartis Pharma K.K. Tokyo, Tokyo, Japan. 5) Novartis Sverige AB, Kista, Sweden. 6) OptumRx, Dublin, Ireland. 7) Department of Respiratory Medicine and Allergology, Kochi Medical School, Kochi University, Kochi, Japan. 8) Osaki Citizen Hospital, Osaki, Japan. | https://pubmed.ncbi.nlm.nih.gov/33654097/ |
| 334 | 2021 | Mar-21 | World Journal of Urology. 2021. doi: 10.1007/s00345-021-03664-y. Online ahead of print. | Changes in prescribing trends and initial pharmacotherapy of children with nocturnal enuresis in Japan: a large-scale medical claims database analysis. | 1) Sachiko Kasamo 2)3) Seiji Matsumoto 4)5) Yohei Kawasaki 1)6) Hiroyasu Inoue 7) Yoshikazu Tasaki | 1) Institutional Research Office, Asahikawa Medical University, Asahikawa, Japan. 2) Institutional Research Office, Asahikawa Medical University, Asahikawa, Japan. 3) Center for Advanced Research and Education, Asahikawa Medical University, Japan. 4) Clinical Biostatistics Section, Clinical Research Center, Chiba University Hospital, Chiba, Japan. 5) Faculty of Nursing, Japanese Red Cross College of Nursing, Tokyo, Japan. 6) Education Center, Asahikawa Medical University, Asahikawa, Japan. 7) Department of Hospital Pharmacy and Pharmacology, Asahikawa Medical University, Asahikawa, Japan. | https://pubmed.ncbi.nlm.nih.gov/33754185/ |
| 333 | 2021 | Mar-21 | Journal of Epidemiology. 2021. doi: 10.2188/jea.JE20210002. Online ahead of print. | Do age-related differences in the incidence of mumps deafness reflect a true difference or a misclassification of mumps deafness? | 1) Takashi Fujiwara 2) Yohei Maeda | 1) Department of Public Health Research, Kurashiki Clinical Research Institute. 2) Department of Otorhinolaryngology-Head and Neck Surgery, Osaka University Graduate School of Medicine. | https://pubmed.ncbi.nlm.nih.gov/33746149/ |
| 332 | 2021 | Mar-21 | Neuropsychiatric Disease and Treatment. 2021;17:821-833. doi: 10.2147/NDT.S299005. eCollection 2021. | Real-World Treatment Patterns and Adherence to Oral Medication Among Patients with Bipolar Disorders: A Retrospective, Observational Study Using a Healthcare Claims Database. | 1) Takeshi Inoue 2) Hiromi Sano 3) Yoshitsugu Kojima 3) Sakiko Yamada 4) Osamu Shirakawa | 1) Department of Psychiatry, Tokyo Medical University, Tokyo, Japan. 2) Medical Affairs, Otsuka Pharmaceutical Co., Ltd., Osaka, Japan. 3) Medical Affairs, Otsuka Pharmaceutical Co., Ltd., Tokyo, Japan. 4) Department of Neuropsychiatry, Kindai University Faculty of Medicine, Osaka, Japan. | https://pubmed.ncbi.nlm.nih.gov/33776438/ |
| 331 | 2021 | Apr-21 | JMIR Medical Informatics. 2021 5;9(4):e21547. doi: 10.2196/21547. | Implementation of the COVID-19 Vulnerability Index Across an International Network of Health Care Data Sets: Collaborative External Validation Study | 1) Jenna M Repts 2) Chungsoo Kim 3) Ross D Williams 3) Aniek F Markus 3) Cynthia Yang 4) Talita Duarte Salles 5) Thomas Falconer 6) Jitendra Jonnagaddala 7) Andrew Williams 4) Sergio Fernández-Bertolin 8) Scott L DuVall 9) Kristin Kostka 1) Gowtham Rao 1) Azza Shoaibi 5) Anna Ostropelets 5) Matthew E Spotnitz 10)11) Lin Zhang 12) Paula Casajust 13)14) Ewout W Steyerberg 15) Fredrik Nyberg 16)17) Benjamin Skov Kaas-Hansen 18) Young Hwa Choi 19) Daniel Morales 6) Siaw-Teng Liaw 20) Maria Tereza Fernandes Abrahão 21) Carlos Areia 22) Michael E Matheny 4) María Aragón 23) Rae Woong Park 5) George Hripscak 9) Christian G Reich 24) Marc A Suchard 23) Seng Chan You 1) Patrick B Ryan 25) Daniel Prieto-Alhambra 3) Peter R Rijnbeek | 1) Janssen Research & Development, 1125 Trenton Harborton Rd, Titusville, US. 2) Department of Biomedical Sciences, Ajou University Graduate School of Medicine, Suwon, KR. 3) Department of Medical Informatics, Erasmus University Medical Center, Rotterdam, NL. 4) Fundacio Institut Universitari per a la recerca a l'Atencio Primaria de Salut Jordi Gol i Gurina, Barcelona, ES. 5) Department of Biomedical Informatics, Columbia University, New York, US. 6) School of Public Health and Community Medicine, UNSW, Sydney, AU. 7) Tufts Institute for Clinical Research and Health Policy Studies, Boston, US. 8) Department of Veterans Affairs, University of Utah, Salt Lake City, US. 9) Real World Solutions, IQVIA, Cambridge, US. 10) Melbourne School of Public Health, The University of Melbourne, Victoria, AU. 11) School of Public Health, Peking Union Medical College, Beijing, CN. 12) Department of Real-World Evidence, Trial Form Support, Barcelona, ES. 13) Department of Public Health, Erasmus University Medical Center, Rotterdam, NL. 14) Department of Biomedical Data Sciences, Leiden University Medical Center, Leiden, NL. 15) School of Public Health and Community Medicine, Institute of Medicine, Sahlgrenska Academy, Gothenburg, SE. 16) Clinical Pharmacology Unit, Zealand University Hospital, Roskilde, DK. 17) NNF Centre for Protein Research, University of Copenhagen, Copenhagen, DK. 18) Department of Infectious Diseases, Ajou University School of Medicine, Suwon, KR. 19) Division of Population Health and Genomics, University of Dundee, Dundee, GB. 20) Faculty of Medicine, University of Sao Paulo, Sao Paulo, BR. 21) Nuffield Department of Clinical Neurosciences, University of Oxford, Oxford, GB. 22) Department of Veterans Affairs, Vanderbilt University, Nashville, US. 23) Department of Biomedical Informatics, Ajou University School of Medicine, Suwon, KR. 24) Department of Biostatistics, UCLA Fielding School of Public Health, University of California, Los Angeles, US. 25) Centre for Statistics in Medicine, NDORMS, University of Oxford, Oxford, GB. | https://pubmed.ncbi.nlm.nih.gov/33661754/ |
| 330 | 2021 | Feb-21 | BMJ Open. 2021;11(2):e041543. doi: 10.1136/bmjopen-2020-041543. | Association of proton pump inhibitors and concomitant drugs with risk of acute kidney injury: a nested case-control study. | 1) Keiko Ikuta 2) Shunsaku Nakagawa 3) Kenji Momo 1)4) Atsushi Yonezawa 1) Kotaro Itohara 1) Yuki Sato 1) Satoshi Imai 1) Takayuki Nakagawa 1)5) Kazuo Matsubara | 1) Department of Clinical Pharmacology and Therapeutics, Kyoto University Hospital, Kyoto, Japan. 2) Department of Clinical Pharmacology and Therapeutics, Kyoto University Hospital, Kyoto, Japan. 3) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University, Tokyo, Japan. 4) Graduate School of Faculty of Pharmaceutical Science, Kyoto University, Kyoto, Japan. 5) Department of Pharmacy, Wakayama Medical University, Wakayama, Japan. | https://pubmed.ncbi.nlm.nih.gov/33589451/ |
| 329 | 2021 | Feb-21 | Pain Medicine. 2021;pnaa421. doi: 10.1093/pm/pnaa421. Online ahead of print. | A Retrospective Database Study of Gastrointestinal Events and Medical Costs Associated with Nonsteroidal Anti-Inflammatory Drugs in Japanese Patients of Working Age with Osteoarthritis and Chronic Low Back Pain. | 1) Shogo Kikuchi 2) Kanae Togo 2) Nozomi Ebata 2) Koichi Fujii 2) Naohiro Yonemoto 3) Lucy Abraham 4) Takayuki Katsuno | 1) Department of Public Health, Aichi Medical University School of Medicine, Aichi, Japan. 2) Pfizer Japan Inc., Tokyo, Japan. 3) Pfizer Ltd., Surrey, UK. 4) Department of Nephrology and Rheumatology, Aichi Medical University, Aichi, Japan. | https://pubmed.ncbi.nlm.nih.gov/33585939/ |
| 328 | 2021 | Feb-21 | PLoS One. 2021;16(2):e0247059. doi: 10.1371/journal.pone.0247059. eCollection 2021. | atient journey through cases of depression from claims database using machine learning algorithms. | 1) Yoshitake Kitanishi 1) Masakazu Fujiwara 2) Bruce Binkowitz | 1) Data Science Office, Shionogi & Co. Ltd., Osaka, Japan. 2) Biometrics, Shionogi Inc, Florham Park, NJ, United States of America. | https://pubmed.ncbi.nlm.nih.gov/33592062/ |
| 327 | 2021 | Feb-21 | World Journal of Surgery. 2021;45(6):1717-1724. doi: 10.1007/s00268-021-06010-w. Epub 2021 Feb 26. | Clinical Outcomes of Acute Appendicitis During Pregnancy: Conservative Management and Appendectomy. | 1) Masayuki Nakashima 1) Masato Takeuchi 2) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Japan. 2) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Japan. | https://pubmed.ncbi.nlm.nih.gov/33635341/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|---|---|---|
| 326 | 2021 | Mar-21 | Pharmacoepidemiology and Drug Safety. 2020;30(5):594-601. doi: 10.1002/pds.5213. Epub 2021 Mar 4. | Accuracy of Japanese claims data in identifying diabetes-related complications. | 1) Kazuya Fujihara 1) Mayuko Yamada-Harada 1) Yasuhiro Matsubayashi 1) Masaru Kitazawa 1) Masahiko Yamamoto 1) Yuta Yaguchi 2) Hiroyasu Seida 1) Satoru Kodama 3) Kohei Akazawa 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. 2) JMDC Inc., Tokyo, Japan. 3) Department of Medical Informatics, Niigata University Medical and Dental Hospital, Niigata, Japan. | https://pubmed.ncbi.nlm.nih.gov/33629363/ |
| 325 | 2021 | Feb-21 | Heart. 2021;heartjnl-2020-318632. doi: 10.1136/heartjnl-2020-318632. Online ahead of print. | Increased risk of infective endocarditis after traumatic skin wound. | 1) Hiroyuki Ohbe 2) Masao Iwagami 4) Yusuke Sasabuchi 5) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, The University of Tokyo, Tokyo, Japan. 2) Department of Health Services Research, University of Tsukuba, Tsukuba, Ibaraki, Japan. 3) Department of Non-communicable Disease Epidemiology, London School of Hygiene and Tropical Medicine, London, UK. 4) Data Science Center, Jichi Medical University, Shimotsuke, Tochigi, Japan. 5) Department of Clinical Epidemiology and Health Economics, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33632746/ |
| 324 | 2021 | Feb-21 | Allergology International. 2021;S1323-8930(21)00007-1. doi: 10.1016/j.alit.2021.01.004. Online ahead of print. | Risk of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with anticonvulsants in a Japanese population: Matched case-control and cohort studies. | 1) Toshiki Fukasawa 2) Hayato Takahashi 3) Kunihiko Takahashi 1) Nanae Tanemura 2) Masayuki Amagai 4) Hisashi Urushihara | 1) Division of Drug Development and Regulatory Science, Graduate School of Pharmaceutical Sciences, Keio University, Tokyo, Japan. 2) Department of Dermatology, Keio University School of Medicine, Tokyo, Japan. 3) Department of Biostatistics, M&D Data Science Center, Tokyo Medical and Dental University, Tokyo, Japan. 4) Division of Drug Development and Regulatory Science, Graduate School of Pharmaceutical Sciences, Keio University, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33618992/ |
| 323 | 2021 | Feb-21 | Future Oncology. 2021;17(15):1907-1921. doi: 10.2217/fo-2020-1053. Epub 2021 Feb 24. | Real-world anticancer medications for reproductive-age women with breast cancer by using a claims database in Japan. | 1) Kentaro Tajima 1)2) Masami Tsuchiya 1) Tomofumi Ishikawa 3)4)5) Taku Obara 1)3) Nariyasu Mano | 1) Laboratory of Clinical Pharmacy, Tohoku University Graduate School of Pharmaceutical Sciences, Japan. 2) Department of Pharmacy, Miyagi Cancer Center, Japan. 3) Department of Pharmaceutical Sciences, Tohoku University Hospital, Japan. 4) Division of Preventive Medicine & Epidemiology, Tohoku Medical Megabank Organization, Tohoku University, Japan. 5) Department of Molecular Epidemiology, Environment & Genome Research Center, Tohoku University Graduate School of Medicine, Japan. | https://pubmed.ncbi.nlm.nih.gov/33625252/ |
| 322 | 2021 | Mar-21 | Journal of Cardiology. 2021 ;S0914-5087(21)00043-5. doi: 10.1016/j.jcc.2021.02.007. Online ahead of print. | Current Status of Oral Anticoagulant Adherence in Japanese Patients with Atrial fibrillation: A Claims Database Analysis | 1) Naoharu Yagi 2) Shinya Suzuki 3) Katsuhiko Nagai 3) Takashi Tanaka 3) Takayoshi Nagahama 2) Takuto Arita 2) Takayuki Otsuka 2) Takeshi Yamashita | 1) Department of Cardiovascular Medicine, The Cardiovascular Institute, Japan. 2) Department of Cardiovascular Medicine, The Cardiovascular Institute, Japan. 3) Data Innovation Lab, JMDC Inc., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33663881/ |
| 321 | 2021 | Feb-21 | Journal of Medical Economics. 2021;24(1):394-401. doi: 10.1080/13696998.2021.1893180. | Standard table direct anterior approach within an early discharge protocol for cementless total hip arthroplasty: experience from a Japanese hospital. | 1) Yoshiatsu Nakakita 2) Anh Bourcet 3) Jack Mantel 4) HyeJin Park 5) Anne Rossi 1) Kazuhiro Oinuma 1) Hideaki Shiratsuchi 1 | 1) Joint Reconstruction Center, Funabashi Orthopedic Hospital, Funabashi, Japan. 2) Johnson & Johnson Medical Asia Pacific, Ascent, Singapore. 3) DePuy Synthes, Leeds, UK. 4) Johnson & Johnson Medical, Seoul, Republic of Korea. 5) Johnson & Johnson Medical, Scoresby, Australia. | https://pubmed.ncbi.nlm.nih.gov/33617369/ |
| 320 | 2020 | Dec-20 | Journal of Clinical Biochemistry and Nutrition. 2021;68(1):95-100. doi: 10.3164/jcfn.20-153. Epub 2020 Dec 3. | Decline incidence in upper gastrointestinal bleeding in several recent years: data of the Japan claims database of 13 million accumulated patients. | 1) Shun Fujimoto 1) Nanae Tsuruoka 1) Motohiro Esaki 2) Ayako Takamori 1) Yasuhisa Sakata 1) Ryo Shimoda 1) Takashi Akutagawa 1) Koichi Node 1) Keizo Anzai 3) Nobuyuki Sugisaki 4) Ryuichi Iwakiri 5) Kuniaki Takagi 5) Kohei Yamanouchi 5) Kazuma Fujimoto | 1) Department of Internal Medicine, Faculty of Medicine, Saga University, Japan. 2) Division of Clinical Research Center, Saga University Hospital, Japan. 3) EA Pharma Co., Ltd., Japan. 4) Takeda Pharmaceutical Company, Ltd., Japan. 5) Division of Gastroenterology, Faculty of Medicine, International University of Health and Welfare, Japan. | https://pubmed.ncbi.nlm.nih.gov/33536718/ |
| 319 | 2020 | Dec-20 | The American Journal of Cardiology. 2021;142:59-65. doi: 10.1016/j.amjcard.2020.11.038. Epub 2020 Dec 8. | Lipid Profile and Subsequent Cardiovascular Disease among Young Adults Aged < 50 Years. | 1) Hidehiro Kaneko 2) Hidetaka Itoh 2) Hiroyuki Kiriyama 2) Tatsuya Kamon 3) Katsuhito Fujiu 4) Kojiro Morita 5) Nobuaki Michihata 5) Taisuke Jo 2) Norifumi Takeda 2) Hiroyuki Morita 6) Hideo Yasunaga 2) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 2) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan. 3) The Department of Cardiovascular Medicine, The University of Tokyo, Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Tokyo, Japan. 4) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan; The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Tsukuba, Japan. 5) The Department of Health Services Research, The University of Tokyo, Tokyo, Japan. 6) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33301771/ |
| 318 | 2020 | Nov-20 | Drug Safty. 2021 ;44(3):361-371. doi: 10.1007/s40264-020-01024-0. Epub 2020 Nov 27. | Risk of Cancer in Association with Ranitidine and Nizatidine vs Other H2 Blockers: Analysis of the Japan Medical Data Center Claims Database 2005-2018 | 1) Yuri Ito 6) Miho Ishimar 6) Kojiro Morita 7) Shota Hamada 6) Nanako Tamiya 8) Hideo Yasunaga | 1) Department of Health Services Research, Faculty of Medicine, Institutes of Medicine, University of Tsukuba, Japan. 2) Department of Non-Communicable Disease Epidemiology, Faculty of Epidemiology and Population Health, London School of Hygiene and Tropical Medicine, London, UK. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 4) Division of Nephrology and Endocrinology, The University of Tokyo, Tokyo, Japan. 5) Department of Medical Statistics, Research and Development Center, Osaka Medical College, Osaka, Japan. 6) Department of Health Services Research, Faculty of Medicine, Institutes of Medicine, University of Tsukuba, Japan. 7) Research Department, Institute for Health Economics and Policy, Association for Health Economics Research and Social Insurance and Welfare, Tokyo, Japan. 8) Department of Non-Communicable Disease Epidemiology, Faculty of Epidemiology and Population Health, London School of Hygiene and Tropical Medicine, London, UK. | https://pubmed.ncbi.nlm.nih.gov/33247391/ |
| 317 | 2020 | Jun-20 | Psychosomatics. 2020;S0033-3182(20)30194-8. doi: 10.1016/j.psym.2020.06.008. Online ahead of print. | Impact of Behavioral Health Comorbidities on Health Care Costs Among Japanese Patients With Cancer. | 1) Yasuhiro Kishi 2) Roger G Kathol 3) Yasuyuki Okumura | 1) Department of Psychiatry, Nippon Medical School Musashikosugi Hospital, Kawasaki City, Japan. 2) Departments of Internal Medicine and Psychiatry, University of Minnesota, Minneapolis, MN. 3) Initiative for Clinical Epidemiological Research, Tokyo, Japan; Center for Next Generation of Community Health, Chiba University Hospital, Chiba City, Japan; Real World Data, Co., Ltd, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32665152/ |
| 316 | 2021 | Feb-21 | Yakugaku Zasshi. 2021;141(2):175-178. doi: 10.1248/yakushi.20-00196-3. | Development and Application for Drug-safety and Efficacy Using a Large Claims Data. | 1) Kenji Momo 2) Takeo Yasu 3) Tadanori Sasaki | 1) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 2) Department of Medicinal Therapy Research, Pharmaceutical Education and Research Center, Meiji Pharmaceutical University. 3) Department of Pharmacy, Showa University Hospital. | https://pubmed.ncbi.nlm.nih.gov/33518636/ |
| 315 | 2021 | Feb-21 | Advances in Therapy. 2021;38(3):1601-1613. doi: 10.1007/s12325-021-01629-6. Epub 2021 Feb 5. | Database Analysis on the Relationships Between Nonsteroidal Anti-inflammatory Drug Treatment Variables and Incidence of Acute Myocardial Infarction in Japanese Patients with Osteoarthritis and Chronic Low Back Pain. | 1) Shogo Kikuchi 2) Kanae Togo 3) Nozomi Ebata 3) Koichi Fujii 3) Naohiro Yonemoto 4) Lucy Abraham 5) Takayuki Katsuno | 1) Department of Public Health, Aichi Medical University School of Medicine, Aichi, Japan. 2) Pfizer Japan Inc., Tokyo, Japan. 3) Pfizer Japan Inc., Tokyo, Japan. 4) Pfizer Ltd., Surrey, UK. 5) Department of Nephrology and Rheumatology, Aichi Medical University, Aichi, Japan. | https://pubmed.ncbi.nlm.nih.gov/33544304/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|---|--|--|---|
| 314 | 2021 | Feb-21 | Circulation Journal. 2021. doi:10.1253/circj.CJ-20-1040. Online ahead of print. | Metabolically Healthy Obesity and the Risk of Cardiovascular Disease in the General Population – Analysis of a Nationwide Epidemiological Databas. | 1) Hidetaka Itoh 1)2) Hidehiro Kaneko 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 3)4) Kojiro Morita 5) Nobuaki Michihata 5) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 3) Hideo Yasunaga 1) Issei Komuro | 1) Department of Cardiovascular Medicine, The University of Tokyo. 2) Department of Advanced Cardiology, The University of Tokyo. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 4) Department of Health Services Research, Faculty of Medicine, University of Tsukuba. 5) Department of Health Services Research, The University of Tokyo. | https://pubmed.ncbi.nlm.nih.gov/33551397/ |
| 313 | 2021 | Jan-21 | Journal of Diabetes Investigation. 2021. doi: 10.1111/jdi.13510. Online ahead of print. | Association between nutritional guidance or ophthalmological examination and discontinuation of physician visits in patients with newly diagnosed diabetes: a retrospective cohort study using a nationwide database. | 1) Akira Okada 2) Sachiko Ono 1) Satoko Yamaguchi 3) Hayato Yamana 1) Kayo Ikeda Kurakawa 3) Nobuaki Michihata 4) Hiroki Matsui 5) Masaomi Nangaku 6) Toshimasa Yamauchi 4) Hideo Yasunaga 1)7) Takashi Kadowaki | 1) Department of Prevention of Diabetes and Lifestyle-Related Diseases, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 2) Department of Eat-loss Medicine, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 4) Department of Clinical Epidemiology and Health Economics, The University of Tokyo, Tokyo, Japan. 5) Division of Nephrology and Endocrinology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 6) Department of Diabetes and Metabolism, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 7) Toranomon Hospital, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33459533/ |
| 312 | 2021 | Jan-21 | Advances in Therapy. 2021. doi: 10.1007/s12325-020-01615-4. Online ahead of print. | Real-World Prescription Pattern and Healthcare Cost Among Patients with Ulcerative Colitis in Japan: A Retrospective Claims Data Analysis. | 1) Celine Miyazaki 2) Takuya Sakashita 3) Wonjo Jung 4) Shingo Kato | 1) Health Economics Department, Janssen Pharmaceutical K.K., Tokyo, Japan. celinemiyazaki@gmail.com. 2) Medical Science Liaison Department, Medical Affairs, Janssen Pharmaceutical K.K., Tokyo, Japan. 3) Health Economics Department, Janssen Pharmaceutical K.K., Tokyo, Japan. 4) Department of Gastroenterology and Hepatology, Saitama Medical Center, Saitama Medical University, Saitama, Japan. | https://pubmed.ncbi.nlm.nih.gov/33515423/ |
| 311 | 2021 | Jan-21 | Atherosclerosis. 2021; 320:79–85;320:79–85. doi: 10.1016/j.atherosclerosis.2021.01.022. Epub 2021 Jan 27. | Possible association between eating behaviors and cardiovascular disease in the general population: Analysis of a nationwide epidemiological database. | 1) Hidehiro Kaneko 2) Hidetaka Itoh 2) Hiroyuki Kiriya 2) Tatsuya Kamon 3) Katsuhito Fujiu 4) Kojiro Morita 5) Nobuaki Michihata 5) Taisuke Jo 2) Norifumi Takeda 2) Hiroyuki Morita 6) Hideo Yasunaga 2) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Japan. 2) The Department of Cardiovascular Medicine, The University of Tokyo, Japan. 3) The Department of Cardiovascular Medicine, The University of Tokyo, Japan; The Department of Advanced Cardiology, The University of Tokyo, Japan. 4) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan; The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Japan. 5) The Department of Health Services Research, The University of Tokyo, Japan. 6) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33581389/ |
| 310 | 2021 | Jan-21 | Scientific Reports. 2021; 11(1):1707. doi: 10.1038/s41598-021-81416-z. | Risk factors for low adherence to methylphenidate treatment in pediatric patients with attention-deficit/hyperactivity disorder | 1)2)3) Asami Ishizuya 4) Minori Enomoto 5) Hisateru Tachimori 1) Hidehiko Takahashi 1) Genichi Sugihara 3) Shingo Kitamura 6)7)8) Kazuo Mishima | 1) Department of Psychiatry and Behavioral Neurosciences, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, Japan. 2) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Japan. 3) Department of Sleep-Wake Disorders, National Center of Neurology and Psychiatry, National Institute of Mental Health, Japan. 4) Department of Medical Technology, School of Health Sciences, Tokyo University of Technology, Japan. 5) Department of Clinical Epidemiology, Translational Medical Center, National Center of Neurology and Psychiatry, Japan. 6) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Japan. 7) Department of Sleep-Wake Disorders, National Center of Neurology and Psychiatry, National Institute of Mental Health, Japan. 8) International Institute for Integrative Sleep Medicine, University of Tsukuba, Japan. | https://pubmed.ncbi.nlm.nih.gov/33462331/ |
| 309 | 2021 | Jan-21 | PharmacoEconomics Open. 2021. doi: 10.1007/s41669-020-00254-3. Online ahead of print. | Economic Evaluation of First-Line Pertuzumab Therapy in Patients with HER2-Positive Metastatic Breast Cancer in Japan. | 1)2) Kensuke Moriwaki 3) Saki Uechi 3) Takaaki Fujiwara 3) Yu Hagino 4)5) Kojiro Shimozuma | 1) Comprehensive Unit for Health Economic Evidence Review and Decision Support (CHEERS), Research Organization of Science and Technology, Ritsumeikan University. 2) Laboratory of Medical Statistics, Kobe Pharmaceutical University. 3) Laboratory of Medical Statistics, Kobe Pharmaceutical University. 4) Comprehensive Unit for Health Economic Evidence Review and Decision Support (CHEERS), Research Organization of Science and Technology, Ritsumeikan University. 5) Division of Health Service Research, Department of Biomedical Science, College of Life Sciences, Ritsumeikan University. | https://pubmed.ncbi.nlm.nih.gov/33483889/ |
| 308 | 2021 | Jan-21 | Journal of the American Medical Directors Association. 2021; S1525–8610(20)31063–X. doi:10.1016/j.jamda.2020.12.015. Online ahead of print. | Medical Costs and Readmissions After Intensive Poststroke Rehabilitation: Japanese Claims Data. | 1) Hirofumi Nagayama 2) Kounosuke Tomori 3) Kohei Ikeda 4) Keita Yamauchi | 1) Department of Occupational Therapy, Kanagawa University of Human Services, Kanagawa, Japan. 2) Department of Occupational Therapy, School of Health Science, Tokyo University of Technology, Tokyo, Japan. 3) Department of Occupational Therapy, Kanagawa University of Human Services, Kanagawa, Japan. 4) Graduate School of Health Management, Keio University, Kanagawa, Japan. | https://pubmed.ncbi.nlm.nih.gov/33476570/ |
| 307 | 2021 | Jan-21 | BMC Psychiatry. 2021; 21(1):40. doi: 10.1186/s12888-021-03046-z. | Patterns of hypnotic prescribing for residual insomnia and recurrence of major depressive disorder: a retrospective cohort study using a Japanese health insurance claims database. | 1) Kentaro Yamato 2) Ken Inada 3) Minori Enomoto 1) Tatsuro Marumoto 4) Masahiro Takeshima 5)6)7) Kazuo Mishima | 1) Japan Medical Office, Takeda Pharmaceutical Company Limited, Tokyo, Japan. 2) Department of Psychiatry, Tokyo Women's Medical University, Tokyo, Japan. 3) Department of Medical Technology, School of Health Sciences, Tokyo University of Technology, Tokyo, Japan. 4) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan. 5) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan. 6) Department of Psychophysiology, National Institute of Mental Health, National Center of Neurology and Psychiatry, Tokyo, Japan. 7) International Institute for Integrative Sleep Medicine, Tsukuba, Japan. | https://pubmed.ncbi.nlm.nih.gov/33441086/ |
| 306 | 2021 | Jan-21 | British Journal of Nutrition. 2021; 1–22. doi:10.1017/S0007114521000179. Online ahead of print. | Eating and drinking habits and its association with obesity in Japanese healthy adults: Retrospective longitudinal big data analysis using a health check-up database. | 1) Tomotsugu Seki 1) Masato Takeuchi 1) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/33461638/ |
| 305 | 2021 | Jan-21 | Japanese Journal of Ophthalmology. 2021. ;65(2):215–226. doi: 10.1007/s10384-020-00802-8. Epub 2021 Jan 9. | Treatment patterns for retinal diseases in patients newly-treated with anti-VEGF agents: A retrospective analysis of claims data from the Japan Medical Data Center database. | 1) Ryo Kawasaki 2) Melissa Bauer 3) Vladimir Bezlyak 4) Yuichiro Ogura | 1) Department of Vision Informatics, Osaka University Graduate School of Medicine, Osaka, Japan. 2) Real World Data Analytics, Novartis Global Service Center, Dublin, Ireland. 3) Novartis Pharma AG, Basel, Switzerland. 4) Department of Visual Sciences, Nagoya City University. | https://pubmed.ncbi.nlm.nih.gov/33420855/ |
| 304 | 2020 | Dec-20 | Journal of Investigative Medicine. 2020;69(3):724–729. doi: 10.1136/jim-2020-001489. Epub 2020 Dec 18. | Severity of hypertension as a predictor of initiation of dialysis among study participants with and without diabetes mellitus. | 1) Taeko Osawa 2) Kazuya Fujihara 1) Mayuko Harada Yamada 1) Masahiko Yamamoto 1) Masaru Kitazawa 1) Yasuhiro Matsubayashi 1) Midori Iwanaga 1) Takaho Yamada 3) Hiroyasu Seida 1) Satoru Kodama 4) Yoshimi Nakagawa 1) Hitoshi Shimano 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. 2) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. 3) Japan Medical Data Center Co Ltd, Tokyo, Japan. 4) Department of Internal Medicine, University of Tsukuba School of Medicine, Tsukuba, Japan. | https://pubmed.ncbi.nlm.nih.gov/33443064/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|--|--|---|
| 303 | 2020 | Dec-20 | Journal of Cardiology. 2020;77(5):545-551. doi: 10.1016/j.jicc.2020.12.003. Epub 2020 Dec 26. | Comparison of adherence, persistence, and clinical outcome of generic and brand-name statin users: A retrospective cohort study using the Japanese claims database. | 1) Jingwei Gao 2) Tomotsugu Seki 3) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 3) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/33371973/ |
| 302 | 2020 | Dec-20 | Clinical Infectious Diseases. 2020; ciae1870. doi: 10.1093/cid/ciaa1870. Online ahead of print. | Comparison of Hospitalization Incidence in Influenza Outpatients Treated With Baloxavir Marboxil or Neuraminidase Inhibitors: A Health Insurance Claims Database Study. | 1) Takuji Komeda 2)3) Takahiro Takazono 3) Naoki Hosogaya 2) Taiga Miyazaki 4) Eriko Ogura 1) Shinpei Iwata 1) Hideyuki Miyauchi 1) Keiichi Honda 4) Masakazu Fujiwara 4) Yoshikazu Ajiwara 4) Hideaki Watanabe 4) Yoshitake Kitanishi 4) Kanae Hara 2) Hiroshi Mukae | 1) Shionogi Pharmacovigilance Center Co., Ltd., Osaka, Japan. 2) Department of Infectious Diseases, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan. 3) Department of Respiratory Medicine, Nagasaki University Hospital, Nagasaki, Japan. 4) Shionogi & Co., Ltd., Osaka, Japan. | https://pubmed.ncbi.nlm.nih.gov/33354728/ |
| 301 | 2020 | Dec-20 | Clinical and Translational Science. 2020. doi: 10.1111/cts.12964. Online ahead of print. | Real World Evidence of Population Differences in Allopurinol-Related Severe Cutaneous Adverse Reactions in East Asians: A Population-Based Cohort Study. | 1) Tsugumichi Sato 2)3) Ching-Lan Cheng 4) Heung-Woo Park 2) Yea-Huei Kao Yang 4) Min-Suk Yang 1) Mizuki Fujita 6) Yuji Kumagai 7) Masahiro Tohkin 8) Yoshiro Saito 8) Kimie Sai | 1) Department of Pharmacy, Faculty of Pharmaceutical Sciences, Tokyo University of Science. 2) School of Pharmacy, Institute of Clinical Pharmacy and Pharmaceutical Sciences, Health Outcome Research Center, National Cheng Kung University. 3) Department of Pharmacy, National Cheng Kung University Hospital, College Medicine, National Cheng Kung University. 4) Department of Internal Medicine, Seoul National University College of Medicine. 5) Department of Internal Medicine, SMG-SNU Boramae Medical Center. 6) Clinical Research Center, School of Medicine, Kitasato University. 7) Department of Regulatory Science, Graduate School of Pharmaceutical Science, Nagoya City University. 8) Division of Medicinal Safety Science, National Institute of Health Sciences. | https://pubmed.ncbi.nlm.nih.gov/33382928/ |
| 300 | 2020 | Dec-20 | Pain Medicine. 2020; pnaa424. doi:10.1093/pm/pnaa424. Online ahead of print. | Long-Term Pain Management and Health Care Resource Use Among an Employed Population in Japan with Knee Osteoarthritis Combined with Low Back Pain. | 1) Kaname Ueda 2) Tomoyuki Takura 1) Shinji Fujikoshi 3) Juliana Meyers 3) Saurabh P Nagar 1) Hiroyuki Enomoto | 1) Medicines Development Unit Japan, Eli Lilly Japan K.K., Kobe, Japan. 2) Department of Healthcare Economics and Health Policy, University of Tokyo, Tokyo, Japan. 3) RTI Health Solutions, Research Triangle Park, North Carolina, USA. | https://pubmed.ncbi.nlm.nih.gov/33377491/ |
| 299 | 2020 | Dec-20 | Journal of Affective Disorders. 2020 15:281:539-546. doi: 10.1016/j.jad.2020.12.040. Epub 2020 Dec 15. | Effect of residual insomnia and use of hypnotics on relapse of depression: a retrospective cohort study using a health insurance claims database. | 1) Ken Inada 2) Minori Enomoto 3) Kentaro Yamato 3) Tatsuro Marumoto 4) Masahiro Takeshima 5) Kazuo Mishima | 1) Department of Psychiatry, Tokyo Women's Medical University, Tokyo, Japan. 2) Department of Medical Technology, School of Health Sciences, Tokyo University of Technology, Tokyo, Japan. 3) Japan Medical Office, Takeda Pharmaceutical Company Limited, Tokyo, Japan. 4) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan. 5) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan; Department of Psychophysiology, National Institute of Mental Health, National Center of Neurology and Psychiatry, Tokyo, Japan; International Institute for Integrative Sleep Medicine, Tsukuba, Japan. | https://pubmed.ncbi.nlm.nih.gov/33401142/ |
| 298 | 2020 | Dec-20 | BMC Psychiatry. 2020; 20(1):584. doi:10.1186/s12888-020-02987-1. | A propensity score matching analysis for cardio metabolic risk of antipsychotics in patients with schizophrenia using Japanese claims data. | 1) Ichiro Kusumi 2) Sachie Inoue 3) Kenji Baba 3) Tadashi Nosaka 4) Toshihisa Anzai | 1) Department of Psychiatry, Hokkaido University Graduate School of Medicine. 2) CRECON Medical Assessment Inc. 3) Sumitomo Dainippon Pharma Co., Ltd. 4) Department of Cardiovascular Medicine, Hokkaido University Graduate School of Medicine. | https://pubmed.ncbi.nlm.nih.gov/33298025/ |
| 297 | 2020 | Dec-20 | PLoS One. 2020 ;15(12):e0243424. doi: 10.1371/journal.pone.0243424. eCollection 2020. | Impact of class-level labelling change on prescriptions of antidepressants for adolescents: An interrupted time-series study using a health insurance claims database in Japan, 2005-2013. | 1) Yumiko Ogino 2) Axel Jeremias Schmidt | 1) MSc Public Health Programme, University of London International Programme / London School of Hygiene and Tropical Medicine, London, United Kingdom. 2) Department of Public Health, Environments and Society London School of Hygiene and Tropical Medicine, London, United Kingdom. | https://pubmed.ncbi.nlm.nih.gov/33284822/ |
| 296 | 2020 | Nov-20 | Epilepsy Research. 2020;169:106503. doi: 10.1016/j.eplepsyres.2020.106503. Epub 2020 Nov 18. | Prescription patterns of antiepileptic drugs for adult patients with newly diagnosed focal epilepsy from 2006 to 2017 in Japan. | 1) Siming Chen 1) Satomi Yoshida 2) Riki Matsumoto 3) Akio Ikeda 4) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2) Division of Neurology, Kobe University Graduate School of Medicine, Kobe, Japan. 3) Department of Epilepsy, Movement Disorders and Phycology, Graduate School of Medicine and Faculty of Medicine, Kyoto University, Kyoto, Japan. 4) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://pubmed.ncbi.nlm.nih.gov/33271444/ |
| 295 | 2020 | Nov-20 | Neuropsychiatric Disease and Treatment.2020;16:2871-2879. doi: 10.2147/NDT.S276030. eCollection 2020. | Rehospitalization Risk of Receptor-Affinity Profile in Antipsychotic Drug Treatment: A Propensity Score Matching Analysis Using a Japanese Employment-Based Health Insurance Database. | 1) Yoshiteru Takekita 2) Sachie Inoue 3) Kenji Baba 3) Tadashi Nosaka | 1) Department of Neuropsychiatry, Kansai Medical University, Osaka, Japan. 2) CRECON Medical Assessment Inc, Tokyo, Japan. 3) Sumitomo Dainippon Pharma Co, Ltd, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33299315/ |
| 294 | 2020 | Nov-20 | Drug Safety. 2020 ;44(3):361-371. doi: 10.1007/s40264-020-01024-0. Epub 2020 Nov 27. | Risk of Cancer in Association with Ranitidine and Nizatidine vs Other H2 Blockers: Analysis of the Japan Medical Data Center Claims Database 2005-2018. | 1)2) Masao Iwagami 3) Ryosuke Kumazawa 4) Yoshihisa Miyamoto 5) Yuri Ito 6) Miho Ishimaru 6) Kojiro Morita 7) Shota Hamada 6) Nanako Tamiya 8) Hideo Yasunaga | 1) Department of Health Services Research, Faculty of Medicine, Institutes of Medicine, University of Tsukuba. 2) Department of Non-Communicable Disease Epidemiology, Faculty of Epidemiology and Population Health, London School of Hygiene and Tropical Medicine. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. 4) Division of Nephrology and Endocrinology, The University of Tokyo, Tokyo, Japan. 5) Department of Medical Statistics, Research and Development Center, Osaka Medical College, Japan. 6) Department of Health Services Research, Faculty of Medicine, Institutes of Medicine, University of Tsukuba. 7) Research Department, Institute for Health Economics and Policy, Association for Health Economics Research and Social Insurance and Welfare, Japan. 8) Department of Non-Communicable Disease Epidemiology, Faculty of Epidemiology and Population Health, London School of Hygiene and Tropical Medicine. | https://pubmed.ncbi.nlm.nih.gov/33247391/ |
| 293 | 2020 | Nov-20 | International Journal of Gynecology & Obstetrics. 2020. doi:10.1002/ijgo.13477. Online ahead of print. | Effect of Japanese herbal Kampo medicines on live birth rate in women with recurrent pregnancy loss. | 1) Daisuke Shigemi 1) Yohei Hashimoto 1) Nobuaki Michihata 1) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33184912/ |
| 292 | 2020 | Nov-20 | Scientific Reports. 2020; 10(1):19674. doi:10.1038/s41598-020-76669-z. | Restfulness from sleep and subsequent cardiovascular disease in the general population. | 1)2) Hidehiro Kaneko 3) Hidetaka Itoh 3) Hiroyuki Kiriyama 3) Tatsuya Kamon 3)4) Katsuhito Fujiu 5)6) Kojiro Morita 7) Nobuaki Michihata 7) Taisuke Jo 3) Norifumi Takeda 3) Hiroyuki Morita 5) Hideo Yasunaga 3) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo Hospital, The University of Tokyo. 2) The Department of Advanced Cardiology, The University of Tokyo, Japan. 3) The Department of Cardiovascular Medicine, The University of Tokyo Hospital, The University of Tokyo. 4) The Department of Advanced Cardiology, The University of Tokyo, Japan. 5) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. 6) The Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Japan. 7) The Department of Health Services Research, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33184438/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|---|--|---|
| 291 | 2020 | Nov-20 | Journal of the American College of Cardiology. 2020; 76(20):2414-2416. doi: 10.1016/j.jacc.2020.09.545. | Association of Cardiovascular Health Metrics With Subsequent Cardiovascular Disease in Young Adults. | 1) Hidehiro Kaneko Hidetaka Itoh Tatsuya Kamon Katsuhito Fujiu Kojiro Morita Nobuaki Michihata Taisuke Jo Hiroyuki Morita Hideo Yasunaga Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo Hospital | https://pubmed.ncbi.nlm.nih.gov/33183514/ |
| 290 | 2020 | Aug-20 | Journal of General and Family Medicine. 2020; 21(6):211-218. doi: 10.1002/jgf2.367. eCollection 2020 Nov. | Data resource profile: JMDC claims databases sourced from Medical Institutions. | 1) Katsuhiko Nagai 1) Takashi Tanaka 1) Norihisa Kodaira 1) Shinya Kimura 2) Yoshimitsu Takahashi 2) Takeo Nakayama | 1) JMDC Inc. Tokyo Japan. 2) Department of Health Informatics Kyoto University School of Public Health Kyoto Japan. | https://pubmed.ncbi.nlm.nih.gov/33304714/ |
| 289 | 2020 | Oct-20 | Clinical Infectious Diseases. 2020; ciaa1622. doi: 10.1093/cid/ciaa1622. Online ahead of print. | Comparison of Household Transmission of Influenza Virus From Index Patients Treated With Baloxavir Marboxil or Neuraminidase Inhibitors: A Health Insurance Claims Database Study. | 1) Takuji Komeda 2)3) Takahiro Takazono 2)4) Naoki Hosogaya 5) Eriko Ogura 5) Masakazu Fujiwara 1) Hideyuki Miyauchi 5) Yoshikazu Ajisawa 1) Shinpei Iwata 5) Hideaki Watanabe 1) Keiichi Honda 5) Yoshitake Kitanishi 5) Kanae Hara 2)6) Hiroshi Mukae | 1) Shionogi Pharmacovigilance Center Co., Ltd., Osaka, Japan. 2) Department of Respiratory Medicine, Nagasaki University Hospital, Nagasaki, Japan. 3) Department of Infectious Diseases, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan. 4) Nagasaki University Hospital, Clinical Research Center, Nagasaki, Japan. 5) Shionogi & Co., Ltd., Osaka, Japan. 6) Department of Respiratory Medicine, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan. | https://pubmed.ncbi.nlm.nih.gov/33103200/ |
| 288 | 2020 | Oct-20 | Journal of Epidemiology. 2020. doi:10.2188/jea.JE20200233. Online ahead of print. | Incidence of Mumps Deafness in Japan, 2005-2017: Analysis of Japanese Insurance Claims Database. | 1) Akira Takagi 2) Satoko Ohfuji 3) Takashi Nakano 4) Hideaki Kumihashi 4) Munehide Kano 5) Toshihiro Tanaka | 1) Department of Otorhinolaryngology, Head and Neck Surgery, Shizuoka General Hospital. 2) Department of Public Health, Osaka City University Graduate School of Medicine and Research Center for Infectious Disease Sciences, Osaka City University Graduate School of Medicine. 3) Department of Pediatrics, Kawasaki Medical School. 4) Global Vaccine Business Unit, Takeda Pharmaceutical Company Limited. 5) Department of Pediatrics, Shizuoka Kosei Hospital. | https://pubmed.ncbi.nlm.nih.gov/33100297/ |
| 287 | 2020 | Oct-20 | Clinical Drug Investigation. 2020;40(12):1115-1125. doi: 10.1007/s40261-020-00976-6. Epub 2020 Oct 18. | Treatment of Major Depressive Disorder in Japanese Patients with Cancer: A Matched Cohort Study Using Employer-Based Health Insurance Claims Data. | 1) Tatsuo Akechi 2) Shinji Fujimoto 2) Izumi Mishiho 2) Katsuhito Murase | 1) Department of Psychiatry and Cognitive-Behavioral Medicine, Nagoya City University Graduate School of Medical Sciences, Japan. 2) Japan Medical Office, Takeda Pharmaceutical Company Limited, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33070280/ |
| 286 | 2020 | Oct-20 | BMC Pediatrics. 2020; 20(1):481. doi: 10.1186/s12887-020-02379-0. | Prevalence of gout and asymptomatic hyperuricemia in the pediatric population: a cross-sectional study of a Japanese health insurance database. | 1) Shuichi Ito 2) Tomoko Torii 3) Akihiro Nakajima 4) Takeshi Iijima 4) Hiroshi Murano 2) Hideaki Horiuchi 5) Hisashi Yamanaka 6) Masataka Honda | 1) Department of Pediatrics, Graduate School of Medicine, Yokohama City University, Japan. 2) Medical Science Department, Teijin Pharma Limited, Japan. 3) Pharmaceutical Development Administration Department, Teijin Pharma Limited, Japan. 4) Pharmaceutical Development Coordination Department, Teijin Pharma Limited, Japan. 5) Rheumatology, Sanno Medical Center, Japan. 6) Clinical Research Support Center, Tokyo Metropolitan Children's Medical Center, Japan. | https://pubmed.ncbi.nlm.nih.gov/33059648/ |
| 285 | 2020 | Oct-20 | BMC Pulmonary Medicine. 2020; 20(1):262. doi: 10.1186/s12890-020-01304-6. | Comorbidities associated with nontuberculous mycobacterial disease in Japanese adults: A claims-data analysis. | 1) Shunsuke Uno 2)3) Takanori Asakura 4)5) Kozo Morimoto 6) Kimio Yoshimura 1)7) Yoshifumi Uwamino 8) Tomoyasu Nishimura 3) Yoshiniko Hoshino 1) Naoki Hasegawa Nontuberculous Mycobacteriosis and Bronchiectasis-Japan Research Consortium (NTM-JRC) | 1) Department of Infectious Diseases, Keio University School of Medicine, Tokyo, Japan. 2) Division of Pulmonary Medicine, Department of Medicine, Keio University School of Medicine, Tokyo, Japan. 3) Department of Mycobacteriology, Leprosy Research Center, National Institute of Infectious Diseases, Tokyo, Japan. 4) The Research Institute of Tuberculosis, Japan Anti-Tuberculosis Association, Tokyo, Japan. 5) Division of Clinical Research, Fukujuji Hospital, Japan Anti-Tuberculosis Association, Tokyo, Japan. 6) Department of Health Policy and Management, Keio University School of Medicine, Tokyo, Japan. 7) Department of Laboratory medicine, Keio University School of Medicine, Tokyo, Japan. 8) Keio University Health Center, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33036598/ |
| 284 | 2020 | Sep-20 | 日本公衆衛生雑誌. 2020;67(9):603-608. doi: 10.11236/jph.19-045. | 気象と小児ぜん息患者数の関連調査: 気象データとレセプトデータを活用した「Health Weather」の取り組み | 1) 真田 知世 1) 田口 晶彦 1) 川瀬 善一郎 2) 小平 紀久 2) 久野 芳之 2) 田中 貴 2) 山中 菜詩 3) 梅村 朋弘 3) 鈴木 孝太 | 1) 一般財団法人日本気象協会 2) 株式会社JMDC 3) 愛知医科大学 | https://pubmed.ncbi.nlm.nih.gov/33041286/ |
| 283 | 2020 | Oct-20 | Healthcare (Basel). 2020; 8(4):E385. doi:10.3390/healthcare8040385. | Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. | 1) Kengo Shirado 2) Hidetaka Wakabayashi 3)4) Keisuke Maeda 5) Ryo Momosaki | 1) Department of Rehabilitation, Iizuka Hospital. 2) Department of Rehabilitation Medicine, Tokyo Women's Medical University Hospital. 3) Department of Geriatric Medicine, National Center for Geriatrics and Gerontology. 4) Department of Palliative and Supportive Medicine, Aichi Medical University. 5) Department of Rehabilitation Medicine, Mie University Graduate School of Medicine. | https://pubmed.ncbi.nlm.nih.gov/33027957/ |
| 282 | 2020 | Oct-20 | Circulation. 2020;27:142(17):1691-1693. doi: 10.1161/CIRCULATIONAHA.120.047873. Epub 2020 Oct 5. | Risk of Cardiovascular Events After Spouse's ICU Admission. | 1) Hiroyuki Ohbe 1) Tadahiyo Goto 1) Yuki Miyamoto 1) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/33012171/ |
| 281 | 2020 | Oct-20 | Biological and Pharmaceutical Bulletin. 2020; 43(10):1519-1525. doi: 10.1248/bpb.b20-00314. | Prescription of Colchicine with Other Dangerous Concomitant Medications: A Nation-Wide Survey Using the Japanese Claims Database. | 1) Shungo Imai 2) Kenji Momo 1) Hitoshi Kashiwagi 3) Takayuki Miyai 1)4) Mitsuru Sugawara 4) Yoh Takekuma | 1) Faculty of Pharmaceutical Sciences, Hokkaido University. 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 3) Graduate School of Life Science, Hokkaido University. 4) Department of Pharmacy, Hokkaido University Hospital. | https://pubmed.ncbi.nlm.nih.gov/32999162/ |
| 280 | 2020 | Sep-20 | Journal of Infection and Chemotherapy. 2020;27(1):113-116. doi: 10.1016/j.jiac.2020.09.001. Epub 2020 Oct 1. | Epidemiology of antibiotic treatment for uncomplicated cystitis in adults in Japan. | 1) Yoshiki Kusama 2) Masahiro Ishikane 3) Tomomi Kihara 4) Norio Ohmagari | 1) AMR Clinical Reference Center, Disease Control and Prevention Center, National Center for Global Health and Medicine, Collaborative Chairs Emerging and Reemerging Infectious Diseases, National Center for Global Health and Medicine, Graduate School of Medicine, Tohoku University. 2) AMR Clinical Reference Center, Disease Control and Prevention Center, National Center for Global Health and Medicine, Disease Control and Prevention Center, National Center for Global Health and Medicine. 3) Public Health, Department of Social Medicine, Osaka University Graduate School of Medicine, Department of Public Health Medicine, Faculty of Medicine, and Health Service Research and Development Center, University of Tsukuba. 4) AMR Clinical Reference Center, Disease Control and Prevention Center, National Center for Global Health and Medicine, Collaborative Chairs Emerging and Reemerging Infectious Diseases, National Center for Global Health and Medicine, Graduate School of Medicine, Tohoku University, Disease Control and Prevention Center, National Center for Global Health and Medicine. | https://pubmed.ncbi.nlm.nih.gov/33011067/ |
| 279 | 2020 | Sep-20 | Pharmacoepidemiology and Drug Safety. 2020;30(2):157-168. doi: 10.1002/pds.5127. Epub 2020 Sep 16. | Factors associated with achieving target serum uric acid level and occurrence of gouty arthritis: A retrospective observational study of Japanese health insurance claims data. | 1) Ruriko Koto 2) Akihiro Nakajima 1) Hideki Horiuchi 3) Hisashi Yamanaka | 1) Medical Science Department, Teijin Pharma Limited, Tokyo, Japan. 2) Pharmaceutical Development Administration Department, Teijin Pharma Limited, Tokyo, Japan. 3) Institute of Rheumatology Tokyo Women's Medical University, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32939919/ |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|--|---|---|--|---|
| 278 | 2020 | Sep-20 | Journal of the American Heart Association. 2020; 9(19):e017963. doi: 10.1161/JAHA.120.017963. Epub 2020 Sep 30. | Association of Isolated Diastolic Hypertension Based on the Cutoff Value in the 2017 American College of Cardiology/American Heart Association Blood Pressure Guidelines With Subsequent Cardiovascular Events in the General Population. | 1)2) Hidehiro Kaneko 1) Hidetaka Itoh 1) Haruki Yotsumoto 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 3)4) Kojiro Morita 5) Nobuaki Michihata 5) Taisuke Jo 1) Norifumi Takeda 1) Hiroyuki Morita 3) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine The University of Tokyo Japan. 2) The Department of Advanced Cardiology The University of Tokyo Japan. 3) The Department of Clinical Epidemiology and Health Economics School of Public Health The University of Tokyo Japan. 4) The Department of Health Services Research Faculty of Medicine University of Tsukuba Japan. 5) The Department of Health Services Research The University of Tokyo Japan. | https://pubmed.ncbi.nlm.nih.gov/32993440/ |
| 277 | 2020 | Aug-20 | Journal of Psychiatric Research. 2020; 131:77-84. doi: 10.1016/j.jpsychires.2020.08.025. Online ahead of print. | Incidence, Prevalence and Prescription Patterns of Antipsychotic Medications Use in Asia and US: A Cross-Nation Comparison with Common Data Model. | 1) Chien-Chou Su 1) Edward Chia-Cheng Lai 2) Yea-Huei Kao Yang 3) Kenneth K C Man 4) Kiyoshi Kubota 5) Paul Stang 5) Martijn Schuemie 5) Patrick Ryan 6) Chantelle Hardy 6) Yinghong Zhang 7) Shinya Kimura 7) Yukari Kamijima 6) Ian C K Wong 8) Soko Setoguchi | 1) Department of Pharmacy, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan, Taiwan; Institute of Clinical Pharmacy and Pharmaceutical Sciences, College of Medicine, National Cheng Kung University, Tainan, Taiwan; School of Pharmacy And, College of Medicine National Cheng Kung University, Tainan, Taiwan; Health Outcome Research Center, National Cheng Kung University, Tainan, Taiwan. 2) Department of Pharmacy, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan, Taiwan; Institute of Clinical Pharmacy and Pharmaceutical Sciences, College of Medicine, National Cheng Kung University, Tainan, Taiwan; School of Pharmacy And, College of Medicine National Cheng Kung University, Tainan, Taiwan; Health Outcome Research Center, National Cheng Kung University, Tainan, Taiwan. 3) Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong, Hong Kong; Research Department of Practice and Policy, UCL School of Pharmacy, London, United Kingdom. 4) NPO Drug Safety Research Unit Japan, Tokyo, Japan. 5) Janssen Research & Development, LLC, Titusville, United States. 6) Duke Clinical Research Institute, Durham, United States. 7) Japan Medical Data Center, Tokyo, Japan. 8) Department of Medicine, Rutgers Robertwood Johnson Medical School and Institute for Health, Health Care Policy and Aging Research, Rutgers Biomedical and Health Sciences, New Jersey, United States. | https://pubmed.ncbi.nlm.nih.gov/32947205/ |
| 276 | 2020 | Sep-20 | British Journal of Ophthalmology. 2020;131:77-84. doi: 10.1016/j.jpsychires.2020.08.025. Epub 2020 Aug 27. | Intraocular pressure-lowering medications during pregnancy and risk of neonatal adverse outcomes: a propensity score analysis using a large database. | 1)2) Yohei Hashimoto 3) Nobuaki Michihata 3) Hayato Yamana 2) Daisuke Shigemitsu 2)4) Kojiro Morita 2) Hiroki Matsui 2) Hideo Yasunaga 5) Makoto Aihara | 1) Department of Ophthalmology, The University of Tokyo. 2) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo. 4) Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Ibaraki, Japan. 5) Department of Ophthalmology, The University of Tokyo. | https://pubmed.ncbi.nlm.nih.gov/32907812/ |
| 275 | 2020 | Sep-20 | Journal of Asthma. 2020; 1-9. doi: 10.1080/02770903.2020.1821057. Online ahead of print. | Assessment of asthma severity according to treatment steps in Japanese pediatric patients: A descriptive cross-sectional study using an administrative claims database. | 1) Satomi Yoshida 2) Shiro Tanaka 3) Yuichi Adachi 4) Hajime Yoshisue 4) Masanari Kozawa 1) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2) Department of Clinical Biostatistics, Graduate School of Medicine, Kyoto University, Kyoto, Japan. 3) Department of Pediatrics Faculty of Medicine, University of Toyama, Toyama, Japan. 4) Novartis Pharma K.K., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32900270/ |
| 274 | 2020 | Sep-20 | PLoS One. 2020;15(9):e0238652. doi: 10.1371/journal.pone.0238652. eCollection 2020. | Development of the parental self-efficacy scale for preventing challenging behaviors in children with autism spectrum disorder. | 1) Yuri Kabashima 1) Etsuko Tadaka 1) Azusa Arimoto | 1) Department of Community Health Nursing, Graduate School of Medicine, Yokohama City University. | https://pubmed.ncbi.nlm.nih.gov/32881960/ |
| 273 | 2020 | Aug-20 | PLoS One. 2020;15(8):e0238233. doi: 10.1371/journal.pone.0238233. eCollection 2020. | Predictive factors associated with bleeding in atrial fibrillation patients treated with anti-coagulant drugs using a large claims database. | 1)2) Kenji Momo 1) Kana Shu-Toh 3) Makiko Kaneko 3) Nauta Yamanaka 2) Yuji Oto 2) Katsumi Tanaka 1) Masayoshi Koinuma 2) Tadanori Sasaki | 1) Faculty of Pharmaceutical Sciences, Teikyo Heisei University. 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 3) JMDC inc. | https://pubmed.ncbi.nlm.nih.gov/32866192/ |
| 272 | 2020 | Aug-20 | Journal of Atherosclerosis and Thrombosis. 2020; 1:28(5):535-543. doi: 10.5551/jat.55939. Epub 2020 Aug 28. | Cardiovascular Health Metrics of 87,160 Couples: Analysis of a Nationwide Epidemiological Database. | 1)2) Hidehiro Kaneko 1) Hidetaka Itoh 1) Haruki Yotsumoto 1) Hiroyuki Kiriya 1) Tatsuya Kamon 1)2) Katsuhito Fujiu 3) Kojiro Morita 4) Kosuke Kashiwabara 5) Nobuaki Michihata 5) Taisuke Jo 1) Hiroyuki Morita 3) Hideo Yasunaga 1) Issei Komuro | 1) The Department of Cardiovascular Medicine, The University of Tokyo. 2) The Department of Advanced Cardiology, The University of Tokyo. 3) The Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 4) Data Science Office, Clinical Research Promotion Center, The University of Tokyo Hospital. 5) The Department of Health Services Research, The University of Tokyo. | https://pubmed.ncbi.nlm.nih.gov/32863289/ |
| 271 | 2020 | Aug-20 | Journal of Pharmaceutical Health Care and Sciences. 2020;6:18. doi:10.1186/s40780-020-00174-8. eCollection 2020. | Association of the ward pharmacy service with active implementation of therapeutic drug monitoring for vancomycin and teicoplanin—an epidemiological surveillance study using Japanese large health insurance. | 1) Shungo Imai 2) Kenji Momo 1) Hitoshi Kashiwagi 3) Takayuki Miyai 1)4) Mitsuru Sugawara 4) Yoh Takekuma | 1) Faculty of Pharmaceutical Sciences, Hokkaido University. 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University. 3) Graduate School of Life Science, Hokkaido University. 4) Department of Pharmacy, Hokkaido University Hospital. | https://pubmed.ncbi.nlm.nih.gov/32832095/ |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|--|--|---|---|---|
| 270 | 2020 | Aug-20 | The Lancet Rheumatology. ;2(11):e698-e711. doi: 10.1016/S2665-9913(20)30276-9. Epub 2020 Aug 21. | Risk of hydroxychloroquine alone and in combination with azithromycin in the treatment of rheumatoid arthritis: a multinational, retrospective study. | 1) Jennifer C E Lane 2) James Weaver 3) Kristin Kostka 4) Talita Duarte-Salles 5) Maria Tereza F Abrahao 6) Heba Alghoul 7) Osaid Alser 8) Thamer M Alshammari 9) Patricia Biedermann 10) Juan M Banda 11) Edward Burn 12) Paula Casajust 13) Mitchell M Conover 14) Aedin C Culhane 15) Alexander Davydov 16) Scott L DuVall 17) Dmitry Dymshyts 18) Sergio Fernandez-Bertolin 19) Kristina Fišter 20) Jill Hardin 21) Laura Hester 22) George Hripscak 23) Benjamin Skov Kaas-Hansen 24) Seamus Kent 25) Sajan Khosla 26) Spyros Kolovos 27) Christophe G Lambert 28) Johan van der Lei 29) Kristine E Lynch 30) Rupa Makadia 31) Andrea V Margulis 32) Michael E Matheny 33) Paras Mehta 34) Daniel R Morales 35) Henry Morgan-Stewart 36) Mees Mosseveld 37) Danielle Newby 38) Fredrik Nyberg 39) Anna Ostropolets 40) Rae Woong Park 41) Albert Prats-Urbe 42) Gowtham A Rao 43) Christian Reich 44) Jenna Reps 45) Peter Rijnbeek 46) Selva Muthu Kumaran Sathappan 47) Martijn Schuemie 48) Sarah Seager 49) Anthony G Sena 50) Azza Shoaibi 51) Matthew Spotnitz 52) Marc A Suchard 53) Carmen O Torre 54) David Vizcaya 55) Haini Wen 56) Marcel de Wilde 57) Junqing Xie 58) Seng Chan You 59) Lin Zhang 60) Oleg Zhuk 61) Patrick Ryan 62) Daniel Prieto-Alhambra OHDSI-COVID-19 consortium | 1) Centre for Statistics in Medicine, Nuffield Department of Orthopaedics, Rheumatology, and Musculoskeletal Sciences, University of Oxford. 2) Janssen Research and Development. 3) Real World Solutions, IQVIA. 4) Fundació Institut Universitari per a la Recerca a l'Atenció Primària de Salut Jordi Gol i Gurina (IDIAPJGol). 5) Faculty of Medicine, University of Sao Paulo. 6) Faculty of Medicine, Islamic University of Gaza, Palestine. 7) Massachusetts General Hospital, Harvard Medical School. 8) Medication Safety Research Chair, King Saud University. 9) Actelion Pharmaceuticals. 10) Department of Computer Science, Georgia State University. 11) Real-World Evidence, Trial Form Support. 12) Department of Data Sciences, Dana-Farber Cancer Institute, Department of Biostatistics, Harvard T H Chan School of Public Health. 13) Medical Ontology Solutions, Odysseus Data Services. 14) Western Institute for Biomedical Research, Department of Veterans Affairs. 15) Department of Internal Medicine, Division of Epidemiology, University of Utah School of Medicine. 16) School of Medicine, Andrija Štampar School of Public Health, University of Zagreb. 17) Department of Biomedical Informatics, Columbia University Irving Medical Center. 18) New York-Presbyterian Hospital. 19) Clinical Pharmacology Unit, Zealand University Hospital. 20) NNF Centre for Protein Research, University of Copenhagen, Copenhagen, Denmark. 21) National Institute for Health and Care Excellence. 22) Real World Science and Digital, AstraZeneca. 23) Department of Internal Medicine, Center for Global Health and Division of Translational Informatics, Albuquerque, NM, USA. 24) Department of Medical Informatics, Erasmus University Medical Center, Rotterdam, Netherlands. 25) RTI Health Solutions, Barcelona, Spain. 26) Geriatrics Research Education and Clinical Care Center, Tennessee Valley Healthcare System VA, Nashville, TN, USA. 27) Department of Biomedical Informatics, Vanderbilt University Medical Center, Nashville, TN, USA. 28) College of Medicine, University of Arizona, Tucson, AZ, USA. 29) Division of Population Health and Genomics, University of Dundee, UK. 30) Department of Psychiatry, University of Oxford, Warneford Hospital, Oxford, UK. 31) School of Public Health and Community Medicine, Institute of Medicine, Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden. 32) Department of Biomedical Informatics, Ajou University School of Medicine, Suwon-si Gyeonggi-do, South Korea. 33) Saw Swee Hock School of Public Health, National University of Singapore, Singapore. 34) Department of Biomathematics and Department of Human Genetics, David Geffen School of Medicine at UCLA, and Department of Biostatistics, UCLA Fielding School of Public Health, University of California, Los Angeles, CA, USA. 35) Bayer Pharmaceuticals, Barcelona, Spain. 36) Department of Pharmacy, Shanghai Chest Hospital, Shanghai Jiao Tong University, Shanghai, China. 37) School of Population Medicine and Public Health, Peking Union Medical College/Chinese Academy of Medical Sciences, Beijing, China. 38) Melbourne School of Population and Global Health, University of Melbourne, VIC, Australia. | https://pubmed.ncbi.nlm.nih.gov/32864627/ |
| 269 | 2020 | Aug-20 | Journal of the American Heart Association. 9(16):e015592. doi:10.1161/JAHA.119.015592. Epub 2020 Aug 14. | Blood Pressure and Chronic Kidney Disease Stratified by Gender and the Use of Antihypertensive Drugs. | 1)2) Michihiro Satoh 2) Takuo Hirose 1)2)3)4) Shingo Nakayama 1)5) Takahisa Murakami 1)6) Kyosuke Takabatake 7)8) Kei Asayama 8) Yutaka Imai 7)8) Takayoshi Ohkubo 2) Takefumi Mori 1)9)8) Hirohito Metoki | 1) Division of Public Health, Hygiene and Epidemiology Faculty of Medicine Tohoku Medical and Pharmaceutical University Sendai Japan. 2) Department of Preventive Medicine and Epidemiology Tohoku Medical and Pharmaceutical University Sendai Japan. 3) Department of Nephrology Self-Defense Forces Sendai Hospital Sendai Japan. 4) Division of Aging and Geriatric Dentistry Department of Oral Function and Morphology Tohoku University Graduate School of Dentistry Sendai Japan. 5) Uguisuzawa Clinic Kurihara Japan. 6) Department of Hygiene and Public Health Teikyo University School of Medicine Tokyo Japan. 7) Tohoku Institute for Management of Blood Pressure Sendai Japan. 8) Department of Community Medical Supports Tohoku Medical Megabank Organization Tohoku University Sendai Japan. 9) Division of Nephrology and Endocrinology Faculty of Medicine Tohoku Medical and Pharmaceutical University Sendai Japan. | https://pubmed.ncbi.nlm.nih.gov/32794421/ |
| 268 | 2020 | Aug-20 | Rheumatology and Therapy. ;7(4):811-824. doi: 10.1007/s40744-020-00228-1. Epub 2020 Aug 25. | Dose Adjustment of Methotrexate Administered Concomitantly with Golimumab for Rheumatoid Arthritis in Japanese Real-World Clinical Settings. | 1) Fumiko Yamairi 2) Toshiro Yano 3) Takashi Goto 4) Tomohisa Iwasaki | 1) Medical Intelligence Department, Ikuyaku, Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation. 2) Medical Intelligence Department, Ikuyaku, Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation. 3) Data Science Department, Ikuyaku, Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation. 4) Data Science Department, Ikuyaku, Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation. | https://pubmed.ncbi.nlm.nih.gov/32844379/ |
| 267 | 2020 | Aug-20 | Journal of Crohn's and Colitis. jiaa172. 5;15(3):358-366. doi: 10.1093/ecco-jcc/jiaa172. | Trends in corticosteroid prescriptions for ulcerative colitis and factors associated with long-term corticosteroid use: analysis using Japanese claims data from 2006 to 2016. | 1) Katsuyoshi Matsuoka 2)3) Ataru Igarashi 4) Noriko Sato 4) Yuri Isono 5) Maki Gouda 5) Katsuhiko Iwasaki 2)5) Ayako Shoji 6) Tadakazu Hisamatsu | 1) Department of Gastroenterology and Hepatology, Toho University Sakura Medical Center, Sakura, Japan. 2) Department of Health Economics and Outcomes Research, Graduate School of Pharmaceutical Sciences, The University of Tokyo, Tokyo, Japan. 3) Unit of Public Health and Preventive Medicine, Yokohama City University School of Medicine, Yokohama, Japan. 4) Ikuyaku, Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation, Tokyo, Japan. 5) Medilead, Inc., Tokyo, Japan. 6) Department of Gastroenterology and Hepatology, Kyorin University School of Medicine, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32845311/ |
| 266 | 2020 | Aug-20 | PLoS One. 2020; 15(8):e0237617. doi: 10.1371/journal.pone.0237617. eCollection 2020. | Comparison between high and low potency statins in the incidence of open-angle glaucoma: A retrospective cohort study in Japanese working-age population. | 1) Nobuhiro Ooba 1) Rira Iwahashi 1) Akiko Nogami 2) Toshimitsu Nakayama 3) Atsushi Kanno 3) Naohiro Tochikura 3) Susumu Ootsuka 1) Noriyasu Fukuoka | 1) Department of Clinical Pharmacy, Nihon University School of Pharmacy, Chiba, Japan. 2) Nihon University Itabashi Hospital Clinical Research Center, Tokyo, Japan. 3) Department of Hospital Pharmacy, Nihon University Itabashi Hospital, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32804969/ |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|--|---|---|
| 265 | 2020 | Aug-20 | npj Primary Care Respiratory Medicine. 2020; 30(1):35. doi: 10.1038/s41533-020-00192-x. | Association of low-dosage systemic corticosteroid use with disease burden in asthma. | 1) Kazuto Matsunaga 2) Mitsuru Adachi 3) Hiroyuki Nagase 4) Tomoko Okoba 4) Nobuya Hayashi 5) Yuji Tohda | 1) Department of Respiratory Medicine and Infectious Disease, Graduate School of Medicine, Yamaguchi University. 2) Clinical Research Center, International University of Health and Welfare/Sanno Hospital. 3) Division of Respiratory Medicine and Allergology, Department of Medicine, Teikyo University School of Medicine. 4) AstraZeneca K.K. 5) Department of Respiratory Medicine and Allergology, Kindai University Faculty of Medicine. | https://pubmed.ncbi.nlm.nih.gov/32753647/ |
| 264 | 2020 | Jul-20 | Birth Defects Research. 2020;112(16):1224-1233. doi: 10.1002/bdr2.1748. Epub 2020 Jul 2. | Folic acid prescribed to prenatal and postpartum women who are also prescribed antiepileptic drugs in Japan: Data from a health administrative database. | 1) Tomofumi Ishikawa 2)3)4) Taku Obara 5) Kazutaka Jin 6) Hidekazu Nishigori 7) Keiko Miyakoda 8) Manabu Akazawa 5) Nobukazu Nakasato 3)4)9) Nobuo Yaegashi 3)4)10) Shinichi Kuriyama 1)2) Nariyasu Mano | 1) Laboratory of Clinical Pharmacy, Tohoku University Graduate School of Pharmaceutical Sciences. 2) Department of Pharmaceutical Sciences, Tohoku University Hospital. 3) Tohoku Medical Megabank Organization, Tohoku University. 4) Environment and Genome Research Center, Tohoku University Graduate School of Medicine. 5) Department of Epileptology, Tohoku University Graduate School of Medicine. 6) Fukushima Medical Center for Children and Women, Fukushima Medical University. 7) Clinical & Translational Research Center, Kobe University Hospital. 8) Department of Public Health and Epidemiology, Meiji Pharmaceutical University. 9) Department of Gynecology and Obstetrics, Tohoku University Graduate School of Medicine. 10) International Research Institute of Disaster Science, Tohoku University. | https://pubmed.ncbi.nlm.nih.gov/32613756/ |
| 263 | 2020 | Jul-20 | BMC Ophthalmology. 2020; 20(1):309. doi: 10.1186/s12886-020-01578-8. | Systemic and local diseases associated with the development of diabetic macular edema among Japanese patients with diabetes mellitus. | 1) Atsuki Kume 2) Kenji Kashiwagi | 1) Department of Ophthalmology, University of Yamanashi, Chuo, Yamanashi, Japan. 2) Department of Ophthalmology, University of Yamanashi, Chuo, Yamanashi, Japan. | https://pubmed.ncbi.nlm.nih.gov/32672408/ |
| 262 | 2020 | Jul-20 | Journal of Medical Economics. 2020;23(10):1130-1141. doi: 10.1080/13696998.2020.1791890. Epub 2020 Jul 23. | Cost-effectiveness analysis of treatment regimens with obinutuzumab plus chemotherapy in Japan for untreated follicular lymphoma patients. | 1)2) Shinya Ohno 3)4) Ayako Shoji 5) Kiyohiko Hatake 2) Naoko Oya 4)6) Ataru Igarashi | 1) Global Regulatory Science, Gifu Pharmaceutical University, Gifu, Japan. 2) Chugai Pharmaceutical Co., Ltd., Tokyo, Japan. 3) Medilead, Inc., Tokyo, Japan. 4) Department of Health Economics and Outcomes Research, Graduate School of Pharmaceutical Sciences, The University of Tokyo, Tokyo, Japan. 5) International University of Health and Welfare, Tokyo, Japan. 6) Unit of Public Health and Preventive Medicine, Yokohama City University School of Medicine, Yokohama, Japan. | https://pubmed.ncbi.nlm.nih.gov/32620061/ |
| 261 | 2020 | Jul-20 | Congenital Anomalies. 2020;60(6):180-188. doi: 10.1111/cga.12386. Epub 2020 Jul 29. | Association between antidepressant use during pregnancy and congenital anomalies in children: A retrospective cohort study based on Japanese claims data. | 1) Madoka Yamamoto-Sasaki 1) Satomi Yoshida 1) Masato Takeuchi 2) Sachiko Tanaka-Mizuno 1) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2) Department of Medical Statistics, Shiga University of Medical Science, Otsu, Japan. | https://pubmed.ncbi.nlm.nih.gov/32673440/ |
| 260 | 2020 | Jul-20 | American Journal of Ophthalmology. 2020;220:91-101. doi: 10.1016/j.ajo.2020.07.011. Epub 2020 Jul 16. | Ophthalmic corticosteroids in pregnant women with allergic conjunctivitis and adverse neonatal outcomes: propensity score analyses. | 1) Yohei Hashimoto 2) Nobuaki Michihata 2) Hayato Yamana 3) Daisuke Shigemi 3) Kojiro Morita 3) Hiroki Matsui 3) Hideo Yasunaga 4) Makoto Aihara | 1) Department of Ophthalmology, Graduate School of Medicine, The University of Tokyo; Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 2) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 4) Department of Ophthalmology, Graduate School of Medicine, The University of Tokyo. | https://pubmed.ncbi.nlm.nih.gov/32681904/ |
| 259 | 2020 | Jul-20 | Journal of Epidemiology. 2020. doi: 10.2188/jea.JE20200048. Online ahead of print. | Mumps-related Disease Burden in Japan: Analysis of JMDC Health Insurance Reimbursement Data for 2005-2017. | 1) Satoko Ohfuji 2) Akira Takagi 3) Takashi Nakano 4) Hideaki Kumihashi 4) Munehide Kano 5) Toshihiro Tanaka | 1) Department of Public Health, Osaka City University Graduate School of Medicine; and Research Center for Infectious Disease Sciences, Osaka City University Graduate School of Medicine. 2) Department of Otorhinolaryngology, Head and Neck Surgery, Shizuoka General Hospital. 3) Department of Pediatrics, Kawasaki Medical School. 4) Global Vaccine Business Unit, Takeda Pharmaceutical Company Limited. 5) Department of Pediatrics, Shizuoka Kosei Hospital. | https://pubmed.ncbi.nlm.nih.gov/32684528/ |
| 258 | 2020 | Jul-20 | Internal Medicine. 2020; 15:59(22):2863-2869. doi: 10.2169/internalmedicine.5012-20. Epub 2020 Jul 21. | Outpatient Prescriptions of Kampo Formulations in Japan. | 1) Hayato Yamana 2) Sachiko Ono 1) Nobuaki Michihata 1) Taisuke Jo 3) Hideo Yasunaga | 1) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Japan. 2) Department of Biostatistics & Bioinformatics, Graduate School of Medicine, The University of Tokyo, Japan. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32713918/ |
| 257 | 2020 | Jun-20 | The Tohoku Journal of Experimental Medicine. 2020; 251(2):135-145. doi: 10.1620/tjem.251.135. | Inhaled Corticosteroid-Containing Regimens Reduce Hospitalizations and Healthcare Costs among Elderly Asthmatics: Real-World Validation Using the National Health Insurance Claims Database. | 1)2) Toshihiro Ishii 1)2) Seiji Shiota 1)3) Kyoko Yamamoto 1)2) Koh Abe 1)2) Eishi Miyazaki | 1) Department of General Medicine, Oita University Faculty of Medicine. 2) Center for Community Medicine, Oita University Faculty of Medicine. 3) Medical Education Center, Oita University Faculty of Medicine. | https://pubmed.ncbi.nlm.nih.gov/32595201/ |
| 256 | 2020 | Jan-20 | Journal of Health Economics and Outcomes Research. 2020; 7(1):1-9. doi: 10.36469/001c.11594. eCollection 2020. | Relationship Between the Number of Occlusal Supporting and Medical Cost: Analysis Using Large Claims Database from Employee Health Care Insurance in Japan | 1) Tatsunori Murata 1) Korenori Arai 2) Kosuke Kashiwagi 1) Shunsuke Baba | 1) Department of Oral Implantology, Osaka Dental University, Hirakata Japan. 2) Department of Fixed Prosthodontics and Occlusion, Osaka Dental University, Hirakata Japan. | https://pubmed.ncbi.nlm.nih.gov/32685593/ |
| 255 | 2020 | Jun-20 | Clinical Interventions in Aging. 2020;15:1003-1012. doi: 10.2147/CIA.S242083. eCollection 2020. | Longitudinal Assessment of Pain Management Among the Employed Japanese Population With Knee Osteoarthritis | 1) Kaname Ueda 2) Tomoyuki Takura 1) Shinji Fujikoshi 3) Juliana Meyers 3) Saurabh P Nagar 1) Hiroyuki Enomoto | 1) Medicines Development Unit Japan, Eli Lilly Japan K.K., Kobe, Japan. 2) Department of Healthcare Economics and Health Policy, University of Tokyo, Tokyo, Japan. 3) RTI Health Solutions, Research Triangle Park, NC, USA. | https://pubmed.ncbi.nlm.nih.gov/32617001/ |
| 254 | 2020 | Jun-20 | Modern Rheumatology. 2020;31(1):261-269. doi: 10.1080/14397595.2020.1784556. Epub 2020 Jul 20. | Real-world Treatment of Gout and Asymptomatic Hyperuricemia: A Cross-Sectional Study of Japanese Health Insurance Claims Data. | 1) Ruriko Koto 2) Akihiro Nakajima 1) Hideki Horiuchi 3) Hisashi Yamanaka | 1) Medical Science Department, Teijin Pharma Limited, Tokyo, Japan. 2) Pharmaceutical Development Administration Department, Teijin Pharma Limited, Tokyo, Japan. 3) Rheumatology, Sanno Medical Center, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32552370/ |
| 253 | 2020 | Jun-20 | BMC Ophthalmology. 2020;20(1):223. doi: 10.1186/s12886-020-01508-8. | Persistence and Treatment Patterns of Fixed Combination Drugs for Glaucoma: A Retrospective Claims Database Study in Japan | 1) Kenji Kashiwagi 2) Eriko Chono 3) Sarah Koesters 4) Poh Sin Yap | 1) Department of Ophthalmology, Faculty of Medicine, Yamanashi University. 2) Novartis Pharma K.K., Tokyo, Japan. 3) Novartis Ireland Ltd., Dublin, Ireland. 4) Novartis Corporation Sdn. Bhd, Petaling Jaya, Malaysia. | https://pubmed.ncbi.nlm.nih.gov/32522181/ |
| 252 | 2020 | Jun-20 | Primary Care Diabetes. 2020;14(6):753-759. doi: 10.1016/j.pcd.2020.05.002. Epub 2020 Jun 8. | Skipping Breakfast, Late-Night Eating and Current Smoking Are Associated With Medication Adherence in Japanese Patients With Diabetes. | 1) Yuta Yaguchi 2) Kazuya Fujihara 3) Mayuko Harada Yamada 1) Yasuhiro Matsubayashi 1) Masaru Kitazawa 1) Taeko Osawa 1) Masahiko Yamamoto 1) Masanori Kaneko 4) Nauta Yamanaka 4) Hiroyasu Seida 1) Satoru Kodama 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University, Faculty of Medicine, Niigata, Japan. 2) Department of Internal Medicine, Niigata University, Faculty of Medicine, Niigata, Japan. Electronic address: kafujihara-dm@umin.ac.jp. 3) Department of Internal Medicine, Niigata University, Faculty of Medicine, Niigata, Japan; Division of Diabetes and Endocrinology, Department of Internal Medicine, Kobe University Graduate School of Medicine, Kobe, Japan. 4) Japan Medical Data Center Co., Ltd., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32527662/ |
| 250 | 2020 | May-20 | 医薬情報学 2020年22巻1号 p. 35-43 | ベンゾジアゼピン受容体作動薬初回使用の実態—継続使用との対比 | 1) 馬場 香葉子 1) 小原 依里 1) 飯原 なおみ | 1) 徳島文理大学香川薬学部 | https://www.ista.ge.ist.go.jp/article/ijdi/22/1/22_35/article-char/ja |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|---|---|---|
| 249 | 2020 | May-20 | PLoS One. 2020; 15(5):e0232738. doi: 10.1371/journal.pone.0232738. eCollection 2020. | Treatment patterns and healthcare resource utilization in palmoplantar pustulosis patients in Japan: A claims database study | 1) Celine Miyazaki 2) Rosarin Sruamsiri 3) Jörg Mahlich 4) Worjoo Jung | 1) Health Economics Department, Janssen Pharmaceutical K.K., Tokyo, Japan 2) Department of Pharmacy Practice, Center of Pharmaceutical Outcomes Research, Faculty of Pharmaceutical Sciences, Naresuan University, Phitsanulok, Thailand 3) Health Economics & Outcomes Research, Janssen-Cilag GmbH, Neuss, Germany Düsseldorf Institute for Competition Economics (DICE), University of Düsseldorf, Düsseldorf, Germany 4) Düsseldorf Institute for Competition Economics (DICE), University of Düsseldorf, Düsseldorf, Germany | https://pubmed.ncbi.nlm.nih.gov/32442204/ |
| 248 | 2020 | Apr-20 | Journal of Geriatric physical therapy. 2020. doi: 10.1519/JPT.0000000000000267. Online ahead of print. | Effectiveness of Early Rehabilitation for Vertebral Compression Fractures: A Retrospective Cohort Study | 1) Tomohiro Kobata 2) Kiyotaka Hasebe 3) Ryo Momosaki | 1) Department of Rehabilitation Medicine, Teikyo University School of Medicine University Hospital, Kawasaki, Kanagawa, Japan. 2) Department of Rehabilitation, Teikyo University School of Medicine University Hospital, Kawasaki, Kanagawa, Japan. | https://pubmed.ncbi.nlm.nih.gov/32282616/ |
| 247 | 2020 | Jun-20 | Advances in Therapy. 2020;37(7):3324-3336. doi: 10.1007/s12325-020-01396-w. Epub 2020 Jun 4. | Treatment Persistence Between Long-Acting Injectable Versus Orally Administered Aripiprazole Among Patients With Schizophrenia in a Real-World Clinical Setting in Japan | 1) Nakao Iwata 2) Ataru Inagaki 3) Hiromi Sano 4) Kazunari Niidome 5) Yoshitsugu Kojima 6) Sakiko Yamada | 1) Department of Psychiatry, Fujita Health University, Aichi, Japan. 2) Department of Education, College of Education, Psychology and Human Studies, Aoyama Gakuin University, Tokyo, Japan. 3) Medical Affairs, Otsuka Pharmaceutical Co., Ltd., Osaka, Japan. sanoh@otsuka.jp. 4) Medical Affairs, Otsuka Pharmaceutical Co., Ltd., Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/32500455 |
| 246 | 2020 | May-20 | Journal of Psychiatric Research. 2020;127:28-34. doi: 10.1016/j.jpsychires.2020.05.012. Epub 2020 May 13. | The 12-year trend report of antipsychotic usage in a nationwide claims database derived from four million people in Japan | 1) Hata T 2) Kanazawa T 3) Hamada T 4) Nishihara M 5) Yoneda H 6) Nakajima M 7) Katsumata T | 1) Department of Pharmacy, Osaka Medical College Hospital 2) Department of Neuropsychiatry, Osaka Medical College 3) Department of Pharmacy, Osaka Medical College Hospital 4) Department of Neuropsychiatry, Osaka Medical College 5) Drug Metabolism and Toxicology, Faculty of Pharmaceutical Sciences, Kanazawa University | https://pubmed.ncbi.nlm.nih.gov/32450360 |
| 245 | 2019 | Dec-19 | The Journal of Clinical Hypertension. 2020;22(3):431-437. doi: 10.1111/jch.13755. Epub 2019 Dec 9. | Impact of Pre-Existing Hypertension and Control Status Before Atrial Fibrillation Onset on Cardiovascular Prognosis in Patients With Non-Valvular Atrial Fibrillation: A Real-World Database Analysis in Japan | 1) Kazuomi Kario 2) Toru Abe 3) Hiroshi Kanegae | 1) Jichi Medical University School of Medicine, Tochigi, Japan. 2) Genki Plaza Medical Center for Health Care, Tokyo, Japan. | https://pubmed.ncbi.nlm.nih.gov/31816154 |
| 244 | 2020 | May-20 | Pharmacoepidemiology and Drug Safety. 2020. doi: 10.1002/pds.5028. [Epub ahead of print] | Nonsteroidal anti-inflammatory drugs use in patients with chronic kidney disease are often prescribed from different clinicians than those who diagnosed them. | 1) Imai S 2) Momo K 3) Kashiwagi H 4) Miyai T 5) Sugawara M 6) Takekuma Y | 1) Faculty of Pharmaceutical Sciences, Hokkaido University, Sapporo, Japan. 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University, Tokyo, Japan. 3) Graduate School of Life Science, Hokkaido University, Sapporo, Japan. 4) Department of Pharmacy, Hokkaido University Hospital, Sapporo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32410339 |
| 243 | 2020 | May-20 | Current Medical Research and Opinion. 2020; 36(6):1049-1057. doi: 10.1080/03007995.2020.1763937. Epub 2020 May 14. | Clinical characteristics, treatment patterns, disease burden, and persistence/adherence in patients with asthma initiating inhaled triple therapy: real-world evidence from Japan. | 1) Suzuki T 2) Fairburn-Beech J 3) Sato K 4) Kaise T | 1) Value Evidence Outcomes Department, Japan Development Division, GlaxoSmithKline K.K., Tokyo, Japan. 2) Value Evidence and Outcomes Department, GlaxoSmithKline, London, UK. | https://www.ncbi.nlm.nih.gov/pubmed/32363945 |
| 242 | 2020 | May-20 | Biological and Pharmaceutical Bulletin. 2020 1;43(5):913-916. doi: 10.1248/bpb.19-01116. Epub 2020 Mar 4. | Frequency of Clinical Monitoring of Serum Concentrations of Digoxin, Potassium, and Creatinine, and Recording of Electrocardiograms in Digoxin-Treated Patients: A Japanese Claims Database Analysis. | 1) Ooba N 2) Sente A 3) Abe M 4) Watanabe F 5) Tsutsumi D 6) Nakamura K 7) Nakayama T 8) Kimura K 9) Fukuoka N | 1) Nihon University School of Pharmacy. 2) Department of Cardiology, Tokyo University. | https://www.ncbi.nlm.nih.gov/pubmed/32132314 |
| 241 | 2020 | Apr-20 | The Science of the Total Environment. 2020;729:138934. doi: 10.1016/j.scitotenv.2020.138934. Epub 2020 Apr 25. | Short-term effects of air pollution on daily single- and co-morbidity cardiorespiratory outpatient visits. | 1) Seposo X 2) Ueda K 3) Sugata S 4) Yoshino A 5) Takami A | 1) School of Tropical Medicine and Global Health, Nagasaki University, Japan. Electronic address: seposox@nagasaki-u.ac.jp. 2) Environmental Health Division, Department of Environmental Engineering, Graduate School of Engineering, Kyoto University, Japan; Environmental Health Sciences, Department of Global Ecology, Graduate School of Global Environmental Studies, Kyoto University, Japan. 3) Center for Regional Environmental Research, National Institute for Environmental Studies, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32371210 |
| 240 | 2020 | Apr-20 | Allergology International. 2020;69(3):424-428. doi: 10.1016/j.alit.2020.02.008. Epub 2020 Apr 3. | Epinephrine autoinjector prescription patterns for severe anaphylactic patients in Japan: A retrospective analysis of health insurance claims data | 1) Nakajima M 2) Ono S 3) Michihata N 4) Kaszynski RH 5) Matsui H 6) Yamaguchi Y 7) Yasunaga H | 1) Emergency and Critical Care Center, Tokyo Metropolitan Hiroo Hospital, Tokyo, Japan; Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan; Department of Trauma and Critical Care Medicine, Kyorin University School of Medicine, Tokyo, Japan. 2) Department of Biostatistics & Bioinformatics, The University of Tokyo, Tokyo, Japan. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 4) Emergency and Critical Care Center, Tokyo Metropolitan Hiroo Hospital, Tokyo, Japan. 5) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 6) Department of Trauma and Critical Care Medicine, Kyorin University School of Medicine, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32253115 |
| 239 | 2020 | Mar-20 | Medicine (Baltimore). 2020;99(10):e19419. doi: 10.1097/MD.00000000000019419. | Diagnosis and medical care for congenital cytomegalovirus infection: An observational study using claims data in Japan, 2010 to 2017. | 1) Lin C 2) Tomio J 3) Tanaka H 4) Sonoda M 5) Sano K 6) Kobayashi Y | 1) Graduate Education Center. 2) Department of Public Health. 3) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32150093 |
| 238 | 2020 | Mar-20 | Journal of Medical Economics. 2020;23(7):786-799. doi: 10.1080/13696998.2020.1740236. Epub 2020 Mar 31. | Treatment patterns and medical cost of systemic lupus erythematosus patients in Japan: a retrospective claims database study. | 1) Miyazaki C 2) Sruamsiri R 3) Mahlich J 4) Jung W | 1) Health Economics Department, Janssen Pharmaceutical K.K., Tokyo, Japan. 2) Department of Pharmacy Practice, Faculty of Pharmaceutical Sciences, Center of Pharmaceutical Outcomes Research, Naresuan University, Phitsanulok, Thailand. 3) Janssen-Cilag GmbH Johnson & Johnson Platz 1, Health Economics & Outcomes Research, Neuss, Germany. 4) Düsseldorf Institute for Competition Economics (DICE), University of Düsseldorf, Düsseldorf, Germany. | https://www.ncbi.nlm.nih.gov/pubmed/32149541 |
| 237 | 2020 | Mar-20 | Annals of Pharmacotherapy. 2020;54(10):988-995. doi: 10.1177/1060028020913974. Epub 2020 Mar 18. | Association Between Antipsychotics and Osteoporosis Based on Real-World Data. | 1) Yokoyama S 2) Wakamoto S 3) Tanaka Y 4) Nakagawa C 5) Hosomi K 6) Takada M | 1) Kindai University, Osaka, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32186394 |
| 236 | 2020 | Feb-20 | Pharmacoepidemiology Drug Safety. 2020;29(5):558-564. doi: 10.1002/pds.4976. Epub 2020 Feb 21. | Pregabalin and injury: A nested case-control and case-crossover study. | 1) Miyamoto Y 2) Iwagami M 3) Aso S 4) Matsui H 5) Doi K 6) Yasunaga H | 1) Division of Nephrology and Endocrinology, The University of Tokyo, Tokyo, Japan. 2) Department of Health Services Research, University of Tsukuba, Tsukuba, Japan. 3) Health Services Research and Development Center, University of Tsukuba, Tsukuba, Japan. 4) Department of Non-Communicable Disease Epidemiology, London School of Hygiene and Tropical Medicine, London, UK. 5) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 6) Department of Acute Care Medicine, The University of Tokyo Hospital, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32086848 |
| 235 | 2020 | Feb-20 | International Journal of Medical Sciences. 2020;17(4):471-479. doi: 10.7150/ijms.39523. eCollection 2020. | Association between oral anticoagulants and osteoporosis: Real-world data mining using a multi-methodological approach | 1) Satoshi Yokoyama. 2) Shoko Ieda. 3) Mirai Nagano. 4) Chihiro akagawa. 5) Makoto Iwase. 6) Kouichi Hosomi. 7) Mitsutaka Takada. | 1) Division of Clinical Drug Informatics, School of Pharmacy, Kindai University. 2) Department of Pharmacy, Kindai University Hospital. | https://www.ncbi.nlm.nih.gov/pubmed/32174777 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|---|--|---|
| 234 | 2019 | Oct-19 | PLoS One. 2019 ;14(10):e0223835. doi: 10.1371/journal.pone.0223835. eCollection 2019. | Longitudinal trends of and factors associated with inappropriate antibiotic prescribing for non-bacterial acute respiratory tract infection in Japan: A retrospective claims database study, 2012-2017. | 1) Kimura Y 1)2) Fukuda H 1)3) Hayakawa K 3) Ide S 3) Ota M 3) Saito S 1)3) Ishikane M 1) Kusama Y 1) Matsunaga N 1)3) Ohmagari N | 1) AMR Clinical Reference Center, National Center for Global Health and Medicine, Tokyo, Japan. 2) Department of Health Care Administration and Management, Kyushu University Graduate School of Medical Sciences, Fukuoka, Japan. 3) Disease Control and Prevention Center, National Center for Global Health and Medicine, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31618258 |
| 233 | 2020 | Mar-20 | PM&R. 2020. doi: 10.1002/pmrj.12357. [Epub ahead of print] | Effectiveness of early versus delayed physical rehabilitation on in-hospital mortality in interstitial pneumonia: A retrospective cohort study | 1) Sawabe M. 1) Hasebe K. 2) Momosaki R. | 1) Department of Rehabilitation, Teikyo University School of Medicine University Hospital, Mizonokuchi, Kawasaki, Japan. 2) Department of Rehabilitation Medicine, Teikyo University School of Medicine University Hospital, Mizonokuchi, Kawasaki, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32142214 |
| 232 | 2020 | Mar-20 | Journal of the American Heart Association. 2020 ;9(5):e014574. doi: 10.1161/JAHA.119.014574. Epub 2020 Feb 28. | Risks of Bleeding and Stroke Based on CHA2DS2-VASc Scores in Japanese Patients With Atrial Fibrillation: A Large-Scale Observational Study Using Real-World Data. | 1) Maeda T. 1)2) Nishi T. 1) Funakoshi S. 3) Tada K. 4) Tsuji M. 1) Satoh A. 1) Kawazoe M. 1) Yoshimura C. 1) Arima H. | 1) Department of Preventive Medicine and Public Health Faculty of Medicine Fukuoka University Fukuoka Japan. 2) Department of Research Planning and Information Management Fukuoka Institute of Health and Environmental Sciences Fukuoka Japan. 3) Division of Nephrology and Rheumatology Department of Internal Medicine Faculty of Medicine Fukuoka University Fukuoka Japan. 4) Kindai University Kyushu Junior College Fukuoka Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32106743 |
| 231 | 2020 | Mar-20 | Journal of Epidemiology. 2020 5;30(3):116-120. doi: 10.2188/jea.JE20180224. Epub 2019 Mar 2. | Relationship Between Severe Respiratory Depression and Codeine-Containing Antitussives in Children: A Nested Case-Control Study | 1) Ono S. 2) Ono Y. 1) Koide D. 3) Yasunaga H. | 1) Department of Biostatistics & Bioinformatics, The University of Tokyo. 2) Department of General Medicine, National Defense Medical College. 3) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. | https://www.ncbi.nlm.nih.gov/pubmed/30828036 |
| 230 | 2020 | Feb-20 | BMC Health Services Research. 2020;20(1):153. doi: 10.1186/s12913-020-5021-1. | Cost of inappropriate antimicrobial use for upper respiratory infection in Japan. | 1)2) Tsuzuki S. 3) Kimura Y. 3)4) Ishikane M. 3) Kusama Y. 3)4) Ohmagari N. | 1) AMR Clinical Reference Center, National Center for Global Health and Medicine. 2) Faculty of Medicine and Health Sciences, University of Antwerp, Antwerp, Belgium. 3) AMR Clinical Reference Center, National Center for Global Health and Medicine. 4) Disease Control and Prevention Center, National Center for Global Health and Medicine.. | https://www.ncbi.nlm.nih.gov/pubmed/32111202 |
| 229 | 2020 | Feb-20 | Ophthalmologica. 2020 Feb 25. doi: 10.1159/000506747. [Epub ahead of print] | Recent epidemiological status of ocular and other major complications related to diabetes mellitus in Japan. | 1) Kume A. 2) Kashiwagi K. | 1) Department of Ophthalmology, University of Yamanashi 2) Chuo Yamanashi, Japan | https://www.ncbi.nlm.nih.gov/pubmed/32097907 |
| 228 | 2020 | Feb-20 | Clinical and Experimental Hypertension.2020;42(2):139-145. doi: 10.1080/10641963.2019.1590384. Epub 2019 Mar 26. | Antihypertensive treatment for hypertensive patients with heart failure using real-world Japanese data: subanalysis of the Retrospective study of antihypertensives for lowering blood pressure (REAL) study | 1) Ohishi M. 2) Yoshida T. 3) Nishigaki N. 3) Oh A. 3) Shimasaki Y. | 1) Department of Cardiovascular Medicine and Hypertension, Graduate School of Medical and Dental Sciences, Kagoshima University, Kagoshima, Japan. 2) Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Osaka, Japan. 3) Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30912679 |
| 227 | 2020 | Feb-20 | The European Journal of Health Economics. 2020; 21(5):689-702. doi:10.1007/s10198-020-01164-1. Epub 2020 Feb 20. | Are quality-adjusted medical prices declining for chronic disease? Evidence from diabetes care in four health systems. | 1) Eggleston K. 2) Chen BK. 3) Chen CH. 4) Chen YI. 5) Feenstra T. 6) Iizuka T. 7) Lam JTK. 7) Leung GM. 8) Lu JR. 9) Rodriguez-Sanchez B. 10) Struijs JN. 11) Quan J. 12) Newhouse JP. | 1) Stanford University and NBER, Stanford, USA. 2) University of South Carolina, Columbia, USA. 3) Chang Gung Memorial Hospital, Keelung, Taiwan. 4) National Taiwan University, Taipei, Taiwan. 5) National Institute for Public Health and Environment and University of Groningen, Groningen, The Netherlands. 6) University of Tokyo, Tokyo, Japan. 7) University of Hong Kong, Patrick Manson Building, 7 Sassoon Road, Hong Kong SAR, China. 8) Chang Gung University, Taoyuan, Taiwan. 9) Faculty of Law and Social Sciences, University of Castilla la Mancha, Toledo, Spain. 10) National Institute for Public Health and Environment and Leiden University Medical Center, Campus The Hague, The Hague, The Netherlands. 11) University of Hong Kong, Patrick Manson Building, 7 Sassoon Road, Hong Kong SAR, China. 12) Harvard University and NBER, Cambridge, USA. | https://www.ncbi.nlm.nih.gov/pubmed/32078719 |
| 226 | 2020 | Feb-20 | Pharmacoepidemiology and Drug Safety. 2020;29(5):558-564. doi: 10.1002/pds.4976. Epub 2020 Feb 21. | Pregabalin and injury: a nested case-control and case-cross-over study | 1) Miyamoto Y. 2)3)4) Iwagami M. 5) Aso S. 5) Matsui H. 6) Doi K. 5) Yasunaga H. | 1) Division of Nephrology and Endocrinology, The University of Tokyo, Tokyo, Japan. 2) Department of Health Services Research, University of Tsukuba, Tsukuba, Japan. 3) Health Services Research and Development Center, University of Tsukuba, Tsukuba, Japan. 4) Department of Non-Communicable Disease Epidemiology, London School of Hygiene and Tropical Medicine, London, UK. 5) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 6) Department of Acute Care Medicine, The University of Tokyo Hospital, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32086848 |
| 225 | 2020 | Feb-20 | Curr Med Res Opin. 2020;36(5):749-756. doi: 10.1080/03007995.2020.1729710. Epub 2020 Feb 27. | Use of oral antidiabetic drugs in Japanese working-age patients with type 2 diabetes mellitus: dosing pattern for metformin initiators. | 1) Kameda T. 2) Kumamaru H. 1)2) Nishimura S 3) Kohsaka S. 1)2) Miyata H.. | 1) Department of Health Policy and Management, Keio University School of Medicine, Tokyo, Japan. 2) Department of Healthcare Quality Assessment, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 3) Department of Cardiology, Keio University School of Medicine, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/32050809 |
| 224 | 2020 | Jan-20 | International Journal of STD & AIDS. 2020;31(3):214-220. doi: 10.1177/0956462419892779. Epub 2020 Jan 28. | Syphilis testing among spouses of patients with syphilis in Japan: an epidemiological study using an administrative claims database. | 1) Matsubayashi K, 1) Kawakami K. | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31992144 |
| 223 | 2019 | Dec-19 | Journal of Epidemiology. 2019 . doi: 10.2188/jea.JE20190158. [Epub ahead of print] | Influence of the Fukushima Daiichi Nuclear Power Plant accident on the use of computed tomography in children with mild head injuries. | 1) Shotaro Aso 1) Hiroki Matsui 1) Hideo Yasunaga | 1) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo | https://www.ncbi.nlm.nih.gov/pubmed/31813894 |
| 222 | 2019 | Oct-19 | Biological and Pharmaceutical Bulletin. ;43(3):362-365. doi: 10.1248/bpb.19-00929. | Drug Repositioning and Target Finding Based on Clinical Evidence. | 1) Kaneko S. 1) Nagashima T. | 1) Department of Molecular Pharmacology, Graduate School of Pharmaceutical Sciences, Kyoto University. | https://www.ncbi.nlm.nih.gov/pubmed/32115497 |
| 221 | 2019 | Aug-19 | Human Vaccines & Immunotherapeutics. 2020;16(1):132-137. doi: 10.1080/21645515.2019.1638204. Epub 2019 Aug 1. | Sustained reduction in rotavirus-coded hospitalizations in children aged <5 years after introduction of self-financed rotavirus vaccines in Japan. | 1) Kobayashi M. 2) Miyazaki M. 1) Ogawa A. 3) Tatsumi M. | 1) Medical Affairs, MSD K.K., Tokyo, Japan. 2) Risk Assessment & Pharmacoepidemiology, MSD K.K., Tokyo, Japan. 3) Department of Pediatrics, Otaru Kyokai Hospital, Hokkaido, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31298962 |
| 220 | 2020 | Feb-20 | HarvardData Science Review . 2,1 | How Confident Are We About Observational Findings in Health Care: A Benchmark Study | 1) Martijn J. Schuemie 1) M. Soledad Cepede 1) Marc A. Suchard 1) JianxiaoYang 1) Yuxi TianAlejandroSchuler 1) Patrick B.Ryan 1) David Madigan 1) George Hripcsak | 1) Professorof Statistics,ColumbiaUniversity | https://hdr.mit.edu/pub/fxz7kr65 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|---|---|--|---|
| 219 | 2020 | Jan-20 | PLOS ONE. 2020. 7;15(1):e0226718. doi: 10.1371/journal.pone.0226718. eCollection 2020. | Development and validation of a prognostic model predicting symptomatic hemorrhagic transformation in acute ischemic stroke at scale in the OHDSI network | 1)2)3) Wang Q, 3)4) Reys JM, 3)5) Kostka KF, 3)4)6) Ryan PB, 7) Zou Y, 3)4)8) Voss EA, 3)8) Rijnbeek PR, 3)6)9) Chen R, 3)4) Rao GA, 3)5) Morgan Stewart H, 3)10) Williams AE, 3)8) Williams RD, 3)5) Van Zandt M, 3)6) Falconer T, 3)5) Fernandez-Chas M, 3)11) Vashisht R, 3)11) Pfohl SR, 3)11) Shah NH, 3)12)13) Kasthurirathne SN, 3)14) You SC, 1) Jiang Q, 3)5) Reich C, 15) Zhou Y. | 1) Biomedical Engineering School, Sun Yat-Sen University, Guangzhou, China. 2) The Third Affiliated Hospital of Guangzhou Medical University, Guangzhou, China. 3) Observational Health Data Sciences and Informatics, New York, New York, United States of America. 4) Janssen Research and Development, Raritan, New Jersey, United States of America. 5) IQVIA, Durham, North Carolina, United States of America. 6) Department of Biomedical Informatics, Columbia University, New York, New York, United States of America. 7) Department of Neurosurgery, General Hospital of Southern Theatre Command, Guangzhou, China. 8) Department of Medical Informatics, Erasmus University Medical Center, Rotterdam, The Netherlands. 9) Department of Medicine, Weill Cornell Medical College, New York, New York, United States of America. 10) Tufts Medical Center, Institute for Clinical Research and Health Policy Studies, Boston, Massachusetts, United States of America. 11) Stanford Center for Biomedical Informatics Research, Stanford, California, United States of America. 12) Center for Biomedical Informatics, Regenstrief Institute, Indianapolis, Indiana, United States of America. 13) Department of Epidemiology, Indiana University Richard M. Fairbanks School of Public Health, Indianapolis, Indiana, United States of America. 14) Department of Biomedical informatics, Ajou University School of Medicine, Suwon, Korea. 15) Department of Biomedical Engineering, Zhongshan School of Medicine, Sun Yat-Sen University, Guangzhou, China. | https://www.ncbi.nlm.nih.gov/pubmed/31910437 |
| 218 | 2020 | Jan-20 | Pharmacoeconomics. 2020;38(1):69-84. doi: 10.1007/s40273-019-00841-1. | Cost-Effectiveness Analysis of Vedolizumab Compared with Other Biologics in Anti-TNF-Naïve Patients with Moderate-to-Severe Ulcerative Colitis in Japan | 1) Hernandez L 2) Kuwabara H 3) Shah A 2) Yamabe K 4) Burnett H 3) Fahrbach K 5) Koufopoulou M 2) Iwakiri R | 1) Evidera Inc, USA. 2) Takeda Pharmaceutical Company Ltd, Japan. 3) Evidera Inc, USA. 4) Evidera Inc, Canada. 5) Evidera Inc, United Kingdom. | https://www.ncbi.nlm.nih.gov/pubmed/31552601 |
| 216 | 2020 | Jan-20 | Arch Gerontol Geriatr. Mar-Apr 2020;87:104009. doi: 10.1016/j.archger.2020.104009. Epub 2020 Jan 9. | Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan | 1) Nishioka S 2) Wakabayashi H 3) Maeda K 4) Shamoto H 5) Taketani Y 6) Kayashita J 7) Momosaki R | 1) Department of Clinical Nutrition and Food Service, Nagasaki Rehabilitation Hospital. 2) Department of Rehabilitation Medicine, Yokohama City University Medical Center. 3) Department of Palliative and Supportive Medicine, Graduate School of Medicine, Aichi Medical University. 4) Takano Hospital. 5) Department of Clinical Nutrition and Food Management, Institute of Biomedical Sciences, Tokushima University Graduate School. 6) Department of Health Sciences, Faculty of Human Culture and Science, Prefectural University of Hiroshima. 7) Department of Rehabilitation Medicine, Teikyo University School of Medicine University Hospital. | https://www.ncbi.nlm.nih.gov/pubmed/31951896 |
| 215 | 2020 | Jan-20 | The Journal of Dermatology. 2020;47(3):236-244. doi: 10.1111/1346-8138.15214. Epub 2020 Jan 17. | Risk of herpes zoster in the Japanese population with immunocompromising and chronic disease conditions: Results from a claims database cohort study, from 2005 to 2014 | 1) Imafuku S 2) Dormal G 3) Goto Y 2) Jégou C 4) Rosillon D 5) Matsuki T | 1) Department of Dermatology, School of Medicine, Fukuoka University, Fukuoka, Japan. 2) Business and Decision Life Sciences C/O GSK, Wavre, Belgium. 3) Department of Thoracic Oncology, National Cancer Center Hospital, Tokyo, Japan. 4) Biostatistics and Statistical Programming, GSK, Wavre, Belgium. 5) Value Evidence Outcomes Department, GSK, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31953880 |
| 214 | 2020 | Jan-20 | Journal of Affective Disorders 2020 1;264:295-303. doi: 10.1016/j.jad.2020.01.016. Epub 2020 Jan 7. | Antidepressant prescriptions for prenatal and postpartum women in Japan: A health administrative database study | 1) Tomofumishikawa 2)3)4) TakuObara 5) Sayakikuchi 5)6) NatsukoKobayashi 7) KeikoMiyakoda 8) HidekazuNishigori 9) HiroakiTomita 9) ManabuAkazawa 3)4)10) NobuoYaegashi 3)4)11) ShinichiKuriyama 12) NariyasuMano | 1) Laboratory of Clinical Pharmacy, Tohoku University Graduate School of Pharmaceutical Sciences. 2) Department of Pharmaceutical Sciences, Tohoku University Hospital. 3) Tohoku Medical Megabank Organization, Tohoku University. 4) Environment and Genome Research Center, Tohoku University Graduate School of Medicine. 5) Department of Psychiatry, Tohoku University Graduate School of Medicine. 6) Department of Health Sciences, Tohoku University Graduate School of Medicine. 7) Clinical & Translational Research Center, Kobe University Hospital. 8) Fukushima Medical Center for Children and Women, Fukushima Medical University. 9) Department of Public Health and Epidemiology, Meiji Pharmaceutical University. 10) Department of Gynecology and Obstetrics, Tohoku University Graduate School of Medicine. 11) Tohoku University International Research Institute for Disaster Science. | https://www.ncbi.nlm.nih.gov/pubmed/32056764 |
| 213 | 2020 | Jan-20 | BMJ Open. 2020 13;10(1):e032426. doi: 10.1136/bmjopen-2019-032426. | Application of a Common Data Model (CDM) to rank the paediatric user and prescription prevalence of 15 different drug classes in South Korea, Hong Kong, Taiwan, Japan and Australia: an observational, descriptive study | 1) Ruth Brauer 1)2) Ian Chi Kei Wong, 1)2) Kenneth KC Man 3) Nicole L Pratt 4) Rae Woong Park 4) Soo-Yeon Cho 5)6)7)8) Yu-Chuan(Jack) Li 6)9)10) Usman Iqbal 6) Phung-Anh Alex Nguyen, 11)12) Martijn Schuemie | 1) Research Department of Practice and Policy, School of Pharmacy, University College London, London, UK 2) Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong, Hong Kong 3) Quality Use of Medicines and Pharmacy Research Centre, University of South Australia, Adelaide, South Australia, Australia 4) Department of Biomedical Informatics, Ajou University School of Medicine, Suwon, Republic of Korea 5) Graduate Institute of Biomedical Informatics, College of Medical Science and Technology, Taiwan Medical University, Taipei, Taiwan 6) The International Center for Health Information Technology (ICHIT), Taipei Medical University, Taipei, Taiwan 7) Department of Dermatology, Wan Fang Hospital, Taipei, Taiwan 8) International Medical Informatics Association (IMIA), Geneva, Switzerland 9) Masters & PhD Program in Global Health Department, College of Public Health, Taipei Medical University, Taipei, Taiwan 10) Department of Public Health and Community Medicine, Shaikh Khalifa Bin Zayed Al-Nahyan Medical College, Shaikh Zayed Medical Complex, Lahore, Pakistan 11) Epidemiology Analytics, Janssen Research and Development, Titusville, New Jersey, USA 12) Department of Biostatistics, University of California, Los Angeles, California, USA | https://www.ncbi.nlm.nih.gov/pubmed/31937652 |
| 212 | 2020 | Jan-20 | PEDIATRICS INTERNATIONAL. 2020 Jun;62(6):677-682. doi: 10.1111/ped.14157. Epub 2020 Jun 1. | Utilization and efficacy of palivizumab for children with Down syndrome. | 1) Kimura T. 1) Takeuchi M. 1) Kawakami K. | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31961027 |
| 211 | 2019 | Dec-19 | Diabetes Therapy. 2019;10(6):2233-2249. doi: 10.1007/s13300-019-00710-2. Epub 2019 Oct 18. | Drug Utilization Patterns in Patients with Diabetes Initiating Sodium Glucose Co-Transporter-2 Inhibitors (SGLT2) in Japan: A Multi-Database Study (2014-2017). | 1) Ito Y, 2) Van Schyndle J, 1) Nishimura T, 1) Sugitani T, 3) Kimura T. | 1) Astellas Pharma Inc. 2) Astellas US, LLC., 3) Astellas Pharma Inc., | https://www.ncbi.nlm.nih.gov/pubmed/31628595 |
| 209 | 2019 | Aug-19 | Journal of Neurology. 2019;266(8):1944-1952. doi: 10.1007/s00415-019-09360-7. Epub 2019 May 10. | Real-world pharmacological treatment patterns of patients with young-onset Parkinson's disease in Japan: a medical claims database analysis. | 1) Kasamo S, 1) Takeuchi M, 2) Ikuno M, 1)3) Kawasaki Y, 4) Tanaka S, 2) Takahashi R, 5) Kawakami K. | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, 2) Department of Neurology, Graduate School of Medicine, Kyoto University, 3) Biostatistics Section, Clinical Research Center, Chiba University Hospital, 4) Department of Clinical Biostatistics, Graduate School of Medicine and Public Health, Kyoto University, 5) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, | https://www.ncbi.nlm.nih.gov/pubmed/31076875 |
| 208 | 2019 | Apr-19 | Diabetes Therapy. 2019 ;10(2):549-562. doi: 10.1007/s13300-019-0577-7. Epub 2019 Feb 7. | Characteristics of Patients with Diabetes Initiating Sodium Glucose Co-transporter-2 Inhibitors (SGLT2): Real-World Results from Three Administrative Databases in Japan. | 1) Ito Y, 2) Van Schyndle J, 1) Nishimura T, 1) Sugitani T, 3) Kimura T. | 1) Astellas Pharma Inc. 2) Astellas US, LLC., 3) Astellas Pharma Inc., | https://www.ncbi.nlm.nih.gov/pubmed/30730037 |
| 207 | 2019 | Dec-19 | Int. Journal of Clinical Pharmacology and Therapeutics. 2020 ;58(4):214-222. doi: 10.5414/CP203634. | Influence of co-initiation of antiulcer drugs on persistence and adherence to low-dose aspirin: A retrospective cohort study using a Japanese claims database. | 1) Iwasawa M, 2) Sagami K, 2) Yokoyama S, 2) Hosomi K, 2) Takada M. | 1) Division of Clinical Pharmacy (Laboratory of Drug Information), Research, Education Center for Clinical Pharmacy, School of Pharmacy, Kitasato University, Kanagawa, 2) Division of Clinical Drug Informatics, School of Pharmacy, Kindai University, Osaka, Japan | https://www.ncbi.nlm.nih.gov/pubmed/31854295 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|--|---|---|
| 206 | 2019 | Dec-19 | BMJ Open. 2019;17:9(12):e031816. doi: 10.1136/bmjopen-2019-031816. | Indications and outcomes of paediatric tracheotomy: a descriptive study using a Japanese claims database. | 1) Mizuno K. 2) Takeuchi M. 3) Kishimoto Y. 4) Kawakami K. 5) Omori K. | 1) Department of Otolaryngology-Head and Neck Surgery, Kyoto University Graduate School of Medicine Faculty of Medicine, Kyoto, Japan. 2) Department of Pharmacoepidemiology, Kyoto University Graduate School of Medicine Department of Public Health, Kyoto, Japan. 3) Department of Pharmacoepidemiology, Kyoto University Graduate School of Medicine Department of Public Health, Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31852701 |
| 205 | 2019 | Dec-19 | Journal of Bone and Mineral Metabolism. 2020;38(3):363-370. doi: 10.1007/s00774-019-01067-z. Epub 2019 Dec 2. | Coding and prescription rates of osteoporosis are low among distal radius fracture patients in Japan. | 1) Saka N. 2) Nomura K. 3) Amano H. 4) Fujimoto K. 5) Watanabe Y. 6) Kawano H. 7) Tanihara S. | 1) Department of Orthopaedics, Teikyo University School of Medicine, 2) Department of Public Health, Akita University School of Medicine, 3) Graduate School of Public Health, Teikyo University, 4) Department of Social and Behavioral Sciences, Harvard. T.H. Chan School of Public Health, 5) Graduate School of Public Health, Teikyo University, 6) Department of Public Health, Kurume University School of Medicine, | https://www.ncbi.nlm.nih.gov/pubmed/31792609 |
| 204 | 2019 | Nov-19 | Pharmacoepidemiology and Drug Safety. 2020;29(4):427-432. doi: 10.1002/pds.4951. Epub 2019 Dec 25. | A survey of clarithromycin monotherapy and long-term administration of ethambutol for patients with MAC lung disease in Japan: A retrospective cohort study using the database of health insurance claims. | 1) Iwao T. 2) Kato G. 3) Ito I. 4) Aramaki E. 5) Kuroda T. | 1) Institute for Research Initiatives, Nara Institute of Science and Technology, Ikoma, Japan. 2) Division of Medical Information Technology and Administration Planning, Kyoto University Hospital, Kyoto, Japan. 3) Solutions Center for Health Insurance Claims, Kyoto University Hospital, Kyoto, Japan. 4) Department of Respiratory Medicine, Graduate School of Medicine, Kyoto University, Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31876044 |
| 203 | 2019 | Nov-19 | Gen Hosp Psychiatry. Jan-Feb 2020;62:49-55. doi: 10.1016/j.genhospsych.2019.11.008. Epub 2019 Nov 24. | Long-term use of hypnotics: Analysis of trends and risk factors. | 1) Enomoto M. 2) Kitamura S. 3) Tachimori H. 4) Takeshima M. 5) Mishima K. | 1) Department of Medical Technology, School of Health Sciences, Tokyo University of Technology, Tokyo, Japan; Department of Sleep-Wake Disorders, National Institute of Mental Health, National Center of Neurology and Psychiatry, Tokyo, Japan. 2) Department of Sleep-Wake Disorders, National Institute of Mental Health, National Center of Neurology and Psychiatry, Tokyo, Japan. 3) Department of Clinical Epidemiology, Translational Medical Center, National Center of Neurology and Psychiatry, Tokyo, Japan. 4) Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan. 5) Department of Sleep-Wake Disorders, National Institute of Mental Health, National Center of Neurology and Psychiatry, Tokyo, Japan; Department of Neuropsychiatry, Akita University Graduate School of Medicine, Akita, Japan; International Institute for Integrative Sleep Medicine, Tsukuba, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31786448 |
| 202 | 2019 | Nov-19 | Environmental Health and Preventive Medicine. 2019 Nov 23;24(1):63. doi: 10.1186/s12199-019-0819-3. | Validation of claims data to identify death among aged persons utilizing enrollment data from health insurance unions. | 1) Sakai M. 2) Ohtera S. 3) Iwao T. 4) Neff Y. 5) Kato G. 6) Takahashi Y. 7) Nakayama T. 8) BIDAME (Big Data Analysis of Medical care for the Elderly in Kyoto). | 1) Department of Health Informatics, Kyoto University School of Public Health. 2) Division of Medical Information Technology and Administration Planning, Kyoto University Hospital. 3) Department of Research, Institute for Health Economics and Policy, Tokyo, Japan. 4) Department of Health Informatics, Kyoto University School of Public Health. 5) Division of Medical Information Technology and Administration Planning, Kyoto University Hospital. 6) Solutions Center for Health Insurance Claims, Kyoto University Hospital. | https://www.ncbi.nlm.nih.gov/pubmed/31759388 |
| 201 | 2019 | Sep-19 | Diabetes Res Clin Pract. 2019 Sep;155:107750. doi: 10.1016/j.diabres.2019.05.029. Epub 2019 Jun 20. | Variation in process quality measures of diabetes care by region and institution in Japan during 2015-2016: An observational study of nationwide claims data. | 1) Sugiyama T. 2) Imai K. 3) Ihana-Sugiyama N. 4) Tanaka H. 5) Yanagisawa-Sugita A. 6) Sasako T. 7) Higashi T. 8) Okamura T. 9) Yamauchi T. 10) Ueki K. 11) Ohsugi M. 12) Kadowaki T. | 1) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine; Department of Public Health/Health Policy, Graduate School of Medicine, The University of Tokyo; Department of Health Services Research, Faculty of Medicine, University of Tsukuba. 2) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine. 3) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine. 4) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine; Department of Public Health/Health Policy, Graduate School of Medicine, The University of Tokyo. 5) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine; Department of Public Health/Health Policy, Graduate School of Medicine, The University of Tokyo. 6) Department of Diabetes and Metabolic Diseases, Graduate School of Medicine, The University of Tokyo. 7) Center for Cancer Registries, Center for Cancer Control and Information Services, National Cancer Center. 8) Department of Preventive Medicine and Public Health, Keio University School of Medicine. 9) Department of Diabetes and Metabolic Diseases, Graduate School of Medicine, The University of Tokyo. 10) Diabetes Research Center, Research Institute, National Center for Global Health and Medicine. 11) Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine. 12) Department of Prevention of Diabetes and Lifestyle-Related Diseases, The University of Tokyo; Department of Metabolism and Nutrition, Teikyo University Mizonokuchi Hospital. | https://www.ncbi.nlm.nih.gov/pubmed/31229599 |
| 200 | 2019 | Jul-19 | J Gastroenterol. 2019;54(7):621-627. doi: 10.1007/s00535-018-01544-8. Epub 2019 Jan 3. | Epidemiological analysis of achalasia in Japan using a large-scale claims database | 1) Hiroki Sato 2) Hiroshi Yokomichi 3) Kazuya Takahashi 4) Kentaro Tominaga 5) Takeshi Mizusawa 6) Naruhiro Kimura 7) Yuzo Kawata 8) Shuji Terai | 1) Division of Gastroenterology and Hepatology, Niigata University Medical and Dental Hospital, Niigata, Japan 2) Department of Health Sciences, University of Yamanashi, Chuo City, Yamanashi, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30607612 |
| 199 | 2019 | Mar-19 | Atherosclerosis. 2019 ;282:19-28. doi: 10.1016/j.atherosclerosis.2018.12.026. Epub 2018 Dec 29. | Adherence and persistence to hyperlipidemia medications in patients with atherosclerotic cardiovascular disease and those with diabetes mellitus based on administrative claims data in Japan. | 1) Wake M. 2) Oh A. 3) Onishi Y. 4) Guelfucci F. 5) Shimasaki Y. 6) Teramoto T. | 1) Japan Medical Affairs, Takeda Pharmaceutical Co. Ltd., Tokyo, Japan. 2) Creativ-Ceutical K.K., Tokyo, Japan. 3) Health Economics and Outcome Research, Creativ-Ceutical, Paris, France. 4) Teikyo Academic Research Center, Teikyo University, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30669019 |
| 198 | 2019 | Nov-19 | International Journal of Rheumatic Diseases. 2019;22(11):2052-2058. doi: 10.1111/1756-185X.13711. Epub 2019 Nov 6. | International descriptive study for comparison of treatment patterns in patients with knee osteoarthritis between Korea and Japan using claims data. | 1) Sakai R 2) Cho SK 3) Jang EJ 4) Harigai M 5) Sung YK | 1) Division of Epidemiology and Pharmacoepidemiology in Rheumatic Diseases, Tokyo Women's Medical University, Tokyo, Japan. 2) Department of Rheumatology, Hanyang University Hospital for Rheumatic Diseases, Seoul, South Korea. 3) Department of Information Statistics, Andong National University, Andong, South Korea. 4) Department of Rheumatology, Tokyo Women's Medical University, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31692273 |
| 197 | 2019 | Nov-19 | Lancet. 2019 Nov 16;394(10211):1816-1826. doi: 10.1016/S0140-6736(19)32317-7. Epub 2019 Oct 24. | Comprehensive comparative effectiveness and safety of first-line antihypertensive drug classes: a systematic, multinational, large-scale analysis. | 1) Suchard MA 2) Schuemie MJ 3) Krumholz HM 4) You SC 5) Chen R 6) Pratt N 7) Reich CG 8) Duke J 9) Madigan D 10) Hripcsak G 11) Ryan PB | 1) Department of Biostatistics, Fielding School of Public Health, University of California, Los Angeles, CA, USA; Department of Biomathematics, David Geffen School of Medicine at UCLA, University of California, Los Angeles, CA, USA. 2) Department of Biostatistics, Fielding School of Public Health, University of California, Los Angeles, CA, USA; Epidemiology Analytics, Janssen Research & Development, Titusville, NJ, USA. 3) Department of Medicine, Yale University School of Medicine, New Haven, CA, USA. 4) Department of Biomedical Informatics, Ajou University School of Medicine, Suwon, South Korea. 5) Department of Medicine, Weill Cornell Medical College, New York, NY, USA; Department of Biomedical Informatics, Columbia University Medical Center, New York, NY, USA. 6) Quality Use of Medicines and Pharmacy Research Centre, Sansom Institute, University of South Australia, Adelaide, SA, Australia. 7) Real World Analytics Solutions, IQVIA, Durham, NC, USA. 8) Georgia Tech Research Institute, Georgia Tech College of Computing, Atlanta, GA, USA. 9) Department of Statistics, Columbia University, New York, NY, USA. 10) Department of Biomedical Informatics, Columbia University Medical Center, New York, NY, USA; Medical Informatics Services, New York-Presbyterian Hospital, New York, NY, USA. 11) Epidemiology Analytics, Janssen Research & Development, Titusville, NJ, USA; Department of Biomedical Informatics, Columbia University Medical Center, New York, NY, USA. | https://www.ncbi.nlm.nih.gov/pubmed/31668726 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|--|---|---|
| 196 | 2019 | Oct-19 | Biological and Pharmaceutical Bulletin 2019 年 42 卷 12 号 p. 2016-2023 | Characteristics and Early Hypoglycemic Medications of Patients at Risk of Progression to Type 2 Diabetes in Japan: A Retrospective Cohort Study of Health Checkup and Claims Data | 1)2) Norihito Kanai. 1) Aiko Shono. 3) Akifumi Kushiya. 1) Manabu Akazawa. | 1) Department of Public Health and Epidemiology, Meiji Pharmaceutical University 2) Department of Pharmacy, Niiza Hospital 3) Department of Pharmacotherapy, Meiji Pharmaceutical University | https://www.ncbi.nlm.nih.gov/pubmed/31787718 |
| 195 | 2019 | Aug-19 | J Infect Chemother. 2020 ;26(1):86-91. doi: 10.1016/j.jiac.2019.07.013. Epub 2019 Aug 7. | Hypoglycemia associated with pivalate-conjugated antibiotics in young children: A retrospective study using a medical and pharmacy claims database in Japan. | 1) Tatebe Y 2) Koyama T 3) Mikami N 3) Kitamura Y 3) Sendo T 4) Hinotsu S | 1) Department of Medicinal Pharmacology, Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Okayama University, Department of Pharmacy, Okayama University Hospital, 2) Department of Pharmaceuticals Biomedicine, Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, Okayama University, Education and Research Center for Clinical Pharmacy, Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Okayama University, 3) Department of Pharmacy, Okayama University Hospital, 4) Center for Innovative Clinical Medicine, Okayama University Hospital. | https://www.ncbi.nlm.nih.gov/pubmed/31401031 |
| 194 | 2019 | Jun-19 | J Hum Nutr Diet. 2019 Jun;32(3):349-355. doi: 10.1111/jhn.12640. Epub 2019 Mar 1. | Impacts of skipping breakfast and late dinner on the incidence of being overweight: a 3-year retrospective cohort study of men aged 20-49 years. | 1)2) Kito K 2) Kuriyama A 2) Takahashi Y 2) Nakayama T | 1) The Graduate School of Environmental Health, Azabu University, Sagami-hara, Japan. 2) Department of Health Informatics, Kyoto University School of Public Health, Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30821869 |
| 193 | 2019 | May-19 | Int J Gynaecol Obstet. 2019 May;145(2):182-186. doi: 10.1002/ijgo.12781. Epub 2019 Mar 8. | Safety and effectiveness of Japanese herbal Kampo medicines for treatment of hyperemesis gravidarum. | 1) Michihata N 2) Shigemi D 2)3) Sasabuchi Y 2) Matsui H 1) Jo T 2) Yasunaga H | 1) Department of Health Services Research, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 2) Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan. 3) Data Science Center, Jichi Medical University, Tochigi, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30734286 |
| 192 | 2018 | Nov-18 | the NATIONAL BUREAU of ECONOMIC RESEARCH Working Paper No. 25306 | Free for Children? Patient Cost-sharing and Healthcare Utilization | 1) Toshiaki Iizuka 2) Hitoshi Shigeoka | 1) The University of Tokyo 2) Simon Fraser University and NBER | https://www.nber.org/papers/w25306 |
| 191 | 2019 | Oct-19 | Metabolism. 2019;101:153991. doi: 10.1016/j.metabol.2019.153991. Epub 2019 Oct 27. | Risk of coronary artery disease according to glucose abnormality status and prior coronary artery disease in Japanese men | 1) Kitazawa M 2) Fujihara K 1) Osawa T 1) Yamamoto M 3) Yamada MH 1) Kaneko M 1) Matsubayashi Y 1) Yamada T 4) Yamanaka N 4) Seida H 1) Sone H | 1) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan 2) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. Electronic 3) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan; Division of Diabetes and Endocrinology, Department of Internal Medicine, Kobe University Graduate School of Medicine, Kobe, Japan. 4) JMDC Inc., Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31666194 |
| 190 | 2019 | Oct-19 | Clinical Therapeutics 2019 ;41(11):2239-2251. doi: 10.1016/j.clinthera.2019.08.015. Epub 2019 Oct 16. | The Prevalence, Characteristics, and Patient Burden of Severe Asthma Determined by Using a Japan Health Care Claims Database. | 1) Sato K 2) Ohno T 2) Ishii T 3) Ito C 2) Kaize T | 1) GlaxoSmithKline K.K., Tokyo, Japan. Electronic address: keiko.2.sato@gsk.com. 2) GlaxoSmithKline K.K., Tokyo, Japan. 3) JMDC Inc, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31629532 |
| 189 | 2019 | Oct-19 | Diabetes Therapy 2019;10(6):2219-2231. doi: 10.1007/s13300-019-00708-w. Epub 2019 Oct 15. | Real-World Effectiveness of Sodium Glucose Co-Transporter-2 Inhibitors in Japanese Patients with Diabetes Mellitus. | 1) Ito Y 2) Van Schyndle J 1) Nishimura T 1) Sugitani T 3) Kimura T | 1) Astellas Pharma Inc., Tokyo, Japan. 2) Astellas US, LLC., Northbrook, IL, USA. 3) Astellas Pharma Inc., Tokyo, Japan. tomomi.kimura@astellas.com. | https://www.ncbi.nlm.nih.gov/pubmed/31617152 |
| 188 | 2019 | Oct-19 | PLoS One. 2019;14(10):e0223431. doi:10.1371/journal.pone.0223431. eCollection 2019. | Determination of factors affecting medication adherence in type 2 diabetes mellitus patients using a nationwide claim-based database in Japan. | 1) Horii T 2)3) Momo K 4) Yasu T 5) Kabeya Y 1) Atsuda K | 1) Research and Education Center for Clinical Pharmacy, Division of Clinical Pharmacy, Laboratory of Pharmacy Practice and Science 1, Kitasato University School of Pharmacy, Kanagawa, Japan. 2) Department of Pharmacy, The Research Hospital, The Institute of Medical Science, The University of Tokyo, Tokyo, Japan. 3) Department of Hospital Pharmaceutics, School of pharmacy, Showa University, Tokyo, Japan. 4) Department of Medicinal Therapy Research, Pharmaceutical Education and Research Center, Meiji Pharmaceutical University, Tokyo, Japan. 5) Department of Home Care Medicine, Sowa Hospital, Kanagawa, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31593574 |
| 187 | 2019 | May-19 | Journal of Clinical Pharmacy and Therapeutics 2019;44(5):715-719. | Risk factors affecting the failed low-density lipoprotein level achievement rate in working-age male population at high cardiovascular risk. | 1), 2) Momo K 1), 3) Yasu T 4) Yasu H 1) Kuroda SI | 1) Department of Pharmacy, The Institute of Medical Science Hospital, The University of Tokyo, Tokyo, Japan. 2) Department of Hospital Pharmaceutics, School of Pharmacy, Showa University, Tokyo, Japan. 3) Department of Medicinal Therapy Research, Meiji Pharmaceutical University, Tokyo, Japan. 4) Department of Hematology/Oncology, The Institute of Medical Science Hospital, The University of Tokyo, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31062402 |
| 186 | 2019 | Jul-19 | Maternal Health, Neonatology and Perinatology. 2019;10(5):1 | Association between antidepressant use during pregnancy and autism spectrum disorder in children: a retrospective cohort study based on Japanese claims data. | 1) Yamamoto-Sasaki M 1) Yoshida S 1) Takeuchi M 2) Tanaka-Mizuno S 3) Ogawa Y 4) Furukawa TA 1) Kawakami K | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University 2) Shiga University of Medical Science 3) Department of Healthcare Epidemiology, Graduate School of Medicine and Public Health, Kyoto University 4) Department of Health Promotion and Human Behavior, Graduate School of Medicine and Public Health, Kyoto University | https://www.ncbi.nlm.nih.gov/pubmed/30652008 |
| 185 | 2019 | Aug-19 | Journal of Gastroenterology and Hepatology. 2020;35(2):225-232. doi: 10.1111/jgh.14825. Epub 2019 Sep 3. | Impact of immunomodulator use on treatment persistence in patients with ulcerative colitis: a claims database analysis. | 1) Kobayashi T 1) Hibi T 2) Udagawa E 2) Uda A 3) Hisamatsu T | 1)Center for Advanced IBD Research and Treatment, Kitasato University Kitasato Institute Hospital, Tokyo, Japan. 2)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan. 3)The Third Department of Internal Medicine, Kyorin University School of Medicine, Mitaka, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31397010 |
| 184 | 2019 | Jun-19 | Allergology International. 2020;69(1):53-60. doi: 10.1016/j.alit.2019.06.003. Epub 2019 Jul 13. | Prevalence, disease burden, and treatment reality of patients with severe, uncontrolled asthma in Japan. | 1) Nagase H 2) Adachi M 2) Matsunaga K 4) Yoshida A 4) Okoba T 4) Hayashi N 4) Emoto K 5) Tohda Y | 1)Division of Respiratory Medicine and Allergology, Department of Medicine, Teikyo University School of Medicine, Tokyo, Japan. Electronic address: nagaseh@med.teikyo-u.ac.jp. 2)Clinical Research Center, International University of Health and Welfare/Sanno Hospital, Tokyo, Japan. 3)Department of Respiratory Medicine and Infectious Disease, Graduate School of Medicine, Yamaguchi University, Yamaguchi, Japan. 4)AstraZeneca K.K., Osaka, Japan. 5)Department of Respiratory Medicine and Allergology, Kindai University Faculty of Medicine, Osaka, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31311707 |
| 183 | 2019 | Jun-19 | BMC Infectious Diseases. 2019;19(1):586. | Influenza vaccination effectiveness for people aged under 65 years in Japan, 2013/2014 season: application of a doubly robust method to a large-scale, real-world dataset. | 1) Shibata N 2) Kimura S 3) Hoshino T 4) Urushihara H | 1) Department of Drug Development and Regulatory Science, Faculty of Pharmacy, Keio University, 2) Japan Medical Data Center Co., Ltd, 3) Department of Economics, Faculty of Economics, Keio University, 4) Department of Drug Development and Regulatory Science, Faculty of Pharmacy, Keio University, | https://www.ncbi.nlm.nih.gov/pubmed/31277580 |
| 182 | 2019 | Jun-19 | Drug Discoveries & Therapeutics 2019;13(3):137-144. | Status of use of protease inhibitors for the prevention and treatment of pancreatitis after endoscopic retrograde cholangiopancreatography: An epidemiologic analysis of the evidence-practice gap using a health insurance claims database. | 1) Seta T 2) Takahashi Y 1) Yamashita Y 2) Nakayama T | 1) Department of Gastroenterology and Hepatology, Japanese Red Cross Society Wakayama Medical Center. 2) Department of Health Informatics, Kyoto University School of Public Health. | https://www.ncbi.nlm.nih.gov/pubmed/31327789 |
| 181 | 2019 | May-18 | International Journal of Pediatric Otorhinolaryngology 2018;53:747-752. | 日本における自閉症スペクトラム障害の診断年齢—種別の検討— | 1) 倉澤 茂樹 2) 立山 清美 3) 岩永 竜一郎 4) 大歳 太郎 1) 中谷 謙 5) 横井 賀津志 | 1) 関西福祉科学大学 保健医療学部 2) 大阪府立大学大学院 総合リハビリテーション学研究所 3) 長崎大学大学院 医歯薬学総合研究科 4) 関西医療大学 保健医療学部 5) 森ノ宮医療大学 保健医療学部 | https://www.ncbi.nlm.nih.gov/pubmed/29853922 |

| No. | Year | Year& Month | Journal | Title | Author | Affiliation | Link |
|-----|------|-------------|---|---|---|---|---|
| 180 | 2019 | Apr-19 | Family Practice 2019;36(6):685-692. doi: 10.1093/fampra/cmz016. | Oral anticoagulants usage in Japanese patients aged 18-74 years with non-valvular atrial fibrillation: a retrospective analysis based on insurance claims data. | 1,2) Ohshima A 1) Koyama T 3) Ogawa A 4) Zamami Y 1) Tanaka HY 5) Kitamura Y 5) Sendo T 6) Hinotsu S 7) Miller MW 1,8) Kano MR | 1) Department of Pharmaceutical Biomedicine, Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, Okayama University, Okayama, Japan. 2) Data Science Division, Center for Innovative Clinical Medicine, Okayama University Hospital, Okayama, Japan. 3) Department of Clinical Science, National Hospital Organization Okayama Medical Center, Okayama, Japan. 4) Department of Clinical Pharmacology and Therapeutics, Tokushima University Graduate School of Biomedical Sciences, Tokushima, Japan. 5) Department of Pharmacy, Okayama University Hospital, Okayama, Japan. 6) Department of Biostatistics, Sapporo Medical University, Hokkaido, Japan. 7) Department of Postgraduate Medicine, University of Tokyo, Tokyo, Japan. 8) Department of Pharmaceutical Biomedicine, Graduate School of Interdisciplinary Science and Engineering in Health Systems, Okayama University, Okayama, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31329899 |
| 179 | 2019 | Jun-19 | 薬剤疫学J-STAGE 早期公開 (2019年6月27日) | Validation and Recalibration of Charlson and Elixhauser Comorbidity Indices Based on Data From a Japanese Insurance Claims Database | 1) Tomomi KIMURA 1) Toshifumi SUGITANI, 1) Takuya NISHIMURA, 1) Masanori ITO | 1)Advanced Informatics and Analytics, Astellas Pharma Inc., | https://www.ista.ge.ist.go.jp/article/jipe/advpub/0/advpub_24.e2/article/-char/ia/ |
| 178 | 2019 | Jun-19 | Clinical Oral Investigation 2019;23(9):3581-3588 | Association between perioperative oral care and postoperative pneumonia after cancer resection: conventional versus high-dimensional propensity score matching analysis. | 1)Ishimaru M 2)Ono S 3)Matsui H 3)Yasunaga H | 1)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo 2)Department of Biostatistics & Bioinformatics, The University of Tokyo, Tokyo, Japan. 3)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo | https://www.ncbi.nlm.nih.gov/pubmed/30623308 |
| 177 | 2019 | Jun-19 | Journal of Evaluation in Clinical Practice 2020;26(1):299-307. doi: 10.1111/jep.13171. Epub 2019 Jun 3. | Comparison of effectiveness and drug cost between dipeptidyl peptidase-4 inhibitor and biguanide as the first-line anti-hyperglycaemic medication among Japanese working generation with type 2 diabetes. | 1)Ihara-Sugiyama N 1,2,3,4)Sugiyama T 1,2)Tanaka H 5)Ueki K 2)Kobayashi Y 1)Ohsugi M | 1)Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine 2)Department of Public Health/Health Policy, Graduate School of Medicine, The University of Tokyo 3)Department of Health Services Research, Faculty of Medicine, University of Tsukuba 4)Health Services Research and Development Center, University of Tsukuba 5)Diabetes Research Center, Research Institute, National Center for Global Health and Medicine | https://www.ncbi.nlm.nih.gov/pubmed/31161662 |
| 176 | 2019 | Jun-19 | The Journal of Dermatology 2019;46(8):652-661. | Health-care resource use and current treatment of adult atopic dermatitis patients in Japan: A retrospective claims database analysis. | 1)Atsuyuki IGARASHI 2)Hiroyuki FUJITA 2)Kazuhiko ARIMA 2)Tomoyuki INOUE 3)JulieDOREY 3)Ayako FUKUSHIMA 4)Yurie TAGUCHI | 1)Division of Dermatology, NTT Medical Center, Tokyo, Japan. 2)Sanofi Genzyme Medical Operations, Sanofi K.K., Tokyo, Japan. 3)HEOR, Creativ-Ceutical, Paris, France. 4)Market Access, Sanofi K.K., Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31245879 |
| 175 | 2019 | Jun-19 | Journal of Epidemiology 2020;26(1):299-307. doi: 10.1111/jep.13171. Epub 2019 Jun 3. | Association between routine nephropathy monitoring and subsequent change in estimated glomerular filtration rate in patients with diabetes mellitus: a Japanese non-elderly cohort study | 1)Sachiko Ono 2)Yosuke Ono 3)Daisuke Koide 4)Hideo Yasunaga | 1)Department of Biostatistics & Bioinformatics, The University of Tokyo 2)Department of General Medicine, National Defense Medical College 3)Department of Biostatistics & Bioinformatics, The University of Tokyo 4)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo | https://www.ncbi.nlm.nih.gov/pubmed/31204363 |
| 174 | 2019 | Jun-19 | Cephalgia:an international journal of headache. 2019;39(12):1518-1534. doi: 10.1177/0333102419851855. Epub 2019 Jun 1. | Treatment patterns and characteristics of patients with migraine in Japan: A retrospective analysis of health insurance claims data. | 1)Meyers JL 1)Davis KL 2)Lenz RA 3)Sakai F 4)Xue F | 1)Health Economics, RTI Health Solutions, Research Triangle Park, NC, USA. 2)Global Development, Amgen, Thousand Oaks, CA, USA. 3)Saitama International Headache Center, Saitama, Japan. 4)Global Safety, Amgen, Thousand Oaks, CA, USA. | https://www.ncbi.nlm.nih.gov/pubmed/31154807 |
| 173 | 2019 | May-19 | Journal of clinical pharmacy and therapeutics.2019 May 6. doi: 10.1111/jcpt.12847. | Risk factors affecting the failed low-density lipoprotein level achievement rate in working-age male population at high cardiovascular risk. | 1)Kuroda SI 2)Momo K 3)Yasu T 4)Yasui H | 1)Department of Pharmacy, The Institute of Medical Science Hospital, The University of Tokyo, Tokyo, Japan. 2)Department of Hospital Pharmaceutics, School of Pharmacy, Showa University, Tokyo, Japan. 3)Department of Medicinal Therapy Research, Meiji Pharmaceutical University, Tokyo, Japan. 4)Department of Hematology/Oncology, The Institute of Medical Science Hospital, The University of Tokyo, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/31062402 |
| 172 | 2018 | Nov-18 | Gastrointestinal Disorders 2019; 1(1):120-128 | Paradigm Shift of Healthcare Cost for Patients with Inflammatory Bowel Diseases: A Claims Data-Based Analysis in Japan | 1)Shota Saito* 2)Kyoko Nakazawa 1)Kenji Suzuki 1 3,4)Takashi Ishikawa 4)Kouhei Akazawa | 1)Department of Health Informatics, Niigata University of Health and Welfare, Niigata 950-3198, Japan 2)Department of Medical Informatics and Statistics, Niigata University Graduate School of Medical and Dental Sciences, Niigata 951-8520, Japan 3)Division of Digestive and General Surgery, Niigata University Graduate School of Medical and Dental Sciences, Niigata 951-8520, Japan 4)Department of Medical Informatics, Niigata University Medical and Dental Hospital, Niigata 951-8520, Japan *Author to whom correspondence should be addressed. | https://www.mdpi.com/2624-5647/1/1/9 |
| 171 | 2019 | Apr-19 | NPJ primary care respiratory medicine 2019;29(1):13 | A retrospective cohort study evaluating healthcare resource utilization in patients with asthma in Japan. | 1)Inoue H 2)Kozawa M 2)Milligan KL 2)Funakubo M 3)Igarashi A 4)Loefroth E. | 1)Department of Pulmonary Medicine, Graduate School of Medical and Dental Sciences, Kagoshima University, Kagoshima, Japan. inoue-pulm@umin.net. 2)Novartis Pharma K.K., Tokyo, Japan. 3)Department of Drug Policy and Management, The University of Tokyo, Tokyo, Japan. 4)Novartis Sweden AB, Taby, Sweden. | https://www.ncbi.nlm.nih.gov/pubmed/31036818 |
| 170 | 2019 | May-19 | The Journal of Clinical Endocrinology & Metabolism 2019;104(11):5084-5090. | Relationship between Number of Multiple Risk Factors and Coronary Artery Disease Risk With and Without Diabetes Mellitus | 1,2)Mayuko Harada 1)Kazuya Fujihara Taeko Osawa Masahiko Yamamoto Masanori Kaneko Masaru Kitazawa Yasuhiro Matsubayashi Takaho Yamada 3)Nauta Yamanaka 3)Hiroyasu Seida 2)Wataru Ogawa 1)Hirohito Sone | 1)Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. 2)Division of Diabetes and Endocrinology and Department of Internal Medicine, Kobe University Graduate School of Medicine, Kobe, Japan. 3)JMDC Inc., Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30994885 |
| 169 | 2019 | Jan-19 | Pharmacoepidemiology & Drug Safety 2019;1-8 | Examination of the prescription of antiepileptic drugs to prenatal and postpartum women in Japan from a health administrative database | 1)Tomofumi Ishikawa 2)3)4)Taku Obara 5)Kazutaka Jin 3)6)Hidekazu Nishigori 4)Keiko Miyakoda 2)Masato Suzuka 7)Yasuko Ikeda-Sakai 8)Manabu Akazawa 5)Nobukazu Nakasato 3)4)5)Nobuo Yaegashi 3)4)9)Shinichi Kuriyama 1)2)Nariyasu Mano | 1)Laboratory of Clinical Pharmacy, Graduate School of Pharmaceutical Sciences, Tohoku University, Sendai, Japan 2)Department of Pharmaceutical Sciences, Tohoku University Hospital, Sendai, Japan 3)Environment and Genome Research Center, Graduate School of Medicine, Tohoku University, Sendai, Japan 4)Tohoku Medical Megabank Organization, Tohoku University, Sendai, Japan 5)Department of Epileptology, Graduate School of Medicine, Tohoku University, Sendai, Japan 6)Department of Gynecology and Obstetrics, Graduate School of Medicine, Tohoku University, Sendai, Japan 7)Department of Health Informatics, Graduate School of Medicine, Kyoto University, Kyoto, Japan 8)Department of Public Health and Epidemiology, Meiji Pharmaceutical University, Tokyo, Japan 9)International Research Institute for Disaster Science, Tohoku University, Sendai, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30854762 |
| 168 | 2019 | Mar-19 | Hypertension Research 2019 Mar 6. doi: 10.1038/s41440-019-0238-2. | Analysis of antihypertensive treatment using real-world Japanese data—the retrospective study of antihypertensives for lowering blood pressure (REAL) study | 1)Mitsuru Ohishi 2)Takuo Yoshida 3)Akinori Oh 3)Shinzo Hiroi 4)Tomomi Takeshima 4)Yujiro Otsuka 4)Kosuke Iwasaki 3)Yukio Shimasaki | 1)Department of Cardiovascular Medicine and Hypertension, Graduate School of Medical and Dental Sciences, Kagoshima University, Kagoshima, Japan 2) Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Osaka, Japan 3) Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan 4) Milliman Inc., Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30842611 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|---|---|
| 167 | 2019 | Mar-19 | BMJ open 10.1136/bmjopen-2018-025806 on 1 March 2019. | Treatment patterns, persistence and adherence rates in patients with type 2 diabetes mellitus in Japan: a claims-based cohort study | 1)Rimei Nishimura 2)Haruka Kato 3)Koichi Kisanuki 4)Akinori Oh 5)Shinzo Hiroi 6)Yoshie Onishi 7)Florent Guelfucci 8)Yukio Shimasaki | 1)The Jikei University School of Medicine, Tokyo, Japan 2)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan 3)Creativ-Ceutical, Japan Operations, Tokyo, Japan 4)Creativ-Ceutical, Paris, France | https://www.ncbi.nlm.nih.gov/pubmed/30826768 |
| 166 | 2019 | Mar-19 | Journal of Epidemiology 2019 Mar 2. doi: 10.2188/jea.JE20180192. | Utility of a Specific Health Checkup Database Containing Lifestyle Behaviors and Lifestyle Diseases for Employee Health Insurance in Japan | 1)Toshiki Fukasawa 2)Nanae Tanemura 3)Shinya Kimura 4)Hisashi Urushihara | 1)Division of Drug Development and Regulatory Science, Graduate School of Pharmaceutical Sciences, Keio University, Tokyo, Japan 2)Japan Medical Data Center Co., Ltd., Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30828034 |
| 165 | 2019 | Mar-19 | Journal of Epidemiology 2019 Mar 2. doi: 10.2188/jea.JE20180224. | Relationship between severe respiratory depression and codeine-containing antitussives in children: a nested case-control study. | 1)Sachiko Ono, MPH 2)Yosuke Ono, PhD 3)Daisuke Koide, PhD 4)Hideo Yasunaga, PhD | 1)Department of Biostatistics & Bioinformatics, The University of Tokyo, Tokyo, Japan 2)Department of General Medicine, National Defense Medical College, Tokorozawa, Japan 3)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30828036 |
| 164 | 2019 | Feb-19 | Diabetes Research and Clinical Practice 2019;149:188-199 | Changes in the quality of diabetes care in Japan between 2007 and 2015: A repeated cross-sectional study using claims data | 1)2)Hirokazu Tanaka 3)5)Takehiro Sugiyama 4)3)Noriko Ihana-Sugiyama 5)4)Kohjiro Ueki 6)2)Yasuki Kobayashi 7)3)Mitsuru Ohsumi | 1)Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine, Japan 2)Department of Public Health, Graduate School of Medicine, The University of Tokyo, Japan 3)Department of Diabetes, Endocrinology and Metabolism, Center Hospital, National Center for Global Health and Medicine, Japan 4)Diabetes Research Center, Research Institute, National Center for Global Health and Medicine, Japan 5)Department of Health Services Research, Faculty of Medicine, University of Tsukuba, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30742858 |
| 163 | 2019 | Jan-19 | JOURNAL OF MARKET ACCESS & HEALTH POLICY 2019;7(1):1565889 | Use of corticosteroids for remission induction therapy in patients with new-onset ulcerative colitis in real-world settings | 1)Motohiro Okayasu 2)Haruhiko Ogata 3)Yuji Yoshiyama | 1)Laboratory of Community Pharmacy, Division of Clinical Pharmacy, Research and Education Center for Clinical Pharmacy, School of Pharmacy, Kitasato University, Tokyo, Japan. 2)Center for Diagnostic and Therapeutic Endoscopy, School of Medicine, Keio University, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/30719244 |
| 162 | 2018 | Dec-18 | 日健康医療誌 2018;6(2):22-27 | ビッグデータから分析した歯科メンテナンス実施者・非実施者における歯重症度の比較及びメンテナンスの重要性の検証について | 工藤 大, 柴崎悠介, 長浜 誉佳, 木村真也 | 株式会社JMDC | |
| 161 | 2018 | Dec-18 | PLoS One 2018;13(12):e0208796 | Penetration of new antidiabetic medications in East Asian countries and the United States: A cross-national comparative study. | 1)Kiyoshi Kubota, Yukari Kamijima, 2)Yea-Huei Kao Yang, 3)Shinya Kimura, 4)Edward Chia-Cheng Lai, 5)6)Kenneth K. C. Man, 7)Patrick Ryan, Martijn Schuemie, Paul Stang, 2)Chien-Chou Su, 5)6)Jan C. K. Wong, 4)Yinghong Zhang, 4)8)Soko Setoguchi | 1)NPO Drug Safety Research Unit Japan, Tokyo, Japan 2) Institute of Clinical Pharmacy and Pharmaceutical Sciences, College of Medicine, National Cheng Kung University, Tainan, Taiwan 3) Japan Medical Data Center, Tokyo, Japan 4) Duke Clinical Research Institute, Duke University School of Medicine, Durham, North Carolina, United States of America 5) Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong, Hong Kong, China 6) Research Department of Practice and Policy, UCL School of Pharmacy, London, United Kingdom 7) Janssen Research & Development, LLC, Titusville, New Jersey, United States of America 8) Department of Epidemiology, Rutgers School of Public Health, New Brunswick, United States of America | https://www.ncbi.nlm.nih.gov/pubmed/30540837 |
| 160 | 2018 | Dec-18 | Diabetes/Metabolism Research and Reviews 2018:e3120 | Higher pulse pressure predicts initiation of dialysis in Japanese patients with diabetes. | 1)Taeko Osawa, Kazuya Fujihara, Mayuko Harada, Masahiko Yamamoto, Masahiro Ishizawa, Hiroshi Suzuki, Hajime Ishiguro, Yasuhiro Matsubayashi, 2)Hiroyasu Seida, Nauta Yamanaka, 3)Shiro Tanaka, 4)Hitoshi Shimano, 1)Satoru Kodama, Hirohito Sone | 1)Department of Internal Medicine, Niigata University Faculty of Medicine 2)Japan Medical Data Center Co., Ltd. 3)Department of Clinical Biostatistics, Graduate School of Medicine, Kyoto University 4)Department of Internal Medicine, University of Tsukuba School of Medicine | https://www.ncbi.nlm.nih.gov/pubmed/30578707 |
| 159 | 2018 | Dec-18 | Journal of Clinical Medicine 2018;7(12):539 | Association between Hemoglobin and Hemoglobin A1c: A Data-Driven Analysis of Health Checkup Data in Japan. | Masato Takeuchi Koji Kawakami | Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University | https://www.ncbi.nlm.nih.gov/pubmed/30545047 |
| 158 | 2018 | Nov-18 | American Journal of Hypertension 2018 Nov 26. doi: 10.1093/ajh/hpy177 | Impact of hypertension on hospitalizations for cardiovascular diseases in a worksite population - an epidemiologic study using claims data for workers. | 1)Ayako FUKUSHIMA, 2)Wafa KHABTHENI, 1)Florent GUELFUCCI, 3)Yoshie ONISHI, 4)Daisuke SUGIYAMA, Tomonori OKAMURA 5)6)Mondher TOUMI | 1)Creativ-Ceutical, Paris, France; 2)Creativ-Ceutical, Tunis, Tunisia; 3)Creativ-Ceutical K.K., Tokyo, Japan; 4)Keio University School of Medicine, Tokyo, Japan; 5)Creativ-Ceutical, Paris, France 6)Université Aix-Marseille, Marseille, France | https://www.ncbi.nlm.nih.gov/pubmed/30475981 |
| 157 | 2018 | Nov-18 | Current Medical Research and Opinion 2019;35(5):869-878 | Comparison of the persistence and adherence between fixed-dose combinations and two-pill combinations in Japanese patients with type 2 diabetes. | 1)Rimei Nishimura, 2)Haruka Kato, Koichi Kisanuki, Akinori Oh, 3)Yoshie Onishi, 4)Florent Guelfucci, 2)Yukio Shimasaki | 1)The Jikei University School of Medicine, Japan 2)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Japan 3)Creativ-Ceutical, Japan Operations, Japan 4)Creativ-Ceutical, France. | https://www.ncbi.nlm.nih.gov/pubmed/30460858 |
| 156 | 2018 | Nov-18 | Dermatology and Therapy 2019;9(1):117-133 | Burden of Herpes Zoster in the Japanese Population with Immunocompromised/Chronic Disease Conditions: Results from a Cohort Study Claims Database from 2005-2014. | 1) Shinichi Imafuku, 2)Taizo Matsuki, Akiko Mizukami, 3)Yasushi Goto, 4)Sabrina de Souza, 5)Céline Jégou, 6)Veronique Bianco, 7)Dominique Rosillon, 8)Chie Ito, 9)Desmond Curran, 2)Katsiaryna Holl | 1)Department of Dermatology, School of Medicine, Fukuoka University, Japan 2)Healthoutcomes Department, GSK, Japan 3)Department of Thoracic Oncology, National Cancer Center Hospital, Japan 4)Keyrus Biopharma C/O GSK, UK 5)Business and Decision Life Sciences C/O GSK, Belgium 6)Biostatistics and Statistical Programming, GSK, USA 7)Biostatistics and Statistical Programming, GSK, Belgium 8)JMDC Co Ltd., Japan 9)Vaccines Health Outcomes Department, GSK, Belgium | https://www.ncbi.nlm.nih.gov/pubmed/30456446 |
| 155 | 2018 | Nov-18 | International Journal of Medical Sciences 2018;15(14):1686-1693 | Bleeding Risk of Warfarin and Direct Oral Anticoagulants in Younger Population: A Historical Cohort Study Using a Japanese Claims Database | 1)Satoshi Yokoyama, Yuki Tanaka, 1)2)Kazuki Nakagita, 1) Kouichi Hosomi, Mitsutaka Takada | 1)Division of Clinical Drug Informatics, Faculty of Pharmacy Kindai University 2)Department of Pharmacy, National Cerebral and Cardiovascular Center | https://www.ncbi.nlm.nih.gov/pubmed/30588192 |
| 154 | 2018 | Oct-18 | Pulmonary Therapy 2018;4(2):135-147 | Patients with Asthma Prescribed Once-Daily Fluticasone Furoate/Vilanterol or Twice-Daily Fluticasone Propionate/Salmeterol as Maintenance Treatment: Analysis from a Claims Database. | 1)Ryo Atsuta, 2)Jun Takai, Isao Mukai, Akihiro Kobayashi, Takeo Ishii, 3)Henrik Svedater | 1)Juntendo Tokyo Koto Geriatric Medical Center 2)GSK, Tokyo, Japan 3)GSK, Brentford, UK | https://link.springer.com/article/10.1007%2Fs41030-018-0084-4#citeas |
| 153 | 2018 | Oct-18 | Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy 2018;11 647-658 | Associations between eating habits and glycemic control and obesity in Japanese workers with type 2 diabetes mellitus. | 1)Maki Gouda, 2)Miyuki Matsukawa, 3)Hiroaki Iijima | 1)Medical Intelligence Department, Ikuyaku. Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation, 2)Data Science Department, Ikuyaku. Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation 3)Medical Affairs Department, Ikuyaku. Integrated Value Development Division, Mitsubishi Tanabe Pharma Corporation | https://www.ncbi.nlm.nih.gov/pubmed/30410377 |
| 152 | 2018 | Oct-18 | PLoS One 2018;13(10):e0204648 | An integrative approach using real-world data to identify alternative therapeutic uses of existing drugs. | 1)Kouichi Hosomi, Mai Fujimoto, 2)Kazutaka Ushio, Lili Mao, Juran Kato, 1)Mitsutaka Takada | 1) Division of Clinical Drug Informatics, School of Pharmacy, Kindai University, 2) Innovation and Entrepreneurship, Research, Takeda Pharmaceutical Company Limited | https://www.ncbi.nlm.nih.gov/pubmed/30300381 |
| 151 | 2018 | Jul-18 | 薬剤疫学 2018;23(2):89-94 | レセプトデータに基づく非結核性抗酸菌症患者への薬剤処方実態に関する調査 | 1,2)岩尾友秀, 2)矢野憲, 1)黒田知宏 | 1)京都大学医学部附属病院医療情報企画部 2)奈良先端科学技術大学院大学研究推進機構 | |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|--|---|---|---|
| 150 | 2018 | Sep-18 | Diabetes & Metabolism 2018 Sep 10. pii: S1262-3636(18)30167-8 | Association of treatment-achieved HbA1c with incidence of coronary artery disease and severe eye disease in diabetes patients. | 1,2)M.Harada, 1)K.Fujihara, T.Osawa, M.Yamamoto, M.Kaneko, M.Ishizawa, Y.Matsubayashi, T.Yamada, 2)N.Yamanaka, H.Seida, 1)S.Kodama, 3)W.Ogawa, 1)H. Sone | 1)Department of Internal Medicine, Niigata University, Faculty of Medicine, 2)Japan Medical Data Center Co. Ltd., 3)Division of Diabetes and Endocrinology, Department of Internal Medicine, Kobe University Graduate School of Medicine | https://www.ncbi.nlm.nih.gov/pubmed/30213710 |
| 149 | 2018 | Sep-18 | Pharmacoepidemiology & Drug Safety 2018;27(12):1325-1334 | Antihypertensives prescribed for pregnant women in Japan:Prevalence and timing determined from a database of health insurance claims. | 1)Tomofumi Ishikawa, 2,3,4)Taku Obara, 3,5)Hidekazu Nishigori, 4)Keiko Miyakoda, 3,4,)Mami Ishikuro, 4,6)Hirohito Metoki, 7)Takayoshi Ohkubo, 4,5)Junichi Sugawara, 3,4,5)Nobuo Yaegashi, 8)Manabu Akazawa, 3,4,9)Shinichi Kuriyama, 1,2,)Nariyasu Mano | 1)Laboratory of Clinical Pharmacy, Tohoku University Graduate School of Pharmaceutical Sciences, 2)Department of Pharmaceutical Sciences,Tohoku University Hospital, 3)Environment and Genome Research Center,Tohoku University Graduate School of Medicine, 4)Tohoku Medical Megabank Organization,Tohoku University, 5)Department of Gynecology and Obstetrics,Tohoku University Graduate School of Medicine, 6)Division of Public Health, Hygiene and Epidemiology, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, 7)Department of Hygiene and Public Health,Teikyo University School of Medicine, 8)Department of Public Health and Epidemiology, Meiji Pharmaceutical University, 9)Tohoku University International Research Institute for Disaster Science | https://www.ncbi.nlm.nih.gov/pubmed/30252182 |
| 148 | 2018 | Sep-18 | Family Practice 2018 Sep 29. doi: 10.1093/fampira/cmy094 | Pattern of antibiotic prescriptions for outpatients with acute respiratory tract infections in Japan, 2013-15: a retrospective observational study. | 1)Yusuke Teratani, 2)Hideharu Hagiya, 1)3)Toshihiro Koyama, 1)Mayu Adachi, Ayako Ohshima, 4)Yoshito Zamami, 1)Hiroyoshi Y Tanaka, 5)Yasuhisa Tatebe, Ken Tasakae, 6)Naoko Mikami, 3)7)Kazuaki Shinomiya, 5)Yoshihisa Kitamura, 1)8)Mitsunobu R Kano, 9)Shiro Hinotsu, 5)Toshiaki Sendo | 1)Department of Pharmaceutical Biomedicine, Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences,Okayama University 2)Department of Infection Control and Prevention, Osaka University Hospital, 3)Education and Research Center for Clinical Pharmacy, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences 4)Department of Clinical Pharmacology and Therapeutics, Institute of Biomedical Sciences, Tokushima University Graduate School 5)Department of Pharmacy, Okayama University Hospital, 6)Division of Pharmacy, Chiba University Hospital, 7)Department of Toji Pharmacy, Smile Co., Ltd, 8)Department of Pharmaceutical Biomedicine, Graduate School of Interdisciplinary Science and Engineering in Health Systems, Okayama University, 9)Department of Biostatistics and Clinical Epidemiology, Sapporo Medical University | https://www.ncbi.nlm.nih.gov/pubmed/30272148 |
| 147 | 2018 | Sep-18 | Pharmacoepidemiology & Drug Safety 2018;27(11):1223-1230 | Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. | 1,2,3)Edward Chia-Cheng Lai, 4)Ju-Young Shin, 5)Kiyoshi Kubota, 6)Kenneth K.C. Man, 4,7)Byung Joo Park 8)Nicole Pratt, Elizabeth E. Roughead 9)Ian C.K. Wong, 1,9)Yea-Huei Kao Yang 3,10,11)Soko Setoguchi | 1)School of Pharmacy, Institute of Clinical Pharmacy and Pharmaceutical Sciences, National Cheng Kung University, Tainan, Taiwan 2)Department of Pharmacy, National Cheng Kung University Hospital, Tainan, Taiwan 3)Duke Clinical Research Institute, Duke University School of Medicine, Durham, NC, USA 4)Department of Preventive Medicine, Seoul National University College of Medicine, Seoul, South Korea 5)Department of Pharmacoepidemiology, University of Tokyo, Tokyo, Japan 6)Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong, Hong Kong 7)Office of Drug Utilization Review, Korea Institute of Drug Safety and Risk Management, Seoul, South Korea 8)Quality Use of Medicines and Pharmacy Research Centre, Sansom Institute for Health Research, University of South Australia, Adelaide, Australia 9)Health Outcome Research Center, National Cheng-Kung University, Tainan, Taiwan 10)Department of Medicine, Rutgers Robert Wood Johnson Medical School, New Brunswick, NJ, USA 11)Rutgers Center for Pharmacoepidemiology and Treatment Science, Institute for Health, Rutgers University, New Brunswick, NJ, USA | https://www.ncbi.nlm.nih.gov/pubmed/30232832 |
| 146 | 2018 | Sep-18 | PLoS One 2018;13(9):e0203380 | The use of anticoagulants in patients with non-valvular atrial fibrillation between 2005 and 2014: A drug utilization study using claims data in Japan. | 1)3)Kiyoshi Kubota, 1)2)Nobuhiro Ooba, 1)Yukari Kamijima, 1)3)Kuniyasu Sato, 1)3)Daisuke Koide | 1)NPO Drug Safety Research Unit Japan, 2)Department of Clinical Pharmacy, Nihon University School of Pharmacy 3)Department of Biostatistics and Bioinformatics, Graduate School of Medicine, University of Tokyo | https://www.ncbi.nlm.nih.gov/pubmed/30183755 |
| 145 | 2018 | Sep-18 | Modern Rheumatology 2018 Sep 2:1-15 | Increasing trend of asymptomatic hyperuricemia under treatment with urate-lowering drugs in Japan. | 1)Masayuki Hakoda, 2)Fumiyoshi Kasagi | 1)Department of Nutritional Sciences, Faculty of Human Ecology , Yasuda Women's University 2)Department of Radiation Epidemiology , Radiation Effects Association | https://www.ncbi.nlm.nih.gov/pubmed/30175646 |
| 144 | 2018 | Aug-18 | International Journal of Rheumatic Diseases 2018;21(8):1609-1618 | Disease severity and economic burden in Japanese patients with systemic lupus erythematosus: A retrospective, observational study. | 1)Yoshiya Tanaka, 2)Akiko Mizukami, 3)Akihiro Kobayashi, 4)Chie Ito, 2)Taizo Matsuki | 1)First Department of Internal Medicine, School of Medicine, University of Occupational & Environmental Health 2)Vaccines Health Outcomes Department, Development and Medical Affairs Division, GlaxoSmithKline K.K. 3)Biomedical Data Sciences Department, Global Medical, GlaxoSmithKline K.K. 4)Data Analytics Group, Data Solution Division, Japan Medical Data Center | https://www.ncbi.nlm.nih.gov/pubmed/30146745 |
| 143 | 2018 | Jul-18 | Clinical Epidemiology 2018;10:875-885 | Applying a common data model to Asian databases for multinational pharmacoepidemiologic studies: opportunities and challenges | 1-4)Edward Chia-Cheng Lai, 5)Patrick Ryan, 4)Yinghong Zhang, 5)Martijn Schuemie, 4)N Chantelle Hardy, 6)Yukari Kamijima, 7) Shinya Kimura, 8)Kiyoshi Kubota, 8,9)Kenneth KC Man, 10) Soo Yeon Cho, Rae Woong Park, 5)Paul Stang, 1,3)Chien-Chou Su, 8,9)Ian CK Wong, 1,3)Yea-Huei Yang Kao, 4,11)Soko Setoguchi | 1)School of Pharmacy, Institute of Clinical Pharmacy and Pharmaceutical Sciences, National Cheng Kung University 2)Department of Pharmacy, National Cheng Kung University Hospital, 3)Health Outcome Research Center, National Cheng-Kung University, 4)Duke Clinical Research Institute, Duke University School of Medicine 5)Janssen Research & Development, LLC 6)NPO Drug Safety Research Unit 7)Japan Medical Data Center Co.,Ltd 8)Centre for Safe Medication Practice and Research, Department of Pharmacology and Pharmacy, University of Hong Kong 9)Research Department of Practice and Policy, UCL School of Pharmacy 10)Department of Biomedical Informatics, School of Medicine, Ajou University 11)Institute for Health, Rutgers University and Department of Medicine, Rutgers Robert Wood Johnson Medical School | https://www.ncbi.nlm.nih.gov/pubmed/30100761 |
| 142 | 2018 | Jul-18 | BMC Dermatology 2018;18(1):5 | Persistence rates and medical costs of biological therapies for psoriasis treatment in Japan: a real-world data study using a claims database. | 1)2)Rosarin Srumsiri, 3)Kosuke Iwasaki, Wentao Tang, 4)5)Jörg Mahlich | 1)Health Economics, Janssen Pharmaceutical KK 2)Center of Pharmaceutical Outcomes Research, Naresuan University 3)Milliman 4)Health Economics and Outcomes Research, Janssen-Cilag GmbH, Johnson & Johnson 5)Düsseldorf Institute for Competition Economics (DICE), University of Düsseldorf | https://www.ncbi.nlm.nih.gov/pubmed/29996929 |
| 141 | 2018 | Jun-18 | Journal of Gastroenterology 2018;53(12):1253-1260 | A case-control study of the risk of upper gastrointestinal mucosal injuries in patients prescribed concurrent NSAIDs and antithrombotic drugs based on data from the Japanese national claims database of 13 million accumulated patients. | 1)Nobuyuki Sugisaki, Ryuichi Iwakiri, 2)Nanae Tsuruoka, Yasuhisa Sakata, Ryo Shimoda, 1)2)Shun Fujimoto, Yuichiro Eguchi, Kazuma Fujimoto | 1)Graduate School of Medical Science, Saga University, Saga, Japan 2)Department of Internal Medicine, Saga University, Saga, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29948304 |
| 140 | 2018 | Jun-18 | Journal of Medical Economics 2018 Jun 1:1-8 | Treatment patterns and healthcare resource utilization and costs in heavy menstrual bleeding: a Japanese claims database analysis. | 1)Sayako Akiyama, Erika Tanaka, 2)Olivier Cristeau, 3)Yoshie Onishi, 4)Yutaka Osuga | 1) Market Access , Bayer Yakuhin, Ltd 2)Creativ-Ceutical , Paris , France 3)Creativ-Ceutical K.K. 4)Obstetrics and Gynecology, Graduate School of Medicine , The University of Tokyo | https://www.ncbi.nlm.nih.gov/pubmed/29770717 |
| 139 | 2018 | May-18 | BMC Health Services Research 2018;18(1):325 | Impact of a direct-to-consumer information campaign on prescription patterns for overactive bladder | 1)2)Masayoshi Zaitzu 3)Byung-Kwang Yoo, 1)Jun Tomio,Fumiaki Nakamura, Satoshi Toyokawa, Yasuki Kobayashi | 1)Department of Public Health, Graduate School of Medicine, The University of Tokyo 2)Department of Social and Behavioral Sciences, Harvard T.H. Chan School of Public Health 3)Department of Public Health Sciences, University of California, Davis | https://www.ncbi.nlm.nih.gov/pubmed/29724205 |
| 138 | 2018 | May-18 | Diabetes, Obesity and Metabolism 2018;20(10):2351-2360 | Lipid-lowering medication use is associated with decreased risk of diabetic retinopathy and its treatments in patients with type 2 diabetes: a real-world observational analysis of a health claims database. | 1)2)3)Ryo Kawasaki 1)Tsuneo Konta 4)Kohji Nishida | 1)Department of Public Health and Hygiene, Yamagata University Faculty of Medicine. 2)Department of Vision Informatics (Topcon), Osaka University Graduate School of Medicine. 3)Department of Clinical Research, Faculty of Health Sciences, University of Southern Denmark, Odense, Denmark. 4)Department of Ophthalmology, Osaka University Graduate School of Medicine. | https://www.ncbi.nlm.nih.gov/pubmed/29790265 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|--|---|--|---|
| 137 | 2018 | Apr-18 | International Journal of Rheumatic Diseases 2018;21(9):1670-1677 | No increased risk of herpes zoster in TNF inhibitor and non-TNF inhibitor users with rheumatoid arthritis: epidemiological study using the Japanese health insurance database. | 1)Ryoko SAKAI, 2)3)Shoko KASAI, Fumio HIRANO, 1)Sayoko HARADA, 2)3)Mari KIHARA,Waka YOKOYAMA, 1)Michi TSUTSUMINO, 2)3)Kenji NAGASAKA, Ryuji KOIKE, 1)Hisashi YAMANAKA, 4)Nobuyuki MIYASAKA, 1)Masayoshi HARIGAI | 1)Division of Epidemiology and Pharmacoepidemiology of Rheumatic Diseases, Institute of Rheumatology, Tokyo Women's Medical University 2)Department of Pharmacovigilance, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University 3)Department of Rheumatology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University 4)Tokyo Medical and Dental University | https://www.ncbi.nlm.nih.gov/pubmed/29667330 |
| 136 | 2018 | Apr-18 | Pulmonary Pharmacology & Therapeutics 2018;50:88-92 | Assessment of statin-induced interstitial pneumonia in patients treated for hyperlipidemia using a health insurance claims database in Japan. | 1)Kenji Momo, Akiko Takagi, 2)Atsuko Miyaji, 1)Masayoshi Koinuma | 1)Faculty of Pharmaceutical Sciences, Teikyo Heisei University 2)MIYAJI NAIKA Clinic of Internal Medicine | https://www.ncbi.nlm.nih.gov/pubmed/29627482 |
| 135 | 2018 | Apr-18 | Diabetes Therapy 2018;9(3):1125-1141 | Characteristics, Treatment Patterns, and Economic Outcomes of Patients Initiating Injectable Medications for Management of Type 2 Diabetes Mellitus in Japan: Results from a Retrospective Claims Database Analysis. | 1)Shuichi Suzuki, 2)Urvi Desai, 3)Alena Strizek, 4)Jasmina Ivanova, Viviana Garcia-Horton, 1)Zhihong Cai, 4)Luke Schmerold, Xinyue Liu, 3)Magaly Perez-Nieves | 1)Eli Lilly Japan, K.K., Kobe, Japan. 2)Analysis Group, Inc., Boston, MA, USA. 3)Eli Lilly and Company, Indianapolis, IN, USA. 4)Analysis Group, Inc., New York, NY, USA. | https://www.ncbi.nlm.nih.gov/pubmed/29663262 |
| 134 | 2018 | Apr-18 | Neurodegenerative Disease Management 2018;8(2):97-103 | Treatment and comorbidities of multiple sclerosis in an employed population in Japan: analysis of health claims data. | 1)Mieko Ogino, 2)Aki Shiozawa, 3)Hiroyuki Ota, Shuichi Okamoto, Shinzo Hiroi, 4)Izumi Kawachi | 1)International University of Health & Welfare, School of Medicine, Center for Medical Education 2)Takeda Pharmaceuticals International Inc., 3)Japan Medical Affairs - Japan, Takeda Pharmaceutical Company Ltd, 4)Department of Neurology, Brain Research Institute, Niigata University | https://www.ncbi.nlm.nih.gov/pubmed/29694267 |
| 133 | 2018 | Apr-18 | Vaccine 2018; 36(20):2809-2815 | Effectiveness of influenza vaccination for children in Japan: Four-year observational study using a large-scale claims database. | 1)Natsumi Shibata, 2) Shinya Kimura, 3)Takahiro Hoshino, 4)Masato Takeuchi, 1)Hisashi Urushihara | 1)Department of Drug Development and Regulatory Science, Faculty of Pharmacy, Keio University 2)Japan Medical Data Center Co., Ltd., 3)Department of Economics, Faculty of Economics, Keio University 4)Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University | https://www.ncbi.nlm.nih.gov/pubmed/29661585 |
| 132 | 2018 | Apr-18 | Therapeutic Drug Monitoring 2018;40(2):252-256 | Prevalence of Therapeutic Drug Monitoring for Lithium and the Impact of Regulatory Warnings: Analysis Using Japanese Claims Database. | 1)Nobuhiro Ooba, Daisuke Tsutsumi, Naoko Kobayashi, Shiriji Hidaka, Hiroyuki Hayashi, 2)Taku Obara, 3)Michihiro Satoh, 4)Kiyoshi Kubota, 1) Noriyasu Fukuoka | 1)Nihon University School of Pharmacy, Funabashi, Chiba, Japan 2)Department of Pharmaceutical Sciences, Tohoku University Hospital 3)Division of Public Health, Hygiene and Epidemiology, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, Sendai, Miyagi, Japan 4)NPO Drug Safety Research Unit Japan, Bunkyo-ku, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/29420333 |
| 131 | 2018 | Apr-18 | JAMA Neurology 2018;75(7):842-849 | Association of HLA-A*31:01 Screening With the Incidence of Carbamazepine-Induced Cutaneous Adverse Reactions in a Japanese Population. | 1)Mushiroda T, 2)Takahashi Y, 3)Onuma T, 2)Yamamoto Y, 4) Kamei T, 5)Hoshida, 6)7)Takeuchi K, 6)Otsuka K, 8)Okazaki M, Watanabe M, 9)Kanemoto K, Oshima T, 10)Watanabe A, 11)Minami S, 12)Saito K, 13)Tanii H, 14)Shimo Y, 15)Hara M, 16)Saitoh S, 17)Kinoshita T, 18)Kato M17, Yamada N, 19)Akamatsu N, 20)Fukuchi T, 21)Ishida S, Yasumoto S, 1)Takahashi A, Ozeki T, 22)Furuta T, 23)Saito Y, 24)Izumida N, 25)Kano Y, Shiohara T, 1)Kubo M; GENCAT Study Group. | 1)RIKEN Center for Integrative Medical Sciences, Yokohama, Japan. 2)Department of Clinical Research, National Epilepsy Center, Shizuoka Institute of Epilepsy and Neurological Disorders, Shizuoka, Japan. 3)Musashino-Kokubunji Clinic, Tokyo, Japan. 4)Tokushukai Hospital, Tokyo, Japan. 5)National Hospital Organization Nara Medical Center, Nara, Japan. 6)Department of Neuropsychiatry, Iwate Medical University, Iwate, Japan. 7)Kitariasu Hospital, Iwate, Japan. 8)Department of Psychiatry, National Center of Neurology and Psychiatry, Tokyo, Japan. 9)Neuropsychiatric Department, Aichi Medical University, Aichi, Japan. 10)Division of Personalized Genetic Medicine, Nippon Medical School, Tokyo, Japan. 11)Institute for Advanced Medical Sciences, Nippon Medical School, Kawasaki, Japan. 12)Institute of Medical Genetics, Tokyo Women's Medical University, Tokyo, Japan. 13)Department of Psychiatry, Mie University Graduate School of Medicine, Mie, Japan. 14)Department of Neurology, Juntendo University School of Medicine, Tokyo, Japan. 15)Hara Clinic, Yokohama, Japan. 16)Department of Pediatrics and Neonatology, Nagoya City University Graduate School of Medical Sciences, Nagoya, Japan. 17)Department of Neuropsychiatry, Kansai Medical University, Osaka, Japan. 18)Department of Psychiatry, Shiga University of Medical Science, Shiga, Japan. 19)Department of Neurology, University of Occupational and Environmental Health, Kitakyusyu, Japan. 20)Suzukake Clinic, Nagoya, Japan. 21)Department of Neuropsychiatry, Kurume University School of Medicine, Fukuoka, Japan. 22)Center for Clinical Research, Hamamatsu University School of Medicine, Hamamatsu, Japan. 23)Division of Medicinal Safety Science, National Institute of Health Sciences, Tokyo, Japan. 24)Department of Empirical Social Security Research, National Institute of Population and Social Security Research, Tokyo, Japan. 25)Department of Dermatology, Kyorin University School of Medicine, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/29610831 |
| 130 | 2018 | Mar-18 | The Pediatric Allergy and Immunology 2018;29(5):490-495 | Prenatal and early-life antibiotic use and risk of childhood asthma: A retrospective cohort study. | Satomi Yoshida, Kazuki Ide, Masato Takeuchi, Koji Kawakami | Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29604125 |
| 129 | 2018 | Mar-18 | Journal of Clinical Epidemiology 2018;99:84-95 | Association measures of claims-based algorithms for common chronic conditions were assessed using regularly collected data in Japan. | 1)Konan Hara, Jun Tomio, 2)Thomas Svensson, 3)Rika Ohkuma, 4)Akiko Kishi Svensson, 5)Tsutomu Yamazaki | 1)Department of Public Health, Graduate School of Medicine, The University of Tokyo 2)Center of Innovation, The University of Tokyo; Department of Clinical Sciences, Lund University, Skåne University Hospital, Malmö, Sweden; Epidemiology and Prevention Group, Center for Public Health Sciences, National Cancer Center 3)Center of Innovation, The University of Tokyo 4)Center of Innovation, The University of Tokyo; Department of Diabetes and Metabolic Diseases, Graduate School of Medicine, The University of Tokyo; Clinical Research Support Center, The University of Tokyo Hospital 5)Center of Innovation, The University of Tokyo; Clinical Research Support Center, The University of Tokyo Hospital | https://www.ncbi.nlm.nih.gov/pubmed/29548842 |
| 128 | 2018 | Mar-18 | Atherosclerosis 2018;272:145-152 | Treatment patterns in hyperlipidaemia patients based on administrative claim databases in Japan. | 1)Mayumi Wake, 2)Yoshie Onishi, 3)Florent Guelfucci, 1)Akinori Oh, Shinzo Hiroi, Yukio Shimasaki, 4)Tamio Teramoto | 1)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan 2)Creativ-Ceutical K.K., Tokyo, Japan 3)Creativ-Ceutical, Paris, France 4)Teikyo Academic Research Center, Teikyo University, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29604481 |
| 127 | 2018 | Mar-18 | PLoS One 2018;13(3):e0195164 | The incidence of medically-attended norovirus gastro-enteritis in Japan: Modelling using a medical care insurance claims database. | 1)Chia-Hsien Chang, Motonobu Sakaguchi, 2)John Weil, 3)Thomas Verstraeten | 1)Global Patient Safety Evaluation Japan, Takeda Development Center Japan, Takeda Pharmaceutical Company Limited, Osaka, Japan. 2)Takeda Pharmaceuticals International AG, Zurich, Switzerland 3)P95 Pharmacovigilance and Epidemiology, Heverlee, Belgium | https://www.ncbi.nlm.nih.gov/pubmed/29601600 |
| 126 | 2018 | Mar-18 | BMJ Open 2018;8(3):e018553 | Risk of pneumococcal diseases in adults with underlying medical conditions: a retrospective, cohort study using two Japanese healthcare databases. | 1)Kentarō Imai, 2)Tanaz Petigara, Melvin A Kohn, 3)Kei Nakashima, Masahiro Aoshima, 1)Akihito Shito, Shinichi Kanazu | 1)MSD K.K., Tokyo, Japan 2)Merck & Co., Inc, Kenilworth, New Jersey, USA. 3)Kameda Medical Center, Kamogawa, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/29500201 |
| 125 | 2018 | Feb-18 | Neuropsychiatric Disease and Treatment 2018;14:611-621 | Treatment patterns, health care resource utilization, and costs in Japanese adults with attention-deficit hyperactivity disorder treated with atomoxetine. | 1)Hideyuki Imagawa, 2)Saurabh P Nagar, 3)William Montgomery, 1) Tomomi Nakamura, Masayo Sato, 2) Keith L Davis | 1)Medical Development Unit Japan, Eli Lilly Japan K.K., Kobe, Japan 2)RTI Health Solutions, Research Triangle Park, NC, USA 3)Global Patient Outcomes and Real World Evidence, Eli Lilly Australia, NSW, Australia | https://www.ncbi.nlm.nih.gov/pubmed/29503545 |
| 124 | 2017 | Sep-17 | Value in Health Regional Issues 2017;15:56-62 | Resource Use and Cost of Treating Human Papillomavirus-Related Lesions in Japanese Women. | 1)Akiko Mizukami, 2)Toshihiko Kaise, 3)Georges Van Kriekinge | 1)Vaccines Health outcomes Department, Development and Medical Affairs Division, GSK, Tokyo, Japan 2)Health outcomes Department, Development and Medical Affairs Division, GSK, Tokyo, Japan 3)Health Economics, Vaccines Value and Health Science, GSK, Wavre, Belgium | https://www.ncbi.nlm.nih.gov/pubmed/29474179 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|---|--|--|---|
| 123 | 2014 | Aug-14 | Diabetes Research and Clinical Practice 2014;105(2):176-84 | Predictors of hyperglycaemic individuals who do not follow up with physicians after screening in Japan: a cohort study. | 1)Yuka Tsujimura, Yoshimitsu Takahashi, 2)Tatsuro Ishizaki, 1)Akira Kuriyama, Kikuko Miyazaki, 3)Toshihiko Satoh, 4)Shunya Ikeda, 5)Shinya Kimura, 1)Takeo Nakayama | 1) Department of Health Informatics, Kyoto University School of Public Health 2)Tokyo Metropolitan Institute of Gerontology 3) School of Social Informatics, Aoyama Gakuin University 4) Department of Pharmaceutical Sciences, School of Pharmacy, International University and Health Welfare 5) Japan Medical Data Center Co., Ltd. | https://www.ncbi.nlm.nih.gov/pubmed/24947442 |
| 122 | 2013 | Dec-13 | The Journal of Clinical Endocrinology & Metabolism 2013;98(12):4776-4783 | Analysis of 754 Cases of Antithyroid Drug-Induced Agranulocytosis Over 30 Years in Japan. | 1)Hirotohi Nakamura, Akira Miyauchi, 2)Natsuko Miyawaki, Junichi Imagawa | 1)Kuma Hospital, Shimoyamate-dori, Chuo-ku, Kobe, Japan 2)Chugai Pharmaceutical Co, Ltd, Nihonbashi-Muromachi 2-Chome, Chuo-ku, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/24057289 |
| 121 | 2018 | Feb-18 | BMJ Open 2018;8(1):e019589 | The effects of changes in eating speed on obesity in patients with diabetes: a secondary analysis of longitudinal health checkup data. | Yumi Hurst, Haruhisa Fukuda | Department of Health Care Administration and Management, Kyushu University Graduate School of Medical Sciences, Fukuoka, Japan | https://www.ncbi.nlm.nih.gov/pubmed/?term=29440054 |
| 120 | 2018 | Jan-18 | Asia-Pacific Psychiatry 2018:e12309. | Maternal exposure to benzodiazepine and risk of preterm birth and low birth weight: A case-control study using a claims database in Japan. | Yusuke Ogawa, Nozomi Takeshima, Toshi A. Furukawa | Department of Health Promotion and Human Behavior, Kyoto University Graduate School of Medicine/School of Public Health, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29314716 |
| 119 | 2018 | Jan-18 | Journal of Medical Economics 2018;21(5):443-449 | The association between smoking cessation outpatient visits and total medical costs: a retrospective, observational analysis of Japanese employee-based public health insurance data. | 1)Kiyomi Suwa, Reiko Yoshikawa, 2)Kosuke Iwasaki, 3) Ataru Igarashi | 1)Pfizer Japan, Inc., Tokyo, Japan 2)Milliman, Inc., Tokyo, Japan 3)Graduate School of Pharmaceutical Sciences, The University of Tokyo, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29316823 |
| 118 | 2018 | Jan-18 | Therapeutic Research 2018;39(1):67-76 | 日本の2型糖尿病患者におけるメホルミンとDPP-4阻害薬の処方実態-医薬情報データベースを用いた年次推移の検討- | 1)田村 好史 2)加藤 晴香, 黄 章徳, 木佐貴 幸一 3)土屋 志織, 寺島 玄 2)嶋崎 幸生 | 1)順天堂大学大学院代謝内科学・スポーツロジセンター 2)武田薬品工業株式会社メディカルアフェアーズ部 3)株式会社日本医療データセンター | |
| 117 | 2017 | Dec-17 | Vaccine 2018;36(19):2727-2732 | Decline of rotavirus-coded hospitalizations in children under 5 years: A report from Japan where rotavirus vaccines are self-financed | 1)Masayuki Kobayashi, 2)Noriaki Adachi, 3)Makoto Miyazaki, 4)Masatoshi Tatsumi | 1)Medical Affairs, MSD K.K., Tokyo, Japan 2)Biostatistics and Research Decision Sciences, MSD K.K., Tokyo, Japan 3)Risk Assessment & Pharmacoeconomics, MSD K.K., Tokyo, Japan 4)Department of Pediatrics, Otaru Kyokai Hospital, Otaru City, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29241644 |
| 116 | 2017 | Dec-17 | Circulation Journal 2018;82(4):1008-1016 | Treatment Patterns, Statin Intolerance, and Subsequent Cardiovascular Events Among Japanese Patients With High Cardiovascular Risk Initiating Statin Therapy. | 1)Saurabh P.Nagar, 2)Pratik P. Rane, 3)Kathleen M. Fox, 1)Juliana Meyers, 1) Keith Davis, 2)Anne Beaubrun, 4)Hyoee Inomata, 1)Yi Qian, 5) Kouji Kajinami | 1)RTI Health Solutions 2)Amgen Inc. 3)Strategic Healthcare Solutions, LLC 4)Amgen Astellas BioPharma K. K. 5)Department of Cardiology, Kanazawa Medical University | https://www.ncbi.nlm.nih.gov/pubmed/29276211 |
| 115 | 2017 | Nov-17 | Journal of Global Antimicrobial Resistance 2017;13:55-59 | Recent patterns in antibiotic use for children with group A streptococcal infections. | 1)Yusuke Okubo, 2)Nobuaki Michihata, 3)Naho Morisaki, 4)Noriko Kinoshita, Isao Miyairi, 5)Kevin Y. Urayama, 6)Hideo Yasunaga | 1)Department of Social Medicine, National Center for Child Health and Development; Department of Epidemiology, UCLA Fielding School of Public Health, LA, USA; Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. 2)Department of Health Services Research, Graduate School of Medicine, The University of Tokyo. 3)Department of Social Medicine, National Center for Child Health and Development. 4)Office for Infectious Control, National Center for Child Health and Development. 5)Graduate School of Public Health, St. Luke's International University. 6)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo. | https://www.ncbi.nlm.nih.gov/pubmed/29146149 |
| 114 | 2017 | Nov-17 | Clinical and Experimental Neuroimmunology 2017;8(4):318-326 | Prevalence, treatments and medical cost of multiple sclerosis in Japan based on analysis of a health insurance claims database | 1)Mieko Ogino, 2) Shuichi Okamoto, Hiroyuki Ohta, Mariko Sakamoto, 3)Yusuke Nakamura, Kosuke Iwasaki, 2)Manami Yoshida, Shinzo Hiroi, 4) Izumi Kawachi | 1)International University of Health and Welfare, School of Medicine, Center for Medical Education, Chiba, Japan 2)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan 3)Milliman, Tokyo, Japan 4)Department of Neurology, Brain Research Institute, Niigata University, Niigata, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29242717 |
| 113 | 2016 | Dec-16 | Therapeutic Innovation & Regulatory Science 2016;51(3): 332-341 | Risk of Acute Asthma Attacks Associated With Nonsteroidal Anti-inflammatory Drugs: A Self-Controlled Case Series. | Yoshinori Takeuchi, Takashi Ando, Chieko Ishiguro, Yoshiaki Uyama | Office of Medical Informatics and Epidemiology, Pharmaceuticals and Medical Devices Agency, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/30231709 |
| 112 | 2017 | Dec-17 | Health Affairs 2017;36(11):1896-1903. | Avoidable Hospital Admissions From Diabetes Complications In Japan, Singapore, Hong Kong, And Communities Outside Beijing. | 1)Jianchao Quan, 2)Huyang Zhang, 3)Deannette Pang, 4)Brian K. Chen, 5)Janice M. Johnston, 6)Weiyang Jian, 7)Zheng Yi Lau, 8)Toshiaki Iizuka, 9)Gabriel M. Leung, 10)Hai Fang, 11)Kelvin B. Tan, 12)Karen Eggleston | 1)Division of Health Economics, Policy, and Management, School of Public Health, University of Hong Kong, in China. 2)China Center for Health Development Studies at Peking University, Beijing, in China. 3)Policy, Research, and Evaluation Division in the Singapore Ministry of Health. 4)Arnold School of Public Health, University of South Carolina, in Columbia. 5)Division of Health Economics, Policy, and Management, School of Public Health, University of Hong Kong. 6)Department of Health Policy and Administration, School of Public Health, Peking University. 7)Policy, Research, and Evaluation Division in the Singapore Ministry of Health. 8)Graduate School of Economics, University of Tokyo, in Japan. 9)Division of Health Economics, Policy, and Management, School of Public Health, University of Hong Kong. 10)China Center for Health Development Studies at Peking University. 11)Policy, Research, and Evaluation Division in the Singapore Ministry of Health, and an adjunct assistant professor at Saw Swee Hock School of Public Health, National University of Singapore. 12)Freeman Spogli Institute for International Studies (FSI) and deputy director of the FSI's Shorenstein Asia-Pacific Research Center, both at Stanford University, in California; and a faculty research fellow at the National Bureau of Economic Research, in Cambridge, Massachusetts. | https://www.ncbi.nlm.nih.gov/pubmed/29137504 |
| 111 | 2017 | Dec-17 | Therapeutic Research 2017;38(12):1231-1237 | 日本人の2型糖尿病患者におけるメホルミンとDPP-4阻害薬の処方実態 -医薬情報データベースを用いた検討- | 1)田村 好史, 2)加藤 晴香, 廣居 伸蔵, 黄 章徳, 木佐貴 幸一 3)土屋 志織, 寺島 玄, 2)嶋崎 幸生 | 1)順天堂大学大学院代謝内科学・スポーツロジセンター 2)武田薬品工業株式会社メディカルアフェアーズ部 3)株式会社日本医療データセンター | |
| 110 | 2017 | Nov-17 | 厚生省の指標 2017年11月号 (第64巻第13号) | 社会医療診療行為別調査と健保組合レセプトデータにおける傷病大分類別人口当たりレセプト件数の比較 | 1)谷原 真一 2)辻 雅善 3)川添 美紀 4)山之口 稔隆 5)志村 英生 | 1) 帝京大学大学院公衆衛生学専攻科教授 2) 福岡大学医学部衛生公衆衛生学講師 3) 福岡大学医学部衛生公衆衛生学助教 4) 福岡大学大学院医学研究科大学院生 5) 福岡大学病院医療情報部教授 | |
| 109 | 2017 | Nov-17 | Auris Nasus Larynx. 2018;45(4):718-721 | Influence of pneumococcal conjugate vaccines on acute otitis media in Japan | 1)Atsushi Sasaki, Sachio Takeno, 1)2)Masaru Kunimoto, 3)Takahiro Sumiya, 1)Takeshi Ishino, 4)Hirotohi Sugino, 1)Katsuhiko Hirakawa | 1)Department of Otolaryngology, Head and Neck Surgery, Graduate School of Biomedical & Health Sciences, Applied Life Sciences, Hiroshima University, Hiroshima City, Japan 2)Kunimoto ENT Clinic, Hiroshima City, Japan 3)Graduate School of Integrated Arts and Sciences, Hiroshima University, Hiroshima City, Japan 4)Sugino Pediatric Clinic, Hiroshima City, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/29102419 |
| 108 | 2017 | Nov-17 | Journal of Anesthesia 2018;32(1):23-32 | Preoperative pulmonary function tests before low-risk surgery in Japan: a retrospective cohort study using a claims database | 1)Hiroshi Yonekura, Kazuki Ide, Kahori Seto, Yohei Kawasaki, 2)Shiro Tanaka, 1)Isao Nahara, 1)3)Chikashi Takeda, 1)Koji Kawakami | 1) Department of Pharmacoeconomics, Graduate School of Medicine and Public Health, Kyoto University 2) Department of Clinical Biostatistics, Graduate School of Medicine, Kyoto University, Kyoto, Japan 3) Department of Anesthesia, Graduate School of Medicine, Kyoto University, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29103149 |
| 107 | 2017 | Oct-17 | Journal of Alzheimer's Disease 2017;60(4):1231-1235. | Job Loss After Diagnosis of Early-Onset Dementia: A Matched Cohort Study | Nobuo Sakata Yasuyuki Okumura | Research Department, Institute for Health Economics and Policy, Association for Health Economics Research and Social Insurance and Welfare, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/29036820 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|---|---|
| 106 | 2017 | Oct-17 | International Journal of Rheumatic Diseases 2017;20(11):1674-1683 | Tuberculosis screening prior to anti-tumor necrosis factor therapy among patients with immune-mediated inflammatory diseases in Japan: a longitudinal study using a large-scale health insurance claims database. | 1)Jun Tomio 2)3)Hayato Yamana 2)Hiroki Matsui 4)Hiroyuki Yamashita, 5)6)Takashi Yoshiyama, 2)Hideo Yasunaga | 1)Department of Public Health, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 2)Department of Clinical Epidemiology and Health Economics, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan. 3)Health and Sanitation Department, Bunkyo City, Tokyo, Japan. 4)Division of Rheumatic Diseases, National Center for Global Health and Medicine, Tokyo, Japan. 5)Research Institute of Tuberculosis, Tokyo, Japan. 6)Fukuji Hospital, Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/29076252 |
| 105 | 2017 | Sep-17 | Diabetes & Metabolism 2017;43(6):543-546 | Impact of body mass index and metabolic phenotypes on coronary artery disease according to glucose tolerance status. | 1) Fujihara K, Matsubayashi Y, Yamamoto M, Osawa T, Ishizawa M, Kaneko M, Matsunaga S, Kato K, 2) Seida H, Yamanaka N, 1) Kodama S, Sone H | 1) Department of Internal Medicine, Niigata University Faculty of Medicine 2) Japan Medical Data Center Co., Ltd. | https://www.ncbi.nlm.nih.gov/pubmed/28918195 |
| 104 | 2017 | Aug-17 | International Journal of Urology 2017;24(10):757-764 | Persistence and adherence to overactive bladder medications in Japan: A large nationwide real-world analysis | 1)Daisuke Kato,Satoshi Uno, 2)James Van Schyndle, Alan Fan 1)Tomomi Kimura | 1)Astellas Pharma Inc., Tokyo, Japan 2)Astellas Pharma, Northbrook, Illinois, USA | https://www.ncbi.nlm.nih.gov/pubmed/28833621 |
| 103 | 2017 | Jul-17 | BMJ Open 2017;7(7):e015855 | Impact of health insurance coverage for Helicobacter pylori gastritis on the trends in eradication therapy in Japan: retrospective observational study and simulation study based on real-world data. | 1)2)Shinzo Hiroi, 3)Kentaro Sugano, 4)Shiro Tanaka, 1)Koji Kawakami | 1)Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan 2)Japan Medical Affairs, Takeda Pharmaceutical Company Limited, Tokyo, Japan 3)Department of Medicine, JichiMedical University, Tochigi, Japan 4)Department of Clinical Biostatistics, Graduate School of Medicine, Kyoto University, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28760790 |
| 102 | 2017 | Jul-17 | Pharmacoepidemiology & Drug Safety 2018;27(1):123-126 | Population-based incidence of diabetic ketoacidosis in type 2 diabetes: medical claims data analysis in Japan. | 1)Masato Takeuchi, 1)2)Taichi Kawamura 1)3) Izumi Sato 1)Koji Kawakami | 1)Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan 2)Senju Pharmaceutical Co., Ltd., Osaka, Japan 3)K-CONNEX, Keihanshin Consortium for Fostering the Next Generation of Global Leaders in Research, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28752620 |
| 101 | 2017 | Jul-17 | International Journal of Health Care Quality Assurance 2017;30(6):506-515 | Efficiency of inpatient orthopedic surgery in Japan: a medical claims database analysis. | 1)Yoshinori Nakata 2)Tatsuya Yoshimura 3)Yuichi Watanabe 4)Hiroshi Otake 5)Giichiro Oiso 6)Tomohiro Sawa | 1)Teikyo University Graduate School of Public Health , Tokyo, Japan. 2)Shin-Yurigaoka General Hospital, Kawasaki, Japan. 3)Waseda University Graduate School of Economics , Tokyo, Japan. 4>Showa University School of Medicine, Tokyo , Japan. 5)Hamamatsu University School of Medicine , Hamamatsu, Japan. 6)Teikyo University Medical Information and System Research Center , Tokyo, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/28714830 |
| 100 | 2017 | Jun-17 | BMJ Open 2017;7(6):e015935 | Lipid-lowering drugs and risk of new-onset diabetes: a cohort study using Japanese healthcare data linked to clinical data for health screening. | 1)Nobuhiro Ooba 2) Soko Setoguchi, 3)Tsugumichi Sato, 4)Kiyoshi Kubota | 1)Department of Clinical Pharmacy, Nihon University School of Pharmacy, Funabashi, Chiba, Japan 2)Institute for Health, Health Care Policy and Aging Research, Rutgers University and Rutgers Robert Wood Johnson Medical School, New Brunswick, New Jersey, USA 3)Department of Pharmacy, Tokyo University of Science, Yamazaki, Noda, Chiba, Japan 4)NPO Drug Safety Research Unit Japan, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28667223 |
| 99 | 2017 | Jun-17 | Global Pediatric Health 2017; 4:1-5 | Vitamin D-Deficient Rickets in Japan | Mitsuko Itoh, Jun Tomio, Satoshi Toyokawa, Mayuko Tamura, Tsuyoshi Isojima, Sachiko Kitanaka, Yasuki Kobayashi | The University of Tokyo, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28607944 |
| 98 | 2017 | May-17 | ClinicoEconomics and Outcomes Research 2017;9:295-306 | Evaluation of the treatment patterns and economic burden of dysmenorrhea in Japanese women, using a claims database. | 1)Sayako Akiyama 2)Erika Tanaka 3)Olivier Cristeau 4)Yoshie Onishi 5)Yutaka Osuga | 1)Health Economics and Outcomes Research 2)Advocacy and External Affairs, Market Access, Bayer Yakuin, Ltd., Tokyo, Japan 3)Health Economics and Outcome Research, Creativ-Ceutical, Paris, France 4)Creativ-Ceutical K.K., Tokyo, Japan 5)Obstetrics and Gynecology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28579813 |
| 97 | 2017 | May-17 | European Journal of Neurology 2017;24(7):944-949 | Diabetes mellitus and risk of early-onset Alzheimer's disease: a population-based case-control study. | 1)Kadohara K, 1)2)Sato I, 1)Kawakami K. | 1)Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. 2)The Keihanshin Consortium for Fostering the Next Generation G11 of Global Leaders in Research (K-CONNEX), Kyoto, Japan. | https://www.ncbi.nlm.nih.gov/pubmed/28503814 |
| 96 | 2017 | May-17 | Circulation Journal 2017;81(10):1424-1431 | Underuse of Cardiac Rehabilitation in Workers With Coronary Artery Disease — Claims Database Survey in Japan — | 1)Natsuko Kanazawa, 2)Kenji Ueshima, 3)Shinjiro Tominari, 3)Takeo Nakayama | 1) Clinical Research Center, National Hospital Organization 2) Institute for Advancement of Clinical and Translational Science, Kyoto University Hospital 3) School of Public Health, Kyoto University | https://www.ncbi.nlm.nih.gov/pubmed/28496030 |
| 95 | 2017 | Apr-17 | Journal of Public Health 2017 27:1-7 | Prescription of antibiotics to pre-school children from 2005 to 2014 in Japan: a retrospective claims database study. | Satomi Yoshida, Masato Takeuchi, Koji Kawakami | Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28453710 |
| 94 | 2017 | Mar-17 | Family Practice 2017;34(5):552-557 | Impact of clinic follow-up visits on body weight control in people with prediabetes or diabetes mellitus: Japanese nonelderly cohort study. | 1)Sachiko Ono, 2)Yosuke Ono, 1)Hiroki Matsui, 1)Hideo Yasunaga | 1)Department of Clinical Epidemiology and Health Economics, School of Public Health, The University of Tokyo 2)Department of General Medicine, National Defense Medical College | https://www.ncbi.nlm.nih.gov/pubmed/28369304 |
| 93 | 2017 | Mar-17 | Journal of Dermatology 2017;44(7):767-773. | Treatment patterns of postherpetic neuralgia patients before and after the launch of pregabalin and its effect on medical costs: Analysis of Japanese claims data provided by Japan Medical Data Center | 1)Mariko HONDA, 2)Tatsunori MURATA, 3)Nozomi EBATA,Koichi FUJII, 4)Setsuro OGAWA | 1)Dr Mariko Skin and Dermatology Clinic, Yokohama, 2)Crecon Medical Assessment, 3)Pfizer Japan, 4)Nihon University Research Center,Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/28256737 |
| 92 | 2016 | Oct-16 | Diabetes & Metabolism 2017;43(3):261-264 | Impact of glucose tolerance status on the development of coronary artery disease among working-age men. | 1)Fujihara K, Igarashi R, Yamamoto M, Ishizawa M, Matsubayashi Y, Matsunaga S, Kato K, 2)Ito C, Koishi M,Yamanaka N, 1)Kodama S Sone H. | 1)Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan 2)Japan Medical Data Center Co., Ltd., Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/27712966 |
| 91 | 2015 | Aug-15 | Journal of Atherosclerosis and Thrombosis. 2015;22(12):1287-304 | High-Risk Atherosclerotic Cardiovascular Disease in a Real-World Employed Japanese Population: Prevalence, Cardiovascular Event Rates, and Costs. | 1)Keith L Davis, Juliana Meyers, 2)Zhenxiang Zhao, Patrick L McCollam 3)Masahiro Murakami | 1) RTI Health Solutions, Research Triangle Park 2) Eli Lilly and Company 3) Medicines Development Unit Japan, Eli Lilly Japan K.K. | https://www.ncbi.nlm.nih.gov/pubmed/26289083 |
| 90 | 2016 | Dec-16 | Diabetes Therapy 2017;8(1):149-166 | Basal Insulin Persistence, Associated Factors, and Outcomes After Treatment Initiation: A Retrospective Database Study Among People with Type 2 Diabetes Mellitus in Japan. | 1)Irene Hadjiyianni 2)Urvi Desai 3)Shuichi Suzuki 4)Jasmina I. Ivanova 5)Dachuang Cao 6)Noam Y. Kirson 3)Dai Chida 2)Caroline Enloe, Howard G. Birnbaum 5)Magaly Perez-Nieves | 1)Lilly Deutschland GmbH, Bad Homburg, Germany 2)Analysis Group, Inc., Boston, USA 3)Eli Lilly Japan, K.K., Kobe, Japan 4)Analysis Group, Inc., New York, USA 5)Eli Lilly and Company, Indianapolis, USA | https://www.ncbi.nlm.nih.gov/pubmed/27913984 |
| 89 | 2017 | Jan-17 | Diabetes Research and Clinical Practice 2017;123:55-62 | Impact of nonadherence on complication risks and healthcare costs in patients newly-diagnosed with diabetes | Haruhisa Fukuda Miki Mizobe | Department of Health Care Administration and Management, Graduate School of Medical Sciences, Kyushu University | https://www.ncbi.nlm.nih.gov/pubmed/27940390 |
| 88 | 2016 | Nov-16 | 精神神経学雑誌 第118巻第11号(2016) 823-833 | 知的障害児に併存する精神疾患・行動障害への向精神薬処方の実態—大規模レセプトデータベースを活用したコホート研究— | 1)井上 祐紀 2)奥村 泰之 3)藤田 純一 | 1) 横浜市南部地域療育センター 2) 一般財団法人医療経済研究・社会保険福祉協会医療経済研究機構研究部 3) 公立大学法人横浜市立大学附属病院児童精神科 | https://journal.ispn.or.jp/Disp?style=abst&vol=118&year=2016&mag=0&number=11&start=823 |
| 87 | 2016 | Nov-16 | Advances in Therapy 2016;33(11)1947-1963 | A Retrospective Claims Database Study on Drug Utilization in Japanese Patients with Crohn's Disease Treated with Adalimumab or Infliximab. | 1)Kaoru Yokoyama 2)Kiyotaka Yamazaki 2)Miiko Katafuchi 3)Sameh Ferchichi | 1)Department of Gastroenterology, Kitasato University School of Medicine 2)Abbvie GK 3)Creativ-Ceutical | https://www.ncbi.nlm.nih.gov/pubmed/27664107 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|--|--|---|---|
| 86 | 2016 | Jul-16 | Modern Rheumatology 2016;26(4):522-8 | High prevalence of cardiovascular comorbidities in patients with rheumatoid arthritis from a population-based cross-sectional study of a Japanese health insurance database. | 1)2)Ryoko Sakai Fumio Hirano Mari Kihara Waka Yokoyama Hayato Yamazaki Sayoko Harada Toshihiro Nanki 1)2)3)Ryuji Koike 4)Nobuyuki Miyasaka 1)2)Masayoshi Harigai | 1)Department of Pharmacovigilance, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University 2) Department of Rheumatology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University 3) Clinical Research Center, Tokyo Medical and Dental University Hospital of Medicine 4)Tokyo Medical and Dental University | https://www.ncbi.nlm.nih.gov/pubmed/26666766 |
| 85 | 2016 | Sep-16 | BMJ Open Diabetes Research & Care 2016;9(4):e000291 | Process quality of diabetes care under favorable access to healthcare: a 2-year longitudinal study using claims data in Japan | 1)Hirokazu Tanaka, Jun Tomio 1)2)Takehiro Sugiyama 1)Yasuki Kobayashi | 1)Department of Public Health, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan 2)Diabetes and Metabolism Information Center, Research Institute, National Center for Global Health and Medicine, Tokyo, Japan | https://www.ncbi.nlm.nih.gov/pubmed/27651912 |
| 84 | 2016 | Jul-16 | Hypertension Research 2016;39(12):907-912 | Analysis of second- and third-line antihypertensive treatments after initial therapy with an angiotensin II receptor blocker using real-world Japanese data. | 1)2) Shinzo Hiroi 1) Yukio Shimasaki 1) Takashi Kikuchi 3) Yujiro Otsuka 3) Kosuke Iwasaki 4) Mitsuru Ohishi | 1) Global Medical Affairs Japan, Takeda Pharmaceutical Company, Tokyo, Japan 2) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan 3) Milliman Inc., Tokyo, Japan 4) Department of Cardiovascular Medicine and Hypertension, Graduate School of Medical and Dental Sciences, Kagoshima University, Kagoshima, Japan | http://www.ncbi.nlm.nih.gov/pubmed/27465576 |
| 83 | 2015 | Jan-15 | 日本公衆衛生学会 機関紙「日本公衆衛生雑誌」 2015;Vol.62 No.1 | 健康保険組合レセプトデータ分析によるがん患者の受療医療施設の分布 | 1) 田中 宏和 1) 中村 文明 2) 東 尚弘 1) 小林 康毅 | 1) 東京大学大学院医学系研究科公衆衛生学教室 2) 国立がん研究センターがん対策情報センターがん政策科学研究部 | https://www.istage.jst.go.jp/article/ip/h/62/1/62_14-022/article/-char/ia/ |
| 82 | 2016 | Jul-16 | 日本医療薬学会 学会誌「医療薬学」 2016;Vol.42 No.7 | 患者負担から見たバイオンミラー使用における得失とその問題点の克服に向けた調査研究 | 1)丸山穂高 2)三宅真二 1)黒川達夫 | 1)慶應義塾大学 薬学研究科 医薬品開発規制科学講座 2)慶應義塾大学病院 臨床研究推進センター | |
| 81 | 2015 | Nov-15 | 医薬品相互作用研究 2015;39(2):9-17 | Prescription of drugs for children with attention-deficit/hyperactivity disorder (ADHD) in Japan: a study based on health insurance claims data | 1,2,3) Taku Obara 3) Michihiro Satoh 4,5) Nobuhiro Ooba 6) Yoshihiko Morikawa 7) Hidekazu Nishigori 3) Nariyasu Mano | 1) Division of Preventive Medicine and Epidemiology, Tohoku University Tohoku Medical Megabank Organization 2) Division of Molecular Epidemiology, Tohoku University Graduate School of Medicine 3) Department of Pharmaceutical Sciences, Tohoku University Hospital 4) Department of Pharmacoepidemiology, Graduate School of Medicine, University of Tokyo 5) Department of Clinical Pharmacy, Nihon University School of Pharmacy 6) Clinical Research Support Center, Tokyo Metropolitan Children's Medical Center 7) Department of Obstetrics and Gynecology, Tohoku University Graduate School of Medicine | |
| 80 | 2015 | Nov-15 | 日本皮膚科学会雑誌 2015;125(12):2289-2299 | レセプトデータベースを用いた皮膚糸状菌症診療の実態の解析 | 1)2)岩永 知幸 1)安澤 敏史, 望月 隆 | 1)金沢医科大学 皮膚科学講座 2)株式会社ボラファルマ 医薬品研究所 | |
| 79 | 2016 | Jun-16 | World Journal of Pediatrics. 2016;12(4):443-449 | Prescription trends in children with pervasive developmental disorders (PDD): A claims data-based study in Japan. | 1)Michihiro Satoh 1)2)3)Taku Obara 4)Hidekazu Nishigori 5)Nobuhiro Ooba 6)Yoshihiko Morikawa 7)8)Mami Ishikuro 4)9)Hirohito Metoki 7)8)Masahiro Kikuya 1)Nariyasu Mano | 1)Department of Pharmaceutical Sciences, Tohoku University Hospital 2)Department of Preventive Medicine and Epidemiology, Tohoku Medical Megabank Organization, Tohoku University 3)Division of Molecular Epidemiology, Tohoku University Graduate School of Medicine 4)Department of Obstetrics and Gynecology, Tohoku University Graduate School of Medicine 5)School of Pharmacy, Nihon University 6)Clinical Research Support Center, Tokyo Metropolitan Children's Medical Center 7)Department of Preventive Medicine and Epidemiology, Tohoku Medical Megabank Organization, Tohoku University 8)Division of Molecular Epidemiology, Tohoku University Graduate School of Medicine 9)Department of Community Medical Supports, Tohoku Medical Megabank Organization | http://www.ncbi.nlm.nih.gov/pubmed/27286689 |
| 78 | 2016 | Jun-16 | Journal of Medical Economics 2016;19(11):1049-1055 | Medical cost, incidence rate, and treatment status of gastroesophageal reflux disease in Japan: analysis of claims data. | 1)Hiroto Miwa 2)Tomomi Takeshima 2)Kosuke Iwasaki 3)4)Shinzo Hiroi | 1)Division of Gastroenterology, Department of Internal Medicine, Hyogo College of Medicine 2)Milliman Inc 3)Global Medical Affairs - Japan, Takeda Pharmaceutical Company Limited 4)Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University | http://www.ncbi.nlm.nih.gov/pubmed/27207316 |
| 77 | 2016 | Jun-16 | International Journal of Clinical Oncology 2016 ;21(6):1162-1166 | Screening rate for hepatitis B virus infection in patients undergoing chemotherapy in Japan | 1)Masafumi Ikeda 2)Hiroki Yamamoto, Makiko Kaneko, Hiroshi Oshima 1)Hideaki Takahashi, Kumiko Umemoto, Kazuo Watanabe, Yusuke Hashimoto, Izumi Ohno, Shuichi Mitsunaga 3)Takeji Okusaka | 1)Department of Hepatobiliary and Pancreatic Oncology, National Cancer Center Hospital East 2)Japan Medical Data Center Co., Ltd. 3)Department of Hepatobiliary and Pancreatic Oncology, National Cancer Center Hospital | http://www.ncbi.nlm.nih.gov/pubmed/27260010 |
| 76 | 2016 | May-16 | PharmacoEconomics. 2016;34(10):1005-14 | The Effects of Diagnostic Definitions in Claims Data on Healthcare Cost Estimates: Evidence from a Large-Scale Panel Data Analysis of Diabetes Care in Japan. | 1)Haruhisa Fukuda 2)Shunya Ikeda 3)Takeji Shiroiwa Takashi Fukuda | 1)Department of Health Care Administration and Management, Kyushu University Graduate School of Medical Sciences 2)School of Pharmacy, International University of Health and Welfare 3)Department of Health and Welfare Services, National Institute of Public Health | http://www.ncbi.nlm.nih.gov/pubmed/27016372 |
| 75 | 2016 | Apr-16 | Clinical Therapeutics 2016;38(6):1359-1375 | Treatment Patterns, Direct Cost of Biologics, and Direct Medical Costs for Rheumatoid Arthritis Patients: A Real-World Analysis of Nationwide Japanese Claims Data. | 1)Naonobu Sugiyama 2)Yutaka Kawahito 3)Takao Fujii; 4)Tatsuya Atsumi 5)TatsunoriMurata 1)YosukeMorishima 6)YuriFukuma | 1)Medical Affairs, Pfizer Japan Inc 2)Inflammation and Immunology, Graduate School of Medical Science, Kyoto Prefectural University of Medicine 3)Department of the Control for Rheumatic Disease, Graduate School of Medicine, Kyoto University, Kyoto, Japan. 4)Division of Rheumatology, Endocrinology and Nephrology, Graduate School of Medicine, Hokkaido University, Sapporo, Japan. 5)CRECON Medical Assessment Inc, The Pharmaceutical Society of Japan, Tokyo, Japan. 6)Medical Affairs, Pfizer Japan Inc, Tokyo, Japan. | http://www.ncbi.nlm.nih.gov/pubmed/27101816 |
| 74 | 2016 | Apr-16 | Epidemiology and Infection 2016;144(11):2260-7 | Estimation of the incidence of MRSA patients: evaluation of a surveillance system using health insurance claim data | 1)Shinichi Tanihara 2)Satowa Suzuki | 1)Department of Public Health and Preventive Medicine, School of Medicine, Fukuoka University 2)Department of Bacteriology II, National Institute of Infectious Diseases | http://www.ncbi.nlm.nih.gov/pubmed/27350233 |
| 73 | 2016 | Feb-16 | Ophthalmology 2016;123(6):1263-8 | Treatment Patterns and Health Care Costs for Age-Related Macular Degeneration in Japan: An Analysis of National Insurance Claims Data. | Atsuki Kume Tomohiro Ohshiro Yoichi Sakurada Wataru Kikushima Seigo Yoneyama Kenji Kashiwagi | Department of Ophthalmology, Yamanashi University | http://www.ncbi.nlm.nih.gov/pubmed/26927204 |
| 72 | 2016 | Mar-16 | Hepatology Research 2016;47(4):283-292 | Surveillance rates for hepatocellular carcinoma among patients with cirrhosis, chronic hepatitis B, and chronic hepatitis C based on Japanese claims database. | 1,2)Aya Hirata 3)Takumi Hirata 2)Yoshimitsu Takahashi 2)Takeo Nakayama | 1)Department of Preventive Medicine & Public Health, Keio University School of Medicine 2)Department of Health Informatics, Kyoto University School of Public Health 3)Center for Supercentenarian Medical Research, Keio University School of Medicine | http://www.ncbi.nlm.nih.gov/pubmed/27027417 |
| 71 | 2016 | Mar-16 | Journal of the American Heart Association 2016;9:5(3):e002875. | Association Between Severe Hypoglycemia and Cardiovascular Disease Risk in Japanese Patients With Type 2 Diabetes. | 1,2)Atsushi Goto 2)Maki Goto 3)Yasuo Terauchi 1)Naohito Yamaguchi 2,4)Mitsuhiko Noda | 1) Department of Public Health, Tokyo Women's Medical University 2) Department of Diabetes Research, Diabetes Research Center, National Center for Global Health and Medicine 3)Department of Endocrinology and Metabolism, Graduate School of Medicine, Yokohama City University 4) Department of Endocrinology and Diabetes, Saitama Medical University | http://www.ncbi.nlm.nih.gov/pubmed/26961698 |
| 70 | 2016 | Feb-16 | Journal of diabetes investigation 2016;7(5):737-743 | Adherence to dipeptidyl peptidase-4 inhibitor therapy among type 2 diabetes patients with employer-sponsored health insurance in Japan | 1)Karen Kurtyka 2)Rie Nishikino, Chie Ito 1)Kim Brodovicz, Yong Chen, Kaan Tunceli | 1)Merck & Co., Inc 2)Japan Medical Data Center | https://www.ncbi.nlm.nih.gov/pubmed/27182033 |
| 69 | 2016 | Jan-16 | Drug and Alcohol Dependence 2016;158:118-25 | Prevalence, prescribed quantities, and trajectory of multiple prescriber episodes for benzodiazepines: A 2-year cohort study. | 1)Yasuyuki Okumura Sayuri Shimizua 2)Toshihiko Matsumoto | 1)Research Department, Institute for Health Economics and Policy, Association for Health Economics Research and Social Insurance and Welfare 2)Department of Drug Dependence Research/Center for Suicide Prevention, National Institute of Mental Health, National Center of Neurology and Psychiatry | http://www.ncbi.nlm.nih.gov/pubmed/26652896 |
| 68 | 2016 | Jan-16 | Psychiatry Research 2016;37:201-7. | Continuation and discontinuation of benzodiazepine prescriptions: A cohort study based on A large claims database in Japan | Nozomi Takeshima Yusuke Ogawa Yu Hayasaka Toshi A Furukawa | Department of Health Promotion and Human Behavior, Kyoto University Graduate School of Medicine/School of Public Health | http://www.ncbi.nlm.nih.gov/pubmed/26805564 |
| 67 | 2016 | Jan-16 | International Journal of Medical Sciences 2016;13(1):48-59. | Inverse Association between Sodium Channel-Blocking Antiepileptic Drug Use and Cancer: Data Mining of Spontaneous Reporting and Claims Databases. | Mitsutaka Takada Mai Fujimoto Haruka Motomura Keiichi Hosomi | Division of Clinical Drug Informatics, School of Pharmacy, Kinki University | http://www.ncbi.nlm.nih.gov/pubmed/26816494 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|---|--|--|---|
| 66 | 2015 | Nov-15 | Journal of Health Economics 2016;45:115-30 | Patient cost sharing and medical expenditures for the Elderly. | 1)Kazuya Fukushima Sou Mizuoka, Shunsuke Yamamoto 2)Toshiaki Iizuka | 1)Graduate School of Public Policy, The University of Tokyo 2)Faculty of Economics, The University of Tokyo | http://www.ncbi.nlm.nih.gov/pubmed/26603160 |
| 65 | 2015 | Oct-15 | Springerplus. 2015;19:4:624 | Realities in cost-effectiveness analyses: a study of castration-resistant prostate cancer patients using a medical claims database | Susumu Kunisawa Chihiro Tange Kojiro Shimozuma | Department of Biomedical Sciences, Ritsumeikan University | http://www.ncbi.nlm.nih.gov/pubmed/26543759 |
| 64 | 2015 | Jul-15 | Drug Safety 2015;38:641-650 | Atypical Antipsychotics and the Risk of Hyperlipidemia: A Sequence Symmetry Analysis | Yoshinori Takeuchi Kazuhiro Kajiyama Chieko Ishiguro Yoshiaki Uyama | Office of Medical Informatics and Epidemiology, Pharmaceuticals and Medical Devices Agency. | http://www.ncbi.nlm.nih.gov/pubmed/26001933 |
| 63 | 2015 | May-15 | Infectious Diseases and Therapy 2015;4(1): 93-112. | Cost-Effectiveness Evaluation of the 10-Valent Pneumococcal Non-typeable Haemophilus influenzae Protein D Conjugate Vaccine and 13-Valent Pneumococcal Vaccine in Japanese Children. | 1)Makoto Shiragami 2)Akiko Mizukami 3)Oscar Leeuwenkamp, 4)Tomas Mrkvan, 5)Emmanuelle Delgleize 6)Yuichi Kurono 7)Satoshi Iwata | 1)Social and Administrative Pharmacy Science, School of Pharmacy, Nihon University, Funabashi-shi, Chiba Japan 2)Healthoutcomes Department, Development and Medical Affairs Division, GlaxoSmithKline K.K., Shibuya-ku, Tokyo, Japan 3) Eclipse, Tervuren, Belgium 4)Vaccine Value and Health Science, GSK Vaccines, Wavre, Belgium 5)Health Economics, GSK Vaccines, Wavre, Belgium 6)Department of Otolaryngology, Faculty of Medicine, Kagoshima University, Kagoshima-shi, Kagoshima Japan 7)Department of Infectious Diseases, Keio University School of Medicine, Shinjuku-ku, Tokyo Japan | http://www.ncbi.nlm.nih.gov/pubmed/25527448 |
| 62 | 2015 | May-15 | Psychopharmacology 2015;232(16):3101-9 | Exposure to psychotropic medications prior to overdose: a case-control study | 1)Yasuyuki Okumura 2)Hisateru Tachimori 3)Toshihiko Matsumoto 2)Daisuke Nishi | 1)Research Department, Institute for Health Economics and Policy, Association for Health Economics Research and Social Insurance and Welfare 2)Department of Mental Health Administration, National Institute of Mental Health, National Center of Neurology and Psychiatry 3)Department of Drug Dependence Research/Center for Suicide Prevention, National Institute of Mental Health, National Center of Neurology and Psychiatry | http://www.ncbi.nlm.nih.gov/pubmed/25963562 |
| 61 | 2015 | Apr-15 | Neuropsychiatric Disease and Treatment 2015;11:935-40 | Adherence and rehospitalizations in patients with schizophrenia: evidence from Japanese claims data | 1)Hiroyo Kuwabara 1)Yoshimichi Saito 1)Jörg Mahlich | 1)1Health Economics, Janssen KK 2)2Düsseldorf Institute for C Competition Economics, University of Düsseldorf | http://www.ncbi.nlm.nih.gov/pubmed/25897229 |
| 60 | 2015 | Apr-15 | Journal of Pharmaceutical Health Care and Sciences 2015, 1:12 | Adherence to changing from brand-name to generic atorvastatin in newly treated patients: a retrospective cohort study using health insurance claims | Yasunari Mano*, Shota Fukushima, Hisayuki Kuroda, Hiroyuki Ohshima, Yoshinori Kato, Kaori Ohuchi, Kayoko Maezawa, Yasuyuki Momose, Shunya Ikeda and Mariko Asahi | Department of Pharmaceutical Sciences, International University of Health and Welfare | https://www.ncbi.nlm.nih.gov/pubmed/26819723 |
| 59 | 2015 | Apr-15 | Global Pediatric Health 2015: 1-9 | Asthma Controller Medications for Children in Japan: Analysis of an Administrative Claims Database | 1)Shota Hamada 1)Hironobu Tokumasu 1)Akira Sato 1)Masahiro Iwasaku 1)Koji Kawakami | 1)Kyoto University 2)Kurashiki Central Hospital | https://www.ncbi.nlm.nih.gov/pubmed/27335952 |
| 58 | 2015 | Apr-15 | Expert Opinion on Drug Safety 2015;4(6):795-800 | Short-term impacts of sodium/glucose co-transporter 2 inhibitors in Japanese clinical practice: considerations for their appropriate use to avoid serious adverse events | 1)2)3)Daisuke Yabe 4) Rie Nishikino, Makiko Kaneko 2)Masahiro Iwasaki 1)Yutaka Seino | 1) Kansai Electric Power Hospital, Center for Diabetes, Endocrinology and Metabolism, 2)Kansai Electric Power Hospital, Center for Metabolism and Clinical Nutrition 3)Kobe University Graduate School of Medicine, Department of Physiology and Cell Biology, Division of Molecular and Metabolic Medicine 4)Japan Medical Data Center Co., Ltd., | http://www.ncbi.nlm.nih.gov/pubmed/25851664 |
| 57 | 2015 | Mar-15 | 耳鼻臨床 2015;108(3):177-186 | 肺炎球菌ワクチンと新規抗菌薬は小児急性中耳炎にどのような影響を与えているか | 山中 昇 | 和歌山県立医科大学 耳鼻咽喉科・頭頸部外科 | |
| 56 | 2015 | Feb-15 | Hepatology Research 2015;45(12):1228-40 | Estimated numbers of patients with liver disease related to hepatitis B or C virus infection based on the database reconstructed from medical claims from 2008 to 2010 in Japan | 1) Masayuki Ohisa Yuki Kimura Junko Matsuo Tomoyuki Akita Tomoki Sato Toshihiko Matsuoka Kazuaki Sakamune Keiko Katayama Son Huy Do 2)Yuzo Miyakawa 1)Junko Tanaka | 1)Department of Epidemiology, Infectious Disease Control and Prevention, Institute of Biomedical and Health Sciences, Hiroshima University 2)Miyakawa Memorial Research Foundation | http://www.ncbi.nlm.nih.gov/pubmed/25627814 |
| 55 | 2015 | Feb-15 | BMC Health Services Research 2015;15:76 | The changing patterns of dispensing branded and generic drugs for the treatment of gastroesophageal reflux disease between 2006 and 2011 in Japan: a retrospective cohort study | 1)Kyoko Murata 2)Shiro Hinotsu 1)Shota Hamada 3)Yasumasa Ezo Manabu Muto 1)Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University 2) Center for Innovative Clinical Medicine, Okayama University Hospital 3) Department of Therapeutic Oncology, Kyoto University Hospital | http://www.ncbi.nlm.nih.gov/pubmed/2588571 |
| 54 | 2015 | Jan-15 | International Journal of Medical Sciences 2015;12(3): 223-233 | Association between statin use and cancer: Data mining of a spontaneous reporting database and a claims database | Mai Fujimoto Tomoya Higuchi Kouichi Hosomi Mitsutaka Takada | Division of Clinical Drug Informatics, School of Pharmacy, Kinki University | http://www.medscape.com/v1/2p0223.htm |
| 53 | 2014 | Nov-14 | J Epidemiol Community Health 2014;68(12):1189-95 | Impact on short-term glycaemic control of initiating diabetes care versus leaving diabetes untreated among individuals with newly screening-detected diabetes in Japan. | 1) Yoriko Heianza, 1) Akiko Suzuki, 2) Kazuya Fujihara, 3) Shiro Tanaka, 1) Satoru Kodama, 1) Osamu Hanyu, 1) Hirohito Sone | 1) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan. 2) Department of Internal Medicine, Niigata University Faculty of Medicine, Niigata, Japan Department of Internal Medicine, University of Tsukuba Institute of Clinical Medicine, Ibaraki, Japan. 3) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University, Kyoto, Japan. | http://www.ncbi.nlm.nih.gov/pubmed/25187645 |
| 52 | 2014 | Oct-14 | 臨床精神薬理 2014;17 (11): 1561-1575 | 日本全国の生活保護受給者への抗不安・睡眠薬処方地域差 | 1)奥村 泰之 2)藤田 純一 3)松本 俊彦 4)立森 久照 1)清水 沙友里 | 1)一般社団法人 医療経済研究・社会保険福祉協会 医療経済研究機構 研究部 2)独立行政法人 神奈川県立病院機構 神奈川県立こども医療センター 児童思春期精神科 3)独立行政法人 国立精神・神経研究センター 精神保健研究所 薬物依存研究部/自殺予防総合対策センター 4)独立行政法人 国立精神・神経研究センター 精神保健研究所 精神保健計画研究部 | |
| 51 | 2014 | Sep-14 | Diabetes, Obesity and Metabolism 2015;17(4):430-4 | Use of the Japanese health insurance claims database to assess the risk of acute pancreatitis in patients with diabetes: comparison of DPP-4 inhibitors with other oral antidiabetic drugs. | 1)2)3) D. Yabe 1) H. Kuwata 4) M. Kaneko 4) C. Ito 4) R. Nishikino 5) K. Murotani 1) T. Kurose 1) Y. Seino | 1) Centre for Diabetes, Endocrinology and Metabolism, Kansai Electric Power Hospital, Osaka, Japan 2) Center Metabolism and Clinical Nutrition, Kansai Electric Power Hospital, Osaka, Japan 3) Division of Molecular and Metabolic Medicine, Department of Physiology and Cell Biology, Kobe University Graduate School of Medicine, Kobe, Japan 4)Japan Medical Data Center Co., Ltd, Tokyo, Japan 5)Center for Advanced Medicine and Clinical Research, Nagoya University Hospital, Nagoya, Japan | http://www.ncbi.nlm.nih.gov/pubmed/25146418 |
| 50 | 2014 | Aug-14 | Acta Medica Okayama 2014;68(1):1-6 | Assessment of Medical Expenditures for Sepsis:Differentiating between Cases with and without Ruled-out Diagnoses | Shinichi Tanihara Takuya Imatoh Yoshito Momose | Department of Preventive Medicine and Public Health,School of Medicine,Fukuoka University | http://www.ncbi.nlm.nih.gov/pubmed/24553482 |
| 49 | 2014 | Aug-14 | Journal of Public Health 2014;37(3):498-505. | Predicting failure to follow-up screened high blood pressure in Japan: a cohort study | 1)Akira Kuriyama 1)Yoshimitsu Takahashi 1)Yuka Tsujimura 1)Kikuko Miyazaki 2)Toshihiko Satoh 3)Shunya Ikeda 1)Takeo Nakayama | 1) Department of Health Informatics, Kyoto University School of Public Health 2) School of Social Informatics, Aoyama Gakuin University 3) Department of Pharmaceutical Sciences, School of Pharmacy, International University and Health Welfare | http://www.ncbi.nlm.nih.gov/pubmed/25104840 |
| 48 | 2014 | Aug-14 | Clinical Therapeutics 2014;36(8),1223-1230 | Clinical and Economic Burden in Patients with Diagnosis of Peripheral Arterial Disease in a Claims Database in Japan | 1) Akihiro Hosaka 2) Tetsuro Miyata 3) Yoshie Onishi 4) Laura Liao, Quanwu Zhang | 1) Department of Surgery, Tokyo Metropolitan Tama Medical Center, Tokyo 2) Vascular Center, Sanno Hospital and Sanno Medical Center, Tokyo, Japan. 3) Sanofi K.K., Japan, Tokyo, Japan. 4) Sanofi, US LLC, Bridgewater, New Jersey. | http://www.ncbi.nlm.nih.gov/pubmed/25012730 |
| 47 | 2014 | Aug-14 | 薬剤疫学 2014;19(1):1-11 | Assessment of Medical Information Databases to Estimate Patient Numbers | Eiko SHIMIZU Kazuo KAWAHARA | Health Care Management and Planning, Graduate School of Tokyo Medical and Dental University | https://www.istage.jst.go.jp/article/ijpe/19/1/19_1/pdf |
| 46 | 2014 | Jul-14 | Journal of Infection and Chemotherapy 2014;20(7) 401-406 | Spread of viral infection to family members from influenza patients treated with a neuraminidase inhibitor | 1) Takashi Nakano 2) Kazuhito Shiosakai | 1) Department of Pediatrics, Kawasaki Medical School 2) Clinical Data and Biostatistics Department, Daiichi Sankyo Co., Ltd | http://www.ncbi.nlm.nih.gov/pubmed/24787736 |
| 45 | 2014 | Jun-14 | The Japanese journal of antibiotics 2014;67(3),157-166 | 小児肺炎の外來治療における新規経口抗菌薬の影響 Effect of new oral antimicrobial agents in outpatient treatment of pneumonia in children | 1)尾内一信 2)砂川慶介 | 1)川崎医科大学小児科学講座 2)北里大学感染制御研究機構 | http://www.ncbi.nlm.nih.gov/pubmed/25163249 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|--|--|---|---|---|
| 44 | 2014 | Jun-14 | PLoS ONE 2014;9(6): e99021 | Prescribing Pattern of Anti-Parkinson Drugs in Japan: A Trend Analysis from 2005 to 2010 | 1) Sachiko Nakaoka 2) Tatsuro Ishizaki 3) Hisashi Urushihara 4) Toshihiko Satoh 5) Shunya Ikeda 6) Mitsutoshi Yamamotox 1) Takeo Nakayama | 1) Department of Health Informatics, Kyoto University School of Public Health, Kyoto, Japan, 2) Human Care Research Team, Tokyo Metropolitan Institute of Gerontology, Tokyo, Japan, 3) Division of Drug Development and Regulatory Science, Faculty of Pharmacy, Keio University, Tokyo, Japan, 4) School of Social Informatics, Aoyama Gakuin University, Kanagawa, Japan, 5) Department of Pharmaceutical Sciences, School of Pharmacy, International University of Health and Welfare, Tochigi, Japan, 6) Takamatsu Neurology Clinic, Kagawa, Japan | http://www.ncbi.nlm.nih.gov/pubmed/24906013 |
| 43 | 2014 | Apr-14 | 小児科臨床 2014;67(5), 893-903 | レセプトデータからみた小児喘息治療の実態—患者と保護者のQOL向上を目指して— | 1) 西牟田敏之 2) 西間三馨 3) 森川昭廣 4) 近藤直実 5) 服部貴子 | 1)独立行政法人国立病院機構下志津病院 2)福岡女学院看護大学 3)社会福祉法人希望の家附属北関東アレルギー研究所 4)学校法人誠広学園平成医療短期大学 5)グラクソ・スミスクライン株式会社開発本部メディカルアフェアーズ部門 | |
| 42 | 2014 | Apr-14 | 呼吸器内科 2014;25(4), 380-386 | レセプトを用いた肺炎発症リスク因子の検討 | 1) 鎗田一博 2) 村田達教 3) 大野孝順 4) 河野 茂 | 1) 東邦大学医学部医学科微生物・感染症学講座 2) クレコンリサーチ & コンサルティング株式会社医療アセスメント研究部 3) ファイザー株式会社ワクチンメディカル・アフェアーズ部 4) 国立大学法人長崎大学病院 | |
| 41 | 2014 | Mar-14 | 臨床医薬 2014;30(3)279-285 | 健康保険組合レセプト情報を利用した乾癬の実態調査 | 1) 照井 正 2) 中川 秀己 3) 江藤 隆史 4) 小澤 明 | 1) 日本大学医学部皮膚科学分野皮膚科 2) 東京慈恵会医科大学皮膚科学 3) 東京通信病院皮膚科 4) 東海大学医学部専門診療系皮膚科 | |
| 40 | 2014 | Mar-14 | International Journal of Clinical Pharmacology and Therapeutics 2014;52(3):181-91 | Difference in risk of gastrointestinal complications between users of enteric-coated and buffered low-dose aspirin. | Mitsutaka Takada, Mai Fujimoto Kouichi Hosomi | Division of Clinical Drug Informatics, School of Pharmacy, Kinki University, Osaka, Japan | http://www.ncbi.nlm.nih.gov/pubmed/24472400 |
| 39 | 2014 | Jan-14 | Clinical Rheumatology 2015;34(5):949-56 | Prescription patterns and trends in anti-rheumatic drug use based on a large-scale claims database in Japan. | 1) Hirotaka Katada, 2) Naochiro Yukawa 1) Hisashi Urushihara 1) Shiro Tanaka 2) Tsuneyo Mimori 1) Koji Kawakami | 1) Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University 2) Department of Rheumatology and Clinical Immunology, Graduate School of Medicine, Kyoto University | http://www.ncbi.nlm.nih.gov/pubmed/24420724 |
| 38 | 2014 | Jan-14 | Japanese Journal of Ophthalmology 2014;58(1), 68-74 | Persistence with topical glaucoma therapy among newly diagnosed Japanese patients | Kenji Kashiwagi, Toshie Furuya | Department of Ophthalmology, University of Yamanashi Faculty of Medicine | http://www.ncbi.nlm.nih.gov/pubmed/24408788 |
| 37 | 2013 | Dec-13 | 痛風と核酸代謝 Vol. 37 (2013) No. 2 痛風と核酸代謝 p.111-116 | 高尿酸血症頻度の年齢差の原因—診療報酬明細書(レセプト)データベースを利用した解析 | 1) 箱田 雅之 2) 富田 眞佐子 | 1) 安田女子大学 家政学部 管理栄養学科 2) 東京都交通局職員部 | |
| 36 | 2013 | Dec-13 | Open Journal of Pediatrics 2013;3(4):311-316 | Intussusception in Japanese infants: Analysis of health insurance claims database | 1) Masayoshi Miura 2) Keiko Sato 3) Hisao Muto 3) Kusuma Gopala 2)4) Katsiaryna Holl | 1) Department of Pediatrics, Toyama City Hospital, Toyama, Japan 2) Healthoutcomes Department, GlaxoSmithKline K.K., Tokyo, Japan 3) Biostatistics Department, GlaxoSmithKline Pharmaceuticals, Bangalore, India 4) Health Economics Department, GlaxoSmithKline Vaccines, Wavre, Belgium | https://file.scirp.org/Html/5-133025040105.htm |
| 35 | 2013 | Jul-13 | Clinical Drug Investigation 2013;33(8):597-605 | Psychotropic Prescription Patterns Among Patients Diagnosed With Depressive Disorder Based on Claims Database in Japan | Yoshie Onishi, Shiro Hinotsu, Toshiaki A. Furukawa, Koji Kawakami | Department of Pharmacoepidemiology, Graduate School of Medicine and Public Health, Kyoto University | http://www.ncbi.nlm.nih.gov/pubmed/23842725 |
| 34 | 2013 | Jul-13 | Journal of Affective Disorders 2013;150(3)916-922 | Prescription patterns following first-line new generation antidepressants for depression in Japan: A naturalistic cohort study based on a large claims database | 1) Toshi A. Furukawa 2) Yoshie Onishi 2) Shiro Hinotsu 1) Aran Tajika 1) Nozomi Takeshima 1) Kiyomi Shinohara 1) Yusuke Ogawa 1) Yu Hayasaka 2) Koji Kawakami | 1) Department of Health Promotion and Human Behavior, Kyoto University Graduate School of Medicine/School of Public Health 2) Department of Pharmacoepidemiology, Kyoto University Graduate School of Medicine/School of Public Health | http://www.ncbi.nlm.nih.gov/pubmed/23721923 |
| 33 | 2013 | Jul-13 | International Journal of General Medicine. 2013;6:597-604 | Practice patterns for lower respiratory tract infections in hospital patients with particular focus on bacteriological examinations and injection antibiotics use | 1) Mikio Wada, 2) Takeo Nakayama, 3) Tatsuro Ishizaki, 4) Toshihiko Satoh, 5) Shunya Ikeda | 1) General Internal Medicine, Fukuchiyama City Hospital; 2) Department of Health Informatics, Kyoto University School of Public Health; 3) Tokyo Metropolitan Institute of Gerontology; 4) School of Social Informatics, Aoyama Gakuin University; 5) Department of Pharmaceutical Sciences, School of Pharmacy, International University of Health and Welfare | http://www.ncbi.nlm.nih.gov/pubmed/23898230 |
| 32 | 2013 | Jun-13 | Clinical Parasitology 2013;24(1)44-46 | アニキサスによる食中毒:届出に関わる法改正とレセプトデータに基づく患者数の推計 | 1) 杉山 広, 森嶋康之, 大前比呂思, 山崎 浩 2) 木村真也 | 1) 国立感染症研究所 寄生動物部 2) 株式会社日本医療データセンター | |
| 31 | 2013 | Jun-13 | 糖尿病学会誌「糖尿病」Vol. 56(2013) No. 5 | 安全対策措置前後でのシタグリブチンとSU薬併用による低血糖症例及びSU薬の一日投与量の変化について | 1) 2) 岸 達生 2) 御前 智子 2) 高松 昭司 1) 松田 勉 | 1) 山形大学大学院医学系研究科生命環境医学専攻医薬品医療機器評価学講座 2) 独立行政法人医薬品医療機器総合機構安全第二部 | |
| 30 | 2013 | May-13 | PLoS ONE 2013;31;8(5):e66116 | Claims-Based Definition of Death in Japanese Claims Database: Validity and Implications | 1) Nobuhiro Ooba 1)2) Soko Setoguchi 3) Takashi iAndo 1)4) Tsugumichi Sato 5) Takuhiro Yamaguchi 3) Mayumi Mochizuki 1) Kiyoshi Kubota | 1) Department of Pharmacoepidemiology, Graduate School of Medicine, University of Tokyo, Tokyo, Japan, 2) Duke Clinical Research Institute, Durham, North Carolina, United States of America, 3) Tokyo Metropolitan Institute of Gerontology, 4) Drug Safety Research Unit Japan, Tokyo, Japan, 5) Department of Public Health and Forensic Medicine, Tohoku University Graduate School of Medicine, Miyagi, Japan | http://www.ncbi.nlm.nih.gov/pubmed/23741526 |
| 29 | 2013 | Apr-13 | Modern Rheumatology 2014;24(1):33-40 | Estimates of the prevalence of and current treatment practices for rheumatoid arthritis in Japan using reimbursement data from health insurance societies and IORRA cohort (I) | 1) Hisashi Yamanaka Naonobu Inoue, Atsuo Taguchi, Shigeki Momohara 2) Sugiyama.Eisuke | 1) Institute of Rheumatology, Tokyo Woman's Medical University 2) Medical Affairs, Pfizer Japan Inc | http://www.ncbi.nlm.nih.gov/pubmed/24261756 |
| 28 | 2013 | Mar-13 | International Heart Journal 2013;54(2):93-7. | Trends in antidiabetic prescription patterns in Japan from 2005 to 2011. | Kohro T, Yamazaki T, Sato H, Harada K, Ohe K, Komuro I, Nagai R. | Department of Translational Research for Healthcare and Clinical Science, Graduate School of Medicine, The University of Tokyo. | http://www.ncbi.nlm.nih.gov/pubmed/23676369 |
| 27 | 2013 | Feb-13 | 薬剤疫学 2012年12月No.2Vol.17 | 製薬企業の立場から レセプト(JMDC提供)がんとがんの発生動向と抗がん剤投与後の疾患動向 | 浜田健嗣 青木事成 | 中外製薬株式会社医薬品安全性本部 ファーマコビジュランス部疫学グループ | https://www.istage.jst.go.jp/article/ijpe/17/2/17_145/pdf |
| 26 | 2013 | Feb-13 | 薬剤疫学 2012年12月No.2Vol.17 | 日本で薬剤疫学研究に利用可能なデータベース | 木村友美 小出大介 折井孝男 | 日本薬剤疫学会 薬剤疫学とデータベースタスクフォース | https://www.istage.jst.go.jp/article/ijpe/17/2/17_135/pdf |
| 25 | 2013 | Feb-13 | 薬剤疫学 2012年12月No.2Vol.17 | アセトアミノフェン鎮痛目的利用の国内外差およびその普及による薬剤費低減の可能性 | 1) 2) 甲斐 健太郎 1) 池田俊也 1) 武藤正樹 | 1) 国際医療福祉大学 2) 昭和薬品加工株式会社 | https://www.istage.jst.go.jp/article/ijpe/17/2/17_75/pdf |
| 24 | 2013 | Feb-13 | Hypertension Research 2013;36(6):559-63 | The impact of a change in hypertension management guidelines on diuretic use in Japan: Trends in antihypertensive drug prescriptions from 2005 to 2011 | 1) Takahide Kohro 2) Tsutomu Yamazaki 3) Hiroki Sato 4) Kazuhiko Ohe 5) Ryoza Nagai | 1) Department of Translational Research for Healthcare and Clinical Science, School of Medicine, The University of Tokyo, Tokyo, Japan 2) Clinical Research Support Center, The University of Tokyo Hospital, Tokyo, Japan 3) Department of Preventive Medicine and Public Health, National Defense Medical College, Saitama, Japan 4) Department of Medical Informatics and Economics, Division of Social Medicine, School of Medicine, The University of Tokyo 5) Jichi Medical University, Tochigi, Japan Correspondence: Dr T Kohro, Department of Translational Research for Healthcare and Clinical Science, Graduate School of Medicine, University of Tokyo | http://www.ncbi.nlm.nih.gov/pubmed/23388884 |
| 23 | 2012 | Oct-12 | American Economic Review 2012;102(6): 2826-2858 | Physician Agency and Adoption of Generic Pharmaceuticals | Toshiaki Iizuka | Graduate School of Economics, The University of Tokyo | http://dx.doi.org/10.1257/aer.102.6.2826 |
| 22 | 2012 | Oct-12 | Global Journal of Health Science; 2012;Vol.4, No.6 | Prevalence of Analgesic Prescriptions among Patients with Cancer in Japan: An Analysis of Health Insurance Claims Data | 1) Takahiro Higashi 2) Tetsusuke Yoshimoto 3) Motohiro Matoba | 1) Department of Public Health/Health Policy, University of Tokyo 2) Department of Palliative and Supportive Care, Social Insurance Chukyo Hospital 3) Department of Palliative Medicine, National Cancer Center Hospital of Japan | http://www.ncbi.nlm.nih.gov/pubmed/23121757 |

| No. | Year | Year & Month | Journal | Title | Author | Affiliation | Link |
|-----|------|--------------|---|--|---|--|---|
| 21 | 2012 | Jun-12 | 薬剤疫学 2012;volume17 no.1 | 薬剤疫学と医療データベース ～薬剤経済評価における利用を中心に～ | 池田俊也 | 国際医療福祉大学薬学部 | https://www.istage-jst.go.jp/article/ijpe/17/1/17_67/pdf |
| 20 | 2012 | Jun-12 | Neuropsychiatric Disease and Treatment 2012;8 p259-266 | Antipsychotic monotherapy among outpatients with schizophrenia treated with olanzapine or risperidone in Japan: a health care database analysis. | 1)Wenyu Ye 2)Haya Ascher-Svanum 3)Yuka Tanji,Jennifer A Flynn 3/4) Michihiro Takahashi 2) Robert R Conley | 1)Lilly Suzhou Pharmaceutical Co, Ltd, Shanghai, People's Republic of China; 2)Eli Lilly and Company, Indianapolis, IN, USA; 3)Lilly Research Laboratories Japan, Eli Lilly Japan KK, Kobe, Japan; 4)Terauchi-Takahashi Psychiatric Clinic, Ashiya, Japan | http://www.ncbi.nlm.nih.gov/pubmed/22745559 |
| 19 | 2012 | Jun-12 | 薬剤疫学 2012;June volume17 no.1 | 小児の急性気管支炎におけるベータ2刺激薬の処方実態 | 1) 神垣有実 2) 大森崇 3) 小田嶋博 4) 佐藤俊哉 | 1)国立精神・神経医療研究センター精神保健研究所精神薬理研究部 2)同志社大学文化情報学部文化情報学科 3)独立行政法人国立病院機構福岡病院 4)京都大学大学院医学研究科社会健康学系専攻医療統計学分野 | https://www.istage-jst.go.jp/article/ijpe/17/1/17_1/pdf |
| 18 | 2011 | Dec-11 | 薬剤疫学 2011;volume16 | 電子化された医療情報の安全対策への活用を試みについて(MIHARIプロジェクトの現状) | 池田三恵 遠藤あゆみ 松田和浩 | Pharmaceutical and Medical Devices Agency | |
| 17 | 2011 | Nov-11 | Internal Medicine 2011;50(22), 2793-2800 | Management and treatment of osteoporosis in patients receiving long-term glucocorticoid treatment : Current status of adherence to clinical guidelines and related factors | 1) Daijun Kirigaya 2) Takeo Nakayama 3) Tatsuro Ishizaki 4) Shunya Ikeda 5) Toshiniko Satoh | 1)Japan Association for Development of Community Medicine 2)Department of Health Informatics, Kyoto univ School of Public Health 3)Department of Health Informatics, Kyoto univ School of Public Health 4)Department of Pharmaceutical Sciences, School of Pharmacy, International univ of Health and Welfare 5)Kitasato Clinical Research Center, Kitasato univ School of Medicine | http://www.ncbi.nlm.nih.gov/pubmed/22082891 |
| 16 | 2011 | Aug-11 | 臨床精神薬理 2011;14(8):1387-1395 | 診療報酬明細書を用いた新規抗精神病薬単剤治療における治療アウトカムの比較 | 1) 岩田 伸生 2) 大西 弘二 3) 井上 幸恵 | 1)藤田保健衛生大学医学部精神神経科講座 2)大塚製薬プロダクトマネジメントグループ 3)クレコリサーチ&コンサルティング株式会社 医療アセスメント研究部 | |
| 15 | 2011 | Jun-11 | 厚生 指標 | 診療報酬明細書における性感染症の記載状況に関する検討 | 1) 谷原真一 2) 岡本悦司 3) 今任拓也 4) 百瀬義人 5) 宮崎元伸 6) 畝博 | 1)福岡大学公衆衛生 2)国立保健医療科学院研究情報センター 3)福岡大学公衆衛生 4)福岡大学公衆衛生 5)さいたま市健康科学研究センター 6)福岡大学公衆衛生 | |
| 14 | 2011 | Apr-11 | 新薬と臨床J. New Rem & Clin. 2011;Vol.60 No.4 | 非心原性脳梗塞における抗血小板薬の選択 -服薬継続率からのアプローチ- | 棚橋紀夫 | 埼玉医科大学国際医療センター 神経内科 | |
| 13 | 2011 | Mar-11 | Internal Medicine 2011;50: 687-694 | Echocardiography for the Detection of Valvulopathy Associated with the Use of Ergot-Derived Dopamine Agonists in Patients with Parkinson's Disease | 1) Sachiko Nakaoka 2) Tatsuro Ishizaki 3) Hisashi Urushihara 4) Toshiniko Satoh 5) Shunya Ikeda 6) Kaoru Morikawa 7) Takeo Nakayama | 1)Department of Health Informatics, Kyoto univ School of Public Health 2)Department of Health Informatics, Kyoto univ School of Public Health 3)Department of Pharmacoepidemiology, Kyoto univ School of Public Health 4)Kitasato Clinical Research Center, Kitasato univ School of Medicine 5)Department of Pharmaceutical Sciences, School of Pharmacy, International univ of Health and Welfare 6)Division of Safety Information on Drug, Food and Chemicals, National Institute of Health Sciences, Japan 7)Department of Health Informatics, Kyoto univ School of Public Health | http://www.ncbi.nlm.nih.gov/pubmed/21467699 |
| 12 | 2011 | Mar-11 | Drug Safety 2011;34(4):329-338 | The Impact in Japan of Regulatory Action on Prescribing of Dopamine Receptor Agonists Analysis of a Claims Database between 2005 and 2008 | 1) Nobuhiro Ooba 2) Takuhiro Yamaguchi 3) Kiyoshi Kubota | 1)Department of Pharmacoepidemiology, University of Tokyo 2)Department of Public Health and Forensic Medicine, Tohoku University 3)Department of Pharmacoepidemiology, University of Tokyo | http://www.ncbi.nlm.nih.gov/pubmed/21417505 |
| 11 | 2010 | Dec-10 | Journal of Evaluation in Clinical Practice 2012;18(3):616-22 | A comparison of disease-specific medical expenditures in Japan using the principal diagnosis method and the proportional distribution method | 1) Shinichi Tanihara 2) Etsuji Okamoto 3) Hiroshi Une | 1)Fukuoka Univ 2)National Institute of Public Health 3)Fukuoka Univ | http://www.ncbi.nlm.nih.gov/pubmed/21332613 |
| 10 | 2010 | Nov-10 | 臨床薬理Jpn J Clin Pharmacol Ther 2010;41(6) | 特集/薬剤経済学研究に関する最近の話題 4. 医療データベースの薬剤経済評価への応用 | 1) 池田 俊也 2) 北里 博仁 3) 野田 光彦 4) 中山 健夫 5) 佐藤 敏彦 | 1)国際医療福祉大学薬学部 2)大森赤十字病院糖尿病・内分泌内科 3)国立国際医療研究センター糖尿病・代謝症候群診療部 4)京都大学大学院健康情報学 5)北里大学医学部附属北里臨床研究センター | |
| 9 | 2010 | Sep-10 | 日本糖尿病情報学会論文誌 2010;9(肥満と糖尿病 別冊9):48-64 | 診療報酬明細書(レセプト)データベースから2型糖尿病合併症および大血管症の病期進展と医療費の関係を明らかにする方法の検討 | 1) 北里 博仁 2) 池田 俊也 3) 泉 和生 4) 岡田 純江 5) 門脇 孝 6) 中山 健夫 7) 野田 光彦 8) 佐藤 敏彦 | 1) 朝日生命成人病研究所附属丸の内病院糖尿病代謝科 2) 国際医療福祉大学薬学部 3) 国際協力医学研究振興財団 4) 東京大学大学院医学系研究科糖尿病・代謝内科 5) 東京大学大学院医学系研究科糖尿病・代謝内科 6) 京都大学大学院健康情報学 7) 国立国際医療センター糖尿病・代謝症候群診療部 8) 北里大学医学部臨床研究センター | |
| 8 | 2010 | Sep-10 | Journal of Epidemiology 2010;20(5):413-419 | Development of a Database of Health Insurance Claims: Standardization of Disease Classifications and Anonymous Record Linkage | 1) Shinya Kimura 2) Toshiniko Satoh 3) Shunya Ikeda 4) Mitsuhiko Noda 5) Takeo Nakayama | 1) Japan Medical Data Center Co.,Ltd 2) Kitasato Clinical Research Center 3) Department of Pharmaceutical Sciences, School of Pharmacy, International University of Health and Welfare 4) Department of Diabetes and Metabolic Medicine, National Center for Global Health and Medicine 5) Department of Health Informatics, Kyoto University Scholl of Public Health | http://www.ncbi.nlm.nih.gov/pubmed/20699602 |
| 7 | 2010 | Jul-10 | Journal of Evaluation in Clinical Practice 2011;17(6):1070-4 | A statistical analysis of 'rule-out' diagnoses in outpatient health insurance claims in Japan | 1) 谷原真一 2) 岡本悦治 3) 畝博 | 1)福岡大学公衆衛生 2)国立保健医療科学院 3)福岡大学公衆衛生 | http://www.ncbi.nlm.nih.gov/pubmed/20630011 |
| 6 | 2010 | Jul-10 | 吸入療法 2010 Vol.2, No.2 | 診療報酬明細書(レセプト)データからみたCOPD患者の現状 | 1) 村田 達教 1) 小林 慎 2) 工藤 翔二 | 1)クレコリサーチアンドコンサルティング株式会社 2)財団法人結核予防会複十字病院 | |
| 5 | 2010 | Apr-10 | The American Journal of Geriatric Pharmacotherapy 2010;8(2):146-60 | Potentially Inappropriate Medication Use in Elderly Japanese Patients | 1) Manabu Akazawa 2) Hirohisa Imai 3) Ataru Igarashi 4) Kiichiro Tsutani | 1)Kanazawa University 2)National Institute of Public Health 3)Graduate School of Pharmaceutical Sciences 4)The University of Tokyo | http://www.ncbi.nlm.nih.gov/pubmed/20439064 |
| 4 | 2010 | Mar-10 | 臨床精神薬理 13: 775-785, 2010 | 診療報酬明細データを用いた統合失調症患者の治療アウトカムの検討 | 1) 中原直博 2) 鎌江伊三夫 3) 福垣 中 4) 小林 慎 | 1)日本イーライリリー株式会社研究開発本部 2)慶応義塾大学健康マネジメント研究科 3)慶応義塾大学健康マネジメント研究科 4)クレコリサーチアンドコンサルティング株式会社 | |
| 3 | 2009 | Oct-09 | 薬剤疫学 2009年14号 Supplement S58-S59 | 麦角系パーキンソン病治療薬の処方と心エコー検査の実施状況 | 久保田 潔 | 東京大学大学院医系研究科薬剤疫学講座 | |
| 2 | 2007 | Oct-07 | 公衆衛生 2007;vol.71 No.11 | レセプト情報を活かす⑧ レセプトにおける匿名化名寄せ技術と傷病名辞書 | 木村 真也 | 株式会社日本医療データセンター | |
| 1 | 2007 | Jan-07 | 経営戦略研究 2007;第1号 p145-153 | レセプトデータへのデータマイニング手法の適用による医薬品副作用発現の予測・予防に関する知識発見 | 塚本 哲治 | 関西学院大学専門職大学院経営戦略研究科(万有製薬臨床開発部) | https://kwansei-ac.jp/iba/assets/pdf/journal/studies_in_BandA_2007_p145-153.pdf |